Before the PENNSYLVANIA PUBLIC UTILITY COMMISSION

PPL Electric Utilities Corporation

Energy Efficiency and Conservation Plan

Act 129 Phase IV

Docket No. M-2020-3020824

Filed November 30, 2020

Revised May 24, 2021 in accordance with

PUC's Opinion and Order entered March 25, 2021

Table of Contents

1_		Overv	iew of PPL Electric Utilities' Act 129 Phase IV Plan	1 <u>1</u>
	<u>1.1</u>		Summary Description of the Plan	1 <u>1</u>
		1.1.1	Portfolio Objectives	2
		1.1.2	Overall Strategy to Achieve Energy Efficiency and Conservation Goals	44
	1.2		Plan Development Process and Key Assumptions	7 7
		1.2.1	Principles Guiding Development of the Plan	10 9
		1.2.2	Developing the Portfolio	11 10
	1.3		Summary Tables of Portfolio Savings Goals, Budgets, and Cost-Effectiveness	13 12
	1.4		Summary of Program Implementation Schedule	18 15
	1.5		Strategy to Acquire 15% of Consumption Reduction and Peak Demand Reduction	
			Each Program Year	
	1.6		Summary Description of the Programs or Measure Categories from which the Ele	<u>ctric</u>
			Distribution Company (EDC) Intends to Nominate Peak Demand Reduction into P.	JM's
			Forward Capacity Market (FCM), along with the Projected Megawatt Totals to be	Bid by
			<u>Year</u>	19 16
	<u>1.7</u>		Strategy to Manage EE&C Portfolio and Engage Customers and Trade Allies	20 17
	1.8		Data Management, Quality Assurance, and Evaluation Processes	21 18
		1.8.1	Data Management	21 18
		1.8.2	Quality Assurance and Quality Control	21 18
		1.8.3	Evaluation Processes	22 19
	<u>1.9</u>		Cost Recovery Mechanism	22 19
2		Energy	y Efficiency Portfolio/Program Summary Tables and Charts	23 20
3		Progra	am and Component Descriptions	30 26
	3.1		Process Used for Selection of Programs and Components	30 26
		3.1.1	Portfolio Objectives and Metrics that Define Success	
		3.1.2	How Program Components Were Constructed	
		3.1.3	Measures Included in the Portfolio of Program Components	
		3.1.4	Comprehensive Measures to Be Offered	
	3.2		Residential Program (2021-2026)	
	3.3		Low-Income Program (2021-2026)	
	<u> </u>			5555

	3.4		Non-Residential Program (2021-2026)	82 75
4		Mana	gement and Implementation Strategies	138 131
	4.1		Overview of EDC Management and Implementation Strategies	138 131
		4.1.1	Services to Be Provided by EDCs, Consultants, Trade Allies, and CSPs	138 131
		4.1.2	Performance, Technology, Market, and Evaluation Risks and Risk Management Strategies	
		4.1.3	Plans to Address Human Resource and Contractor Resource Constraints	142 135
		4.1.4	Early Warning System	143 136
		4.1.5	Implementation Schedule with Milestones	143 136
		4.1.6	Stakeholder Engagement	143 136
	4.2		Executive Management Structure	144 137
		4.2.1	Structures for Addressing Portfolio Strategy	144 137
		4.2.2	Approach to Overseeing the Performance of Subcontractors and Implementers	s 145 138
		4.2.3	Administrative Budget	145 138
	4.3		Conservation Service Providers	146 139
		4.3.1	Selected CSPs and Basis for Selection	146 139
		4.3.2	Work and Measures Being Performed by CSPs	146 139
		4.3.3	Pending RFPs	146 139
<u>5</u>		Repor	ting and Tracking Systems	147 140
	<u>5.1</u>		Semiannual and Annual Reports	147 140
	<u>5.2</u>		Project Management Tracking System	147 140
		5.2.1	Overview of Data Tracking System	147 140
		5.2.2	Software Format, Data Exchange Format, and Database Structure	147 140
		5.2.3	Mechanism for Access for Commission and Statewide EE&C Plan Evaluator	148 141
6		Qualit	y Assurance and Evaluation, Measurement, and Verification	149 142
	6.1		Quality Assurance/Quality Control	149 142
		6.1.1	Approach to Quality Assurance and Quality Control	149 142
		6.1.2	Procedures for Measure and Project Installation Verification, Quality Assurance	e and
			Control, and Savings Documentation	150 143
		6.1.3	Process for Collecting and Addressing Feedback	151 144
	6.2		Planned Market and Process Evaluations	151 144
	6.3		Strategy for Coordinating with the Statewide EE&C Plan Evaluator	152 145

7_		Cost P	Recovery Mechanism	154 147
	<u>7.1</u>		Total Annual Revenues as of December 31, 2006	154 147
	7.2		Plan to Fund the EE&C Measures, Including Administrative Costs	154 147
	7.3		Data Tables	154 147
	7.4		Tariffs and Cost Recovery Mechanism	157 150
	7.5		Cost Recovery Mechanism to Ensure Approved Measures Are Financed by Cor	responding
			Customer Class	
	<u>7.6</u>		Phase IV Cost Accounting	158 151
	7.7		PJM FCM Cost Recovery	158 151
8		Cost-E		159 152
	8.1		Plan Cost-Effectiveness as Defined by the Total Resource Cost Test	159 152
		8.1.1	Calculation of Avoided Costs of Supplying Electricity	159 152
		8.1.2	Measure Data	161 154
		8.1.3	Program Benefit Components	<u>161154</u>
		8.1.4	Cost Components	161 154
	8.2		Data Tables	162 155
9		Plan C	Compliance and Other Key Issues	<u>167158</u>
	9.1		Plan Compliance Issues	167 158
		9.1.1	Variety of EE&C Measures with Equitable Distribution	<u>167158</u>
		9.1.2	Manner in which the EE&C Plan Will Achieve Requirements Under 66 Pa. C.S	5. §§
			2806.1(c) & (d)	167 158
		9.1.3	Manner in which the EE&C Plan Will Achieve Low-Income Requirements	168 159
		9.1.4	Funds Allocated to Experimental Equipment or Devices	168 159
		9.1.5	How the EE&C Plan Will Be Competitively Neutral to All Distribution Custom	<u>ers 169160</u>
	9.2		Other Key Issues	169 160
		9.2.1	How EE&C Plan Will Lead to Long-Term, Sustainable Energy Efficiency Saving	gs 169 160
		9.2.2	How EE&C Plan Will Leverage and Utilize Other Financial Resources	169 160
		9.2.3	How PPL Electric Utilities Will Address Consumer Education	170 161
		9.2.4	How PPL Electric Utilities Will Provide Information on Federal and State Fun	ding_
			Programs	
		9.2.5	How PPL Electric Utilities Will Provide the Public with Information about Pro	gram
			Component Results	

9.2.6	How PPL Electric Utilities Will Report Savings Attained from Government, Non-profit,
	and Institutional (GNI) Customers170161
Appendix A:	Approval of CSP Contracts 171162
Appendix B:	Calculations of Annual Savings and Costs
Appendix C:	Calculations Methods and Assumptions 173164
Error! Hyperlin	nk reference not valid.1Overview of PPL Electric Utilities' Act 129 Phase IV Plan
	-Error! Bookmark not defined. Error! Bookmark not defined.
Error! Hyp	erlink reference not valid.1.1Summary Description of the Plan
	Error! Bookmark not defined. Error! Bookmark not defined. 1
Errorl	Hyperlink reference not valid.1.1.1
<u>EIIOI:</u>	Error! Bookmark not defined. Error! Bookmark not defined.
<u>Error!</u>	Hyperlink reference not valid. 1.1.2 Overall Strategy to Achieve Energy Efficiency and
	Conservation GoalsError! Bookmark not defined. Error! Bookmark not defined.
Error! Hyp	erlink reference not valid.1.2 Plan Development Process and Key Assumptions
	Error! Bookmark not defined. Error! Bookmark not defined.
Error!	Hyperlink reference not valid.1.2.1Principles Guiding Development of the Plan
	Error! Bookmark not defined. Error! Bookmark not defined. 9
Error!	Hyperlink reference not valid. 1.2.2 Developing the Portfolio
	Error! Bookmark not defined. Error! Bookmark not defined. 10
Frrorl Hyn	erlink reference not valid.1.3 Summary Tables of Portfolio Savings Goals, Budgets, and
<u> Elitor, riyp</u>	Cost-EffectivenessError! Bookmark not defined. Error! Bookmark not defined. 12
Emped Hors	
Error! Hyp	erlink reference not valid.1.4Summary of Program Implementation ScheduleError! Bookmark not defined.Error! Bookmark not defined.16
Error! Hyp	erlink reference not valid.1.5 Strategy to Acquire 15% of Consumption Reduction and
	Peak Demand Reduction Target Each Program Year Error! Bookmark not defined. Error!
	Bookmark not defined. 17
Error! Hyp	erlink reference not valid.1.6Summary Description of the Programs or Measure
	<u>Categories from which the Electric Distribution Company (EDC) Intends to Nominate</u>
	Peak Demand Reduction into PJM's Forward Capacity Market (FCM), along with the
	Projected Megawatt Totals to be Bid by YearError! Bookmark not defined.
	Bookmark not defined.17
Error! Hyp	erlink reference not valid.1.7 Strategy to Manage EE&C Portfolio and Engage Customers
	and Trade AlliesError! Bookmark not defined. Error! Bookmark not defined. 18
Error! Hvp	erlink reference not valid.1.8 Data Management, Quality Assurance, and Evaluation
	ProcessesError! Bookmark not defined. Error! Bookmark not defined. 19

Error! Hyperlink reference not valid.1.8.1
Error! Bookmark not defined. Error! Bookmark not defined. 19
Error! Hyperlink reference not valid.1.8.2 Quality Assurance and Quality Control
Error! Bookmark not defined. Error! Bookmark not defined. 19
Error! Hyperlink reference not valid.1.8.3 Evaluation Processes
Error! Bookmark not defined. Error! Bookmark not defined. 20
Error! Hyperlink reference not valid.1.9
Error! Bookmark not defined. Error! Bookmark not defined. 20
Error! Hyperlink reference not valid.2 Energy Efficiency Portfolio/Program Summary Tables and Charts
-Error! Bookmark not defined. Error! Bookmark not defined. 21
Error! Hyperlink reference not valid.3Program and Component Descriptions
Error! Bookmark not defined. Error! Bookmark not defined. 27
Error! Hyperlink reference not valid.3.1 Process Used for Selection of Programs and Components
Error! Bookmark not defined. Error! Bookmark not defined. 27
Error! Hyperlink reference not valid.3.1.1 Portfolio Objectives and Metrics that Define Success
Error! Bookmark not defined. Error! Bookmark not defined. 28
Error! Hyperlink reference not valid.3.1.2How Program Components Were Constructed
Error! Bookmark not defined. Error! Bookmark not defined. 28
Error! Hyperlink reference not valid.3.1.3Measures Included in the Portfolio of Program
ComponentsError! Bookmark not defined. Error! Bookmark not defined. 30
Error! Hyperlink reference not valid.3.1.4 Comprehensive Measures to Be Offered
Error! Bookmark not defined. Error! Bookmark not defined. 30
Error! Hyperlink reference not valid.3.2Residential Program (2021-2026)
Error! Bookmark not defined. Error! Bookmark not defined. 32
Error! Hyperlink reference not valid.3.3Low-Income Program (2021-2026)
Error! Bookmark not defined. Error! Bookmark not defined. 60
Error! Hyperlink reference not valid.3.4Non-Residential Program (2021-2026)
Error! Bookmark not defined. Error! Bookmark not defined. 76
Error! Hyperlink reference not valid.4 Management and Implementation Strategies
-Error! Bookmark not defined. Error! Bookmark not defined. 132
Error! Hyperlink reference not valid.4.1 Overview of EDC Management and Implementation
StrategiesError! Bookmark not defined. Error! Bookmark not defined. 132
Error! Hyperlink reference not valid.4.1.1 Services to Be Provided by EDCs, Consultants, Trade
Allies, and CSPsError! Bookmark not defined. Error! Bookmark not defined. 132

Error! Hyperlink reference not valid.4.1.2 Performance, Technology, Market, and Evaluation
Risks and Risk Management Strategies Error! Bookmark not defined. Error! Bookmark
not defined.134
Error! Hyperlink reference not valid.4.1.3 Plans to Address Human Resource and Contractor
Resource Constraints Error! Bookmark not defined. Error! Bookmark not defined. 136
Error! Hyperlink reference not valid.4.1.4 Early Warning System
Error! Bookmark not defined. Error! Bookmark not defined. 137
Error! Hyperlink reference not valid.4.1.5 Implementation Schedule with Milestones
Error! Bookmark not defined. Error! Bookmark not defined. 137
Error! Hyperlink reference not valid.4.1.6 Stakeholder Engagement
Error! Bookmark not defined. Error! Bookmark not defined. 137
Error! Hyperlink reference not valid.4.2 Executive Management Structure
Error! Bookmark not defined. Error! Bookmark not defined. 138
Error! Hyperlink reference not valid.4.2.1Structures for Addressing Portfolio Strategy
Error! Bookmark not defined. Error! Bookmark not defined. 138
Error! Hyperlink reference not valid.4.2.2 Approach to Overseeing the Performance of
Subcontractors and Implementers Error! Bookmark not defined. Error! Bookmark not
defined.139
Error! Hyperlink reference not valid.4.2.3Administrative Budget
Error! Bookmark not defined. Error! Bookmark not defined. 139
Error! Bookmark not defined. Error! Bookmark not defined. 139 Error! Hyperlink reference not valid. 4.3
Error! Hyperlink reference not valid.4.3

Error! Hyperlink reference not valid.5.2.2 Software Format, Data Exchange Format, and
Database Structure Error! Bookmark not defined. Error! Bookmark not defined. 143
Error! Hyperlink reference not valid.5.2.3 . Mechanism for Access for Commission and Statewide
EE&C Plan Evaluator Error! Bookmark not defined. Error! Bookmark not defined. 142
Error! Hyperlink reference not valid.6 Quality Assurance and Evaluation, Measurement, and Verification
-Error! Bookmark not defined. Error! Bookmark not defined. 143
Error! Hyperlink reference not valid.6.1Quality Assurance/Quality Contro
Error! Bookmark not defined. Error! Bookmark not defined. 143
Error! Hyperlink reference not valid.6.1.1 Approach to Quality Assurance and Quality Contro
Error! Bookmark not defined. Error! Bookmark not defined. 143
Error! Hyperlink reference not valid.6.1.2 Procedures for Measure and Project Installation
Verification, Quality Assurance and Control, and Savings DocumentationError
Bookmark not defined. Error! Bookmark not defined. 144
Error! Hyperlink reference not valid.6.1.3 Process for Collecting and Addressing Feedback
Error! Bookmark not defined. Error! Bookmark not defined. 145
Error! Hyperlink reference not valid.6.2 Planned Market and Process Evaluations
Error! Bookmark not defined. Error! Bookmark not defined. 145
Error! Hyperlink reference not valid.6.3 Strategy for Coordinating with the Statewide EE&C Plar
Error! Bookmark not defined. Error! Bookmark not defined. 146
<u>Error! Bookmark not defined. Error! Bookmark not defined. 146</u> <u>Error! Hyperlink reference not valid.7</u>
Error! Hyperlink reference not valid.7
Error! Hyperlink reference not valid.7 Cost Recovery Mechanism
Error! Hyperlink reference not valid.7
Error! Hyperlink reference not valid.7.1

Error! Hyperlink reference not valid.8	Cost Effectiveness
-Error! Bookmark not defined. Error! Bookmark not def	ined. 153
Error! Hyperlink reference not valid.8.1 Plan Cost-Effectiveness	as Defined by the Total Resource
Cost TestError! Bookmark not defined.	Error! Bookmark not defined. 153
Error! Hyperlink reference not valid.8.1.1 Calculation of Avo	ided Costs of Supplying Electricity
Error! Bookmark not defined.	Error! Bookmark not defined. 153
Error! Hyperlink reference not valid.8.1.2	Measure Data
Error! Bookmark not defined.	Error! Bookmark not defined. 155
Error! Hyperlink reference not valid.8-1.3	Program Benefit Components
Error! Bookmark not defined.	Error! Bookmark not defined 155
Error! Hyperlink reference not valid.8.1.4	Cost Components
Error! Bookmark not defined.	Error! Bookmark not defined. 155
Error! Hyperlink reference not valid 8.2	Data Tables
Error! Bookmark not defined.	
Error! Hyperlink reference not valid.9Plan	Compliance and Other Key Issues
Error! Bookmark not defined. Error! Bookmark not def	
Error! Hyperlink reference not valid.9.1	Plan Compliance Issues
Error! Bookmark not defined.	
Error! Hyperlink reference not valid.9.1.1 Variety of EE&C Me	asures with Equitable Distribution
Error! Bookmark not defined.	Error! Bookmark not defined. 159
Error! Hyperlink reference not valid.9.1.2 Manner in	which the EE&C Plan Will Achieve
Requirements Under 66 Pa. C.S. §§ 2806.1(c) & (d) Er	ror! Bookmark not defined. Error!
Bookmark not defined. 159	
Error! Hyperlink reference not valid.9.1.3 Manner in which	n the EE&C Plan Will Achieve Low-
Income Requirements. Error! Bookmark not defined.	Error! Bookmark not defined. 160
Error! Hyperlink reference not valid.9.1.4 Funds Allocate	ted to Experimental Equipment or
Devices Error! Bookmark not defined.	Error! Bookmark not defined. 160
Error! Hyperlink reference not valid.9.1.5 How the EE&C Plan	n Will Be Competitively Neutral to
All Distribution Customers Error! Bookmark	not defined. Error! Bookmark not
defined. 161	
Error! Hyperlink reference not valid.9.2	Other Key Issues
Error! Bookmark not defined.	Error! Bookmark not defined. 161
Error! Hyperlink reference not valid.9.2.1 How EE&C Plan W	ill Lead to Long-Term, Sustainable
Energy Efficiency Savings Error! Bookmark	not defined. Error! Bookmark not
defined. 161	

- Error! Hyperlink reference not valid.9.2.2 How EE&C Plan Will Leverage and Utilize Other Financial Resources Error! Bookmark not defined. Error! Bookmark not defined. 161
- Error! Hyperlink reference not valid.9.2.3 How PPL Electric Utilities Will Address Consumer

 Education......Error! Bookmark not defined.Error! Bookmark not defined.162
- Error! Hyperlink reference not valid.9.2.4 . How PPL Electric Utilities Will Provide Information on Federal and State Funding Programs Error! Bookmark not defined. Error! Bookmark not defined.162
- Error! Hyperlink reference not valid.9.2.5. How PPL Electric Utilities Will Provide the Public with

 Information about Program Component Results.....Error! Bookmark not defined.Error!

 Bookmark not defined.162
- Error! Hyperlink reference not valid.9.2.6 How PPL Electric Utilities Will Report Savings Attained from Government, Non-profit, and Institutional (GNI) Customers Error! Bookmark not defined. Error! Bookmark not defined.162
- <u>Error! Hyperlink reference not valid.Appendix A:</u>
 _Error! Bookmark not defined.<u>Error! Bookmark not defined.</u>163
- <u>Error! Hyperlink reference not valid.Appendix B:</u>
 <u>Calculations of Annual Savings and Costs</u>

 <u>Error! Bookmark not defined.Error! Bookmark not defined.164</u>
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 1....... Overview of PPL Electric

 Utilities' Act 129 Phase IV Plan......... Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
 - <u>Error! Hyperlink reference not valid.Error! Hyperlink reference not valid.1.1 .. Summary Description</u>
 <u>of the Plan . Error! Bookmark not defined.Error! Bookmark not defined.</u>
 <u>not defined.</u>

 - <u>Error! Hyperlink reference not valid.Error! Hyperlink reference not valid.1.1.2.. Overall Strategy</u>
 <u>to Achieve Energy Efficiency and Conservation Goals..........................Error! Bookmark not defined.Error! Bookmark not defined.</u>
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 1.2 Plan Development

 Process and Key Assumptions Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 1.2.1............ Principles

 Guiding Development of the Plan... Error! Bookmark not defined. Error! Bookmark not defined.

- <u>Error! Hyperlink reference not valid.Error! Hyperlink reference not valid.1.2.2... Developing the Portfolio. Error! Bookmark not defined.Error! Bookmark not defined.</u>
- <u>Error! Hyperlink reference not valid.Error! Hyperlink reference not valid.1.3 Summary Tables of Portfolio Savings Goals, Budgets, and Cost EffectivenessError! Bookmark not defined.Error! Bookmark not defined.</u>
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 1.4 ... Summary of Program

 Implementation Schedule Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 1.5 Strategy to Acquire

 15% of Consumption Reduction and Peak Demand Reduction Target Each Program Year
 Error! Bookmark not defined. Error! Bookmark not defined.

 defined.
- <u>ef the Programs or Measure Categories from which the Electric Distribution Company</u>

 (EDC) Intends to Nominate Peak Demand Reduction into PJM's Forward Capacity Market

 (FCM), along with the Projected Megawatt Totals to be Bid by Year...Error! Bookmark not defined.Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 1.7 Strategy to Manage

 EE&C Portfolio and Engage Customers and Trade Allies Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 1.8 Data Management,

 Quality Assurance, and Evaluation Processes............... Error! Bookmark not defined. Error!

 Bookmark not defined. Error! Bookmark not defined.

 - <u>Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 1.8.3............ Evaluation</u>

 <u>Processes Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.</u>

- <u>Portfolio/Program Summary Tables and Charts</u><u>Error! Bookmark not defined.</u><u>Error! Bookmark not defined.</u>
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 3 Program and Component

 Descriptions Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark

 not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 3.1 Process Used for Selection of Programs and Components.... Error! Bookmark not defined. Error! Bookmark not defined.
 - <u>Objectives and Metrics that Define Success</u>.....Error! Bookmark not defined. <u>Error!</u> Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 3.1.2...... How Program

 Components Were Constructed...... Error! Bookmark not defined. Error! Bookmark not defined.

 defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 3.1.3............ Measures

 Included in the Portfolio of Program Components.. Error! Bookmark not defined. Error!

 Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 3.1.4... Comprehensive

 Measures to Be Offered...... Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 3.2 Residential Program

 (2021-2026) Error! Bookmark not defined. Error! Bookmark not defined.

 not defined.
 - <u>Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 3.3 ... Low-Income Program</u>
 <u>(2021–2026) Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.</u>
 - <u>Program (2021-2026)</u>...<u>Error! Bookmark not defined.</u><u>Error! Bookmark not defined.</u>
- - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.1 Overview of EDC

 Management and Implementation Strategies............. Error! Bookmark not defined. Error!

 Bookmark not defined.

- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.1.1..... Services to Be

 Provided by EDCs, Consultants, Trade Allies, and CSPs Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.1.2...... Performance,

 Technology, Market, and Evaluation Risks and Risk Management Strategies....... Error!

 Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.1.3. Plans to Address

 Human Resource and Contractor Resource Constraints....... Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.1.4..... Early Warning

 System... Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark

 not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.1.5... Implementation

 Schedule with Milestones Error! Bookmark not defined. Error! Bookmark not defined.

 defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.1.6........ Stakeholder

 Engagement Error! Bookmark not defined. Error! Bookmark not defined. Error!

 Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.2 Executive Management

 Structure.... Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark

 not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.2.1..... Structures for Addressing Portfolio Strategy Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.2.2....... Approach to

 Overseeing the Performance of Subcontractors and Implementers Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.2.3.... Administrative

 Budget ... Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.3 ... Conservation Service

 Providers ... Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.3.1...... Selected CSPs and Basis for Selection Error! Bookmark not defined. Error! Bookmark not defined.

- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.3.2............... Work and Measures Being Performed by CSPs Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 4.3.3...... Pending RFPs

 Error! Bookmark not defined. Error! Bookmark not defined.

 defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 5......... Reporting and Tracking

 Systems Error! Bookmark not defined. Error! Bookmark not defined.

 defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 5.1Semiannual and Annual

 Reports Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 5.2 ... Project Management

 Tracking System Error! Bookmark not defined. Error! Bookmark not defined. Error!

 Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 5.2.1 Overview of Data

 Tracking System...... Error! Bookmark not defined. Error! Bookmark not defined. Error!

 Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 5.2.2 Software Format,

 Data Exchange Format, and Database Structure Error! Bookmark not defined. Error!

 Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 5.2.3.... Mechanism for Access for Commission and Statewide EE&C Plan Evaluator.......... Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 6............Quality Assurance and Evaluation, Measurement, and Verification Error! Bookmark not defined. Error! Bookmark not defined.
 - - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 6.1.1....... Approach to Quality Assurance and Quality Control... Error! Bookmark not defined. Error! Bookmark not defined.

- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 6.1.3............ Process for Collecting and Addressing Feedback Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 6.2 Planned Market and

 Process Evaluations..... Error! Bookmark not defined. Error! Bookmark not defined.

 Bookmark not defined.
- <u>Error! Hyperlink reference not valid.Error! Hyperlink reference not valid.7.... Cost Recovery Mechanism</u>

 <u>-Error! Bookmark not defined.Error! Bookmark not defined.</u>Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 7.1 Total Annual Revenues

 as of December 31, 2006 Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 7.2 . Plan to Fund the EE&C

 Measures, Including Administrative Costs. Error! Bookmark not defined. Error! Bookmark

 not defined. Error! Bookmark not defined.

 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 7.4 Tariffs and Cost

 Recovery Mechanism.. Error! Bookmark not defined. Error! Bookmark not defined. Error!

 Bookmark not defined.

- - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 8.1.1...... Calculation of

 Avoided Costs of Supplying Electricity ... Error! Bookmark not defined. Error! Bookmark

 not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 8.1.2..... Measure Data

 Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 8.1.3. Program Benefit

 Components Error! Bookmark not defined. Error! Bookmark not defined.

 Bookmark not defined.
 - <u>Error! Hyperlink reference not valid.Error! Hyperlink reference not valid.8.1.4Cost Components</u>
 <u>.......Error! Bookmark not defined.Error! Bookmark not defined.</u>
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9... Plan Compliance and Other

 <u>Key Issues</u>... Error! Bookmark not defined. Error! Bookmark not defined.

 not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.1 Plan Compliance Issues

 Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.1.1... Variety of EE&C

 Measures with Equitable Distribution ... Error! Bookmark not defined. Error! Bookmark
 not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.1.2. Manner in which the EE&C Plan Will Achieve Requirements Under 66 Pa. C.S. §§ 2806.1(c) & (d).... Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.1.3. Manner in which the EE&C Plan Will Achieve Low-Income Requirements Error! Bookmark not defined. Error! Bookmark not defined.
 - <u>Error! Hyperlink reference not valid.Error! Hyperlink reference not valid.9.1.4.. Funds Allocated</u>
 <u>to Experimental Equipment or Devices...Error! Bookmark not defined.Error! Bookmark</u>
 <u>not defined.Error! Bookmark not defined.</u>

- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.1.5..... How the EE&C

 Plan Will Be Competitively Neutral to All Distribution Customers ... Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.2 Other Key Issues

 Error! Bookmark not defined. Error! Bookmark not defined.

 defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.2.1... How EE&C Plan

 Will Lead to Long Term, Sustainable Energy Efficiency Savings Error! Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.2.2... How EE&C Plan

 Will Leverage and Utilize Other Financial Resources....... Error! Bookmark not

 defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.2.3. How PPL Electric

 Utilities Will Address Consumer Education......Error! Bookmark not defined. Error!

 Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.2.4. How PPL Electric

 Utilities Will Provide Information on Federal and State Funding Programs....... Error!

 Bookmark not defined. Error! Bookmark not defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.2.5. How PPL Electric

 Utilities Will Provide the Public with Information about Program Component Results

 Error! Bookmark not defined. Error! Bookmark not defined.

 defined.
 - Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. 9.2.1. How PPL Electric

 Utilities Will Report Savings Attained from Government, Non-profit, and Institutional

 (GNI) Customers...... Error! Bookmark not defined. Error! Bookmark not defined. Error!

 Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Approval of CSP

 Contracts ... Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Appendix B: Calculations of

 Annual Savings and Costs Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
- Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Overview of PPL Electric Utilities' Act 129 Phase IV Plan

- <u>Error! Bookmark not defined.Error! Bookmark not defined.Error! Bookmark not</u>
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid.1.1Summary Description of the Plan
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid.1.1.1 Portfolio Objectives
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 1.1.2Overall Strategy to Achieve Energy Efficiency and
Conservation Goals . Error! Bookmark not defined. Error! Bookmark not defined. Error!
Bookmark not defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid.1.2 Plan Development Process and Key Assumptions
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid.1.2.1
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 1.2.2
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid. 1.3 . Summary Tables of Portfolio Savings Goals, Budgets, and Cost Effectiveness
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid. 1.4 Summary of Program Implementation Schedule
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid. 1.5 Strategy to Acquire 15% of Consumption Reduction and Peak Demand
Reduction Target Each Program Year . Error! Bookmark not defined. Error! Bookmark not
defined. Error! Bookmark not defined.

Error! Hype	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
:	not valid. 1.6 Summary Description of the Programs or Measure Categories from which
:	the Electric Distribution Company (EDC) Intends to Nominate Peak Demand Reduction
	into PJM's Forward Capacity Market (FCM), along with the Projected Megawatt Totals to
	be Bid by YearError! Bookmark not defined. Error! Bookmark not defined. Error!
,	Bookmark not defined.
Error! Hype	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
:	not valid. 1.7 Strategy to Manage EE&C Portfolio and Engage Customers and Trade Allies
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Error! Hype	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
:	not valid. 1.8 Data Management, Quality Assurance, and Evaluation Processes
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Error! H	Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
	reference not valid. 1.8.1 Data Management
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Error! H	Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
	reference not valid-1.8.2
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Frror! F	Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
<u>LITOI: I</u>	reference not valid-1.8.3 Evaluation Processes
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
•	not valid. 1.9
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
•	defined.
	k reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference not
!	valid Energy Efficiency Portfolio/Program Summary Tables and Charts
	- <u>Error! Bookmark not defined.Error! Bookmark not defined.Error! Bookmark not</u>
•	defined.
ror! Hyperlin	k reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference not
	valid.3 Program and Component Descriptions
	<u>-Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not</u>
(defined.

Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid. 3.1
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 3.1.1 Portfolio Objectives and Metrics that Define Success
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 3.1.2How Program Components Were Constructed
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid.3.1.3 Measures Included in the Portfolio of Program Components
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid.3.1.4
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid.3.2
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not v
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid. 3.4
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference not
<u>valid.</u> 4
- <u>Error! Bookmark not defined.Error! Bookmark not defined.Error! Bookmark not</u>
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid.4.1

Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid.4.1.1Services to Be Provided by EDCs, Consultants, Trade Allies,
and CSPs Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark
not defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 4.1.2 Performance, Technology, Market, and Evaluation Risks and
Risk Management Strategies Error! Bookmark not defined. Error! Bookmark not
defined. Error! Bookmark not defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 4.1.3 Plans to Address Human Resource and Contractor Resource
ConstraintsError! Bookmark not defined. Error! Bookmark not defined. Error!
Bookmark not defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid.4.1.4 Early Warning System
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 4.1.5 Implementation Schedule with Milestones
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 4.1.6
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid. 4.2 Executive Management Structure
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 4.2.1Structures for Addressing Portfolio Strategy
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 4.2.2 Approach to Overseeing the Performance of Subcontractors
and Implementers Error! Bookmark not defined. Error! Bookmark not defined. Error!
Bookmark not defined.

Error! Hyperlink reference not valid. Error! Hy	perlink reference not valid.Error! Hyperlink
reference not valid.4.2.3	Administrative Budget
Error! Bookmark not defined.	rror! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference not valid. Error! Hyperli	ink reference not valid.Error! Hyperlink reference
not valid.4.3	Conservation Service Providers
Error! Bookmark not defined.	rror! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference not valid. Error! Hy	perlink reference not valid.Error! Hyperlink
reference not valid. 4.3.1	Selected CSPs and Basis for Selection
Error! Bookmark not defined.	rror! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference not valid. Error! Hy	
	Work and Measures Being Performed by CSPs
Error! Bookmark not defined.	rror! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference not valid. Error! Hy	perlink reference not valid.Error! Hyperlink
reference not valid. 4.3.3	Pending RFPs
Error! Bookmark not defined.	rror! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference not valid. Error! Hyperlink r	eference not valid.Error! Hyperlink reference not
	Reporting and Tracking Systems
-Error! Bookmark not defined. Error! Bookmark	ookmark not defined.Error! Bookmark not
defined.	
Error! Hyperlink reference not valid. Error! Hyperli	ink reference not valid.Error! Hyperlink reference
not valid.5.1	Semiannual and Annual Reports
Error! Bookmark not defined.	rror! Bookmark not defined Error! Bookmark not
defined.	
Error! Hyperlink reference not valid. Error! Hyperli	ink reference not valid.Error! Hyperlink reference
	Project Management Tracking System
	rror! Bookmark not defined.Error! Bookmark not
defined.	
Error! Hyperlink reference not valid. Error! Hy	perlink reference not valid.Error! Hyperlink
reference not valid.5.2.1	Overview of Data Tracking System
Error! Bookmark not defined.	rror! Bookmark not defined.Error! Bookmark not
defined.	
Error! Hyperlink reference not valid. Error! Hy	perlink reference not valid.Error! Hyperlink
	vare Format, Data Exchange Format, and Database

Structure Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark
not defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 5.2.3 Mechanism for Access for Commission and Statewide EE&
Plan Evaluator Error! Bookmark not defined. Error! Bookmark not defined. Error
Bookmark not defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference no
<u>valid.</u> 6Quality Assurance and Evaluation, Measurement, and Verification
-Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid.6.1 Quality Assurance/Quality Control
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark no
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 6.1.1 Approach to Quality Assurance and Quality Control
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark no
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 6.1.2 . Procedures for Measure and Project Installation Verification
Quality Assurance and Control, and Savings Documentation Error! Bookmark no
defined. Error! Bookmark not defined. Error! Bookmark not defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not valid. 6.1.3 Process for Collecting and Addressing Feedbac
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark no
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid.6.2 Planned Market and Process Evaluation
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark no
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid. 6.3Strategy for Coordinating with the Statewide EE&C Plan Evaluato
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark no
defined.
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference no
valid.7 Cost Recovery Mechanisn
-Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not

defined.

Error! Hyp	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
	not valid. 7.1
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Error! Hyp	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
	not valid. 7.2 Plan to Fund the EE&C Measures, Including Administrative Costs
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Error! Hvp	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
	not valid.7 3 Data Tables
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Errorl Hun	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
спот: пур	not valid.7.4
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Error! Hyp	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
	not valid. 7.5 Cost Recovery Mechanism to Ensure Approved Measures Are Financed by
	Corresponding Customer Class Error! Bookmark not defined. Error! Bookmark not
	defined. Error! Bookmark not defined.
Error! Hyp	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
	not valid. 7.6 Phase IV Cost Accounting
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Error! Hyp	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
	not valid.7.7 PJM FCM Cost Recovery
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
or! Hyperiir	nk reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference not
	<u>valid.</u> 8
	-Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Error! Hyp	erlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
	not valid. 8.1Plan Cost-Effectiveness as Defined by the Total Resource Cost Test
	Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not
	defined.
Error!	Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink
	reference not valid 8.1.1

Error! Book	<u> (mark not defined. Error: Bookmark not defined. Error: Bookmark not</u>
defined.	
Error! Hyperlink reference	not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not va	lid. <mark>8.1.2Measure Data</mark>
Error! Bool	kmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference	not valid. Error! Hyperlink reference not valid. Error! Hyperlink
reference not va	lid. 8.1.3 Program Benefit Components
Error! Bool	kmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference	not valid.Error! Hyperlink reference not valid.Error! Hyperlink
reference not va	lid. 8.1.4 Cost Components
Error! Bool	kmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference not	valid. Error! Hyperlink reference not valid. Error! Hyperlink reference
not valid.8.2	
Error! Bool	kmark not defined.Error! Bookmark not defined.Error! Bookmark not
defined.	
Error! Hyperlink reference not val	id.Error! Hyperlink reference not valid.Error! Hyperlink reference not
	Plan Compliance and Other Key Issues
	not defined. Error! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference not	valid.Error! Hyperlink reference not valid.Error! Hyperlink reference
	Plan Compliance Issues
	kmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.	
Error! Hyperlink reference	not valid. Error! Hyperlink reference not valid. Error! Hyperlink
	lid.9.1.1 Variety of EE&C Measures with Equitable Distribution
	kmark not defined. Error! Bookmark not defined. Error! Bookmark not
defined.	
Frror! Hyperlink reference	not valid.Error! Hyperlink reference not valid.Error! Hyperlink
	lid.9.1.2 Manner in which the EE&C Plan Will Achieve Requirements
	pokmark not defined.
Frror! Hyperlink reference	not valid. Error! Hyperlink reference not valid. Error! Hyperlink
	lid.9.1.3 Manner in which the EE&C Plan Will Achieve Low Income
	Error! Bookmark not defined. Error! Bookmark not defined. Error!
Bookmark not de	

Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink	
reference not valid. 9.1.4 Funds Allocated to Experimental Equipment or Dev	ces
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark	not
defined.	
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink	
reference not valid. 9.1.5 How the EE&C Plan Will Be Competitively Neutral to	-All
Distribution Customers Error! Bookmark not defined. Error! Bookmark	not
defined. Error! Bookmark not defined.	
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink refere	nce
not valid. 9.2 Other Key Iss	ues
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark	not
defined.	
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink	
reference not valid.9.2.1 How EE&C Plan Will Lead to Long-Term, Sustainable End	rgy
Efficiency Savings Error! Bookmark not defined. Error! Bookmark not defined. Er	orl
Bookmark not defined.	
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink	
reference not valid.9.2.2 How EE&C Plan Will Leverage and Utilize Other Finan	cial
Resources Error! Bookmark not defined. Error! Bookmark not defined. Er	
Bookmark not defined.	
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink	
reference not valid.9.2.3 How PPL Electric Utilities Will Address Consumer Education	ion
Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark	not
defined.	
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink	
reference not valid.9.2.4 How PPL Electric Utilities Will Provide Information on Fed	eral
and State Funding Programs Error! Bookmark not defined. Error! Bookmark	not
defined.Error! Bookmark not defined.	
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink	
reference not valid.9.2.5 How PPL Electric Utilities Will Provide the Public v	vith
Information about Program Component ResultsError! Bookmark not defined.Er	ror!
Bookmark not defined. Error! Bookmark not defined.	
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference	not
valid. Appendix A:	
-Error! Bookmark not defined. Error! Bookmark not defined. Error! Bookmark not	
defined.	
Error! Hyperlink reference not valid. Error! Hyperlink reference not valid. Error! Hyperlink reference	not
valid. Appendix B:	

-<u>Error! Bookmark not defined.</u><u>Error! Bookmark not defined.</u>

Error! Hyperlink reference not valid. Error! Hyperlink reference not v

Tables

Table 1. PPL Electric Utilities' Phase IV Programs and Components	<u>1</u> 1
Table 2. Summary of Compliance Targets	2
Table 3. Pa PUC Table 1 - Portfolio Summary of Lifetime Costs and Benefits of Energy	<u>13</u> 12
Table 4. Pa PUC Table 2 - Summary of Portfolio Energy and Demand Savings	<u>15</u> 13
Table 5. Pa PUC Table 3 - Summary of Portfolio Energy and Demand Savings	<u>16</u> 14
Table 6. Pa PUC Table 4 - Summary of Portfolio Costs ¹	<u>16</u> 14
Table 7. PPL Electric Utilities Implementation Schedule	<u>18</u> 15
Table 8. Pa PUC Table 5 - Residential, C&I Small, and C&I Large Portfolio Summaries	<u>2421</u>
Table 9. Pa PUC Table 6 - Budget and Parity Analysis	<u>2723</u>
Table 10. Summary of Costs and Savings by Program and Customer Sector ¹	<u>2824</u>
Table 11. Key Indicators and Metrics for Monitoring Portfolio Success	<u>31</u> 27
Table 12. Pa PUC Table 9 - Residential Costs and Benefits by Program Year and Total (\$1000)	<u>35</u> 31
Table 13. Residential Program Cost-Effectiveness Results, TRC Test (\$1,000)	<u>36</u> 32
Table 14. Appliance Recycling Issues, Risks, and Risk Management Strategies	<u>37</u> 33
Table 15. Pa PUC Table 7-Appliance Recycling Eligible Measures and Incentives	<u>39</u> 35
Table 16. Appliance Recycling Schedule and Milestones	<u>39</u> 35
Table 17. Pa PUC Table 8-Appliance Recycling Participation ¹	<u>41</u> 36
Table 18. Efficient Lighting Issues, Risks, and Risk Management Strategies	<u>43</u> 38
Table 19. Pa PUC Table 7- Efficient Lighting Eligible Measures and Incentives	<u>44</u> 39
Table 20. Efficient Lighting Schedule and Milestones	<u>45</u> 40
Table 21. Pa PUC Table 8-Efficient Lighting Projected Participation ¹	<u>46</u> 41
Table 22. Energy Efficient Homes Issues, Risks, and Risk Management Strategies	<u>49</u> 44
Table 23. Pa PUC Table 7-Energy Efficient Homes Eligible Measures and Incentives	<u>50</u> 45

Table 24. Energy Efficient Homes Schedule and Milestones	<u>54</u> 49
Table 25. Pa PUC Table 8-Energy Efficient Homes Projected Participation ¹	<u>55</u> 50
Table 26. Student EE Education Issues, Risks, and Risk Management Strategies	<u>61</u> 55
Table 27. Pa PUC Table 7-Student EE Education Eligible Measures and Incentives	<u>62</u> 56
Table 28. Student Energy Efficient Education Schedule and Milestones	<u>62</u> 56
Table 29. Pa PUC Table 8-Student Energy Efficient Education Projected Participation ¹	<u>63</u> 57
Table 30. Pa PUC Table 9 - Low-Income Costs and Benefits by Program Year (\$1000)	<u>65</u> 59
Table 31. Low-Income Program Cost-Effectiveness Results, TRC Test (\$1,000)	<u>66</u> 60
Table 32. Low-Income Assessment Issues, Risks, and Risk Management Strategies	<u>68</u> 62
Table 33. Pa PUC Table 7-Low-Income Assessment Eligible Measures and Incentives	<u>69</u> 63
Table 34. Low-Income Assessment Schedule and Milestones	<u>75</u> 69
Table 35. Pa PUC Table 8-Low-Income Assessment Projected Participation ¹	<u>75</u> 69
Table 36. Pa PUC Table 9 - Large C&I Costs and Benefits by Program Year (\$1000)	<u>82</u> 75
Table 37. Pa PUC Table 9 - Small C&I Costs and Benefits by Program Year (\$1000)	<u>83</u> 76
Table 38. Large C&I Cost-Effectiveness Results, TRC Test (\$1,000)	<u>83</u> 77
Table 39. Small C&I Cost-Effectiveness Results, TRC Test (\$1,000)	<u>84</u> 77
Table 40. Efficient Equipment Issues, Risks, and Risk Management Strategies	<u>87</u> 80
Table 41. Pa PUC Table 7-Large C&I Efficient Equipment Rebates Eligible Measures and Incentives	<u>90</u> 83
Table 42. Pa PUC Table 7-Small C&I Efficient Equipment Rebates Eligible Measures and Incentives	. <u>100</u> 93
Table 43. Efficient Equipment Component Schedule and Milestones	<u>113106</u>
Table 44. Pa PUC Table 8-Large C&I Efficient Equipment Projected Participation ¹	<u>114107</u>
Table 45. Pa PUC Table 8-Small C&I Efficient Equipment Projected Participation ¹	<u>119112</u>
Table 46. Custom Component Issues, Risks, and Risk Management Strategies	128 121
Table 47. Pa PUC Table 7-Large C&I Custom Eligible Measures and Incentives	<u>131</u> 124
Table 48. Pa PUC Table 7-Small C&I Custom Eligible Measures and Incentives	132 125
Table 49. Custom Component Schedule and Milestones	135 <mark>128</mark>
Table 50. Pa PUC Table 8-Large C&I Custom Projected Participation ¹	<u>136129</u>
Table 51. Pa PUC Table 8-Small C&I Custom Projected Participation ¹	<u>137</u> 130
Table 52. Program Conservation Service Provider Implementation Roles and Responsibilities	139 132
Table 53. PPL Electric Utilities' Phase IV Implementation Schedule and Milestones	143 136

Table of Contents

Table 54. Pa PUC Table 10 - Summary of EE&C Costs ¹	<u>55</u> 148
Table 55. Pa PUC Table 11 - Allocation of Common Costs to Applicable Customer Sector 15	<u>56</u> 148
Table 56. Pa PUC Table 12 - Summary of Portfolio EE&C Costs	<u>57</u> 150
Table 57. Main Assumptions Used in Avoided Costs and TRC Calculations	<u>60</u> 153
Table 58. Overall Avoided Costs (All Sectors)	<u>60</u> 153
Table 59. Pa PUC Table 13A – Gross TRC Benefits, By Program and Total Portfolio	<u>63156</u>
Table 60. Pa PUC Table 13B - Net Benefits, By Program and Total Portfolio	<u>64</u> 157
Table 61. Low-Income Sector Compliance (Number of Measures) ¹	<u>68</u> 159
Table 62. PPL Electric Utilities Funds Allocated to Pilots, New Technology, and Experimental Equipment	nent
<u>1</u>	<u>68159</u>

Figures

Figure 1. Process for Developing the Plan	<u>9</u> 8
Figure 2. End Uses Addressed, by Program	<u>33</u> 29
Figure 3. PPL Electric Utilities EE&C Plan Management Structure	<u>145</u> 138
Figure 4. PPL Electric Utilities' Continuous Improvement Process	149 142

Acronyms and Abbreviations

Acronym	Definition
ACR	Act 129 Compliance Rider
Act 129	Act 129 of 2008, P.L. 1592, 66 Pa. C.S. §§ 2806.1, 2806.2
BPM	Brushless permanent magnet
C&I	Commercial and industrial
CCFL	Cold-cathode fluorescent lamp
cfm	Cubic feet per minute
CHP	Combined heat and power
CIP	Continuous improvement process
Commission	Pennsylvania Public Utility Commission
CRAC	Computer room air conditioning
CRAH	Computer room air handling
CSP	Conservation service provider
DEER	California Database for Energy -Efficiency Resources
DLC	DesignLights Consortium
DOE	U.S. Department of Energy
EC	Electronically commutated
ECM	Electronically commutated motor
EDC	Electric distribution company
EE&C Plan	Act 129 Phase IV Energy Efficiency and Conservation Plan
EE&C Plan	EE&C Plan Template issued by the Commission on September 9, 2020, at Docket No.
Template	M-2020-3015228
EISA	Energy Independence and Security Act of 2007
EM&V	Evaluation, measurement, and verification
FCM	Forward capacity market
FHPC	Floating Head Pressure Control
FPIG	Federal Poverty Income Guidelines
GNE	Government/Nonprofit/Educational
GNI	Government, nonprofit, and institutional
HER	Home energy report
HID	High intensity discharge
HP	Horsepower
HVLS	High Volume Low Speed
IECC	International Energy Conservation Code
Implementation	Pennsylvania Public Utility Commission's Final Implementation Order entered on June 18,
Order	2020, at Docket No. M-2020-3015228
IRR	Internal rate of return
kW	Kilowatt
kWh	Kilowatt-hour
LED	Light Emitting Diode
LEED	Leadership in Energy and Environmental Design
LIURP	Low-Income Usage Reduction Program
M&V	Measurement and verification
MW	Megawatt
MWh	Megawatt-hour

Acronyms and Abbreviations

Acronym	Definition
MWh/year	MWh credited towards compliance target in the year a measure is installed
NTG	Net-to-gross
NYMEX	New York Mercantile Exchange
Pa PUC	Pennsylvania Public Utility Commission
Phase IV Plan	Act 129 Phase IV Energy Efficiency and Conservation Plan
PJM	PJM Interconnection LLC
PMS	Permanent magnet synchronous
PSC	Permanent split capacitor
psi	Pounds per square inch
psig	Pounds per square in gauge
QA/QC	Quality assurance and quality control
RFP	Request for proposals
SCOP	Seasonal coefficient of performance
SCR	Silicon controlled rectifier
SCT	Saturated condensing temperature
SEM	Strategic energy management
SP	Shaded-pole
SWE	Statewide Evaluator
T&D	Transmission and distribution
TRC	Total resource cost
TRM	Pennsylvania Technical Reference Manual
VFD	Variable-frequency drive
VSD	Variable speed drive
WRAP	Winter Relief Assistance Program

1 Overview of PPL Electric Utilities' Act 129 Phase IV Plan

1.1 Summary Description of the Plan

PPL Electric Utilities Corporation ("PPL Electric Utilities" or the "Company") hereby submits its Act 129 Phase IV Energy Efficiency and Conservation Plan ("EE&C Plan," "Plan," or "Phase IV Plan") in compliance with Act 129 of 2008, P.L. 1592, 66 Pa. C.S. §§ 2806.1, 2806.2 ("Act 129"). This Plan is being filed pursuant to the Pennsylvania Public Utility Commission's ("Pa PUC" or the "Commission") Final Implementation Order entered on June 18, 2020, at Docket No. M-2020-3015228, 1 the Commission's 2021 TRC Test Order at Docket No. M-2019-3006868, 2 and the Phase IV EE&C Plan Template served by Secretarial Letter on September 9, 2020, at Docket No. M-2020-3015228. The proposed portfolio comprises the three continuing comprehensive programs and nine associated components listed in Table 1 Table 1 Table 1.

Table 1. PPL Electric Utilities' Phase IV Programs and Components

#	Programs and Components		
1. Res	1. Residential Program		
1.1	Appliance Recycling		
1.2	Efficient Lighting – Specialty Bulbs		
1.3	Energy Efficient Homes		
1.4	Student Energy Efficient Education		
2. Low-Income Program			
2.1	2.1 Low-Income Assessment		
3. Non-Residential Program			
3.1	Small Commercial and Industrial Efficient Equipment Prescriptive Rebate		
3.2	Large Commercial and Industrial Efficient Equipment Prescriptive Rebate		
3.3	Small Commercial and Industrial Custom		
3.4	4 Large Commercial and Industrial Custom		

The portfolio offers PPL Electric Utilities' customers a cost-effective, equitable, flexible, and comprehensive set of programmatic choices, incentives, information, and educational opportunities. Together, these programs meet the goals set forth in the Implementation Order, including cost-effectively achieving all savings objectives within the required budget caps (<u>Table 2Table 2</u>Table 2). The three programs, along with their associated program components, are described in Section 3.

-

¹ Energy Efficiency and Conservation Program, Docket No. M-2020-3015228 (Order entered June 18, 2020) ("Implementation Order").

² 2021 Total Resource Cost (TRC) Test, Docket No. M-2019-3006868 (Order entered Dec. 19, 2019) ("2021 TRC Test Order").

, , ,		
	Compliance Target ¹	EE&C Plan ²
Overall Energy Reductions (MWh/year)	1,250,157	1, <u>602,794</u> 5 40,687
Overall Peak Demand Reductions (MW) ³	229	2 <u>51</u> 4 8
Low-Income Energy Reductions (MWh/year)4	72,509	<u>68,342</u> 74,793
Budget Cap (excluding SWE costs)	\$307,506,880	\$307,491, <u>409<mark>356</mark></u>
Cost-Effectiveness (per TRC)	1.0	1. <u>15</u> 17

¹ Per the Implementation Order, there are no government, nonprofit, and institutional ("GNI") compliance targets for Phase IV, page 5. PPL Electric Utilities will continue to serve the GNI sector through the Non-Residential Program.

1.1.1 Portfolio Objectives

PPL Electric Utilities designed the Phase IV Plan to meet the requirements set forth by the Commission's Implementation Order:

- Offer programs for a five-year term, beginning on June 1, 2021, and concluding on May 31, 2026.
- Comply with the designated expenditure cap of 2% of 2006 annual revenues for each year of the five-year Plan, which equates to a total energy efficiency budget of approximately \$307.5 million,³ over the five-year Phase IV period, and an average program acquisition cost of approximately \$0.246 per kWh saved.
- Achieve 3.3% reduction in overall energy consumption, which is equivalent to 1,250,157 MWh/year of gross verified savings. The EE&C Plan must be designed to achieve at least 15% of the total cumulative energy reduction target in each of the five program years, which equates to 187,524 MWh/year each year.
- Achieve required energy reduction set-aside target from the low-income customer sector (those
 who are at or below 150% of the Federal Poverty Income Guidelines ["FPIG"]), which is equal to
 a minimum of 5.8% (72,509 MWh per year of gross verified savings) of the total portfolio energy
 reductions. Compliance savings must come entirely from income-qualified programs and may
 not accrue from low-income customer participation in non-low-income-specific residential
 programs.
- Achieve compliance target of cumulative peak demand reduction of 229 MW gross verified savings exclusively through deployment of energy efficiency measures offering coincident peak reduction benefits. The EE&C Plan must be designed to achieve at least 15% of the total cumulative demand reduction target in each of the five program years, which equates to 34.35 MW per year.

²The overall energy reductions (MWh/year) exclude 200,000 MWh/year of carryover program savings from Phase III. <u>Low-Income energy reductions (MWh/year) exclude 20,000 MWh/year of carryover program savings from Phase III.</u>

³ Peak Demand is at generation.

⁴ Total includes Low-Income Small C&I and will not match Low Income Program/Sector total.

³ This dollar amount excludes approximately \$5 million for PPL Electric Utilities' portion of the statewide evaluator ("SWE") costs that are not subject to the funding cap.

- Offer at least one comprehensive program for residential customers and one comprehensive program for non-residential customers.
- Provide a portfolio cost recovery tariff mechanism.
- Dedicate at least 50% of funds to incentives at the portfolio level.
- Ensure the portfolio is cost-effective based on the total resource cost ("TRC") test and compliance with TRC guidance.⁴
- Include high-level plans to measure, evaluate, and verify the performance of individual programs and the Plan as a whole.
- Allocate the cost of measures to the customer class that receives the benefit of those measures.

In addition, PPL Electric Utilities designed the EE&C Plan to accomplish several corporate objectives:

- Exceed compliance targets, by approximately <u>4439</u>% MWh⁵ and <u>10</u>8% MW, to allow for evaluation and other uncertainties.
- Enhance program comprehensiveness by offering overarching programs to serve residential, low-income, small commercial and industrial ("C&I"), and large C&I customers. These programs comprise customizable measure offerings bundled into components that span end uses, consolidate administrative functions, and eliminate arbitrary program designations that may serve as a barrier to participation.
- Achieve broad stakeholder consensus to the extent practical.
- Provide significant energy efficiency education to encourage customers to take a more comprehensive, holistic approach to energy efficiency (such as upgrading multiple measures, like weatherization and HVAC and water heating systems, or conducting whole-house and whole-building upgrades).
- Provide programs that achieve high customer satisfaction.
- Provide a transition for customers from Phase III to Phase IV program:
 - Offer residential customers a comparable mix of measures and incentive levels as those provided during Phase III for at least the first three months of Phase IV.
 - Offer comparable incentives to customers with non-residential projects on the Phase III waitlist that are completed in early Phase IV.
- Allow Phase III non-residential projects on the waitlist that are completed in Phase IV within the first three months to be eligible for a rebate based on Phase III eligibility requirements.
- Provide low-income programs at no cost to participants, although Act 129 Compliance Rider ("ACR") charges will appear on their bills.

⁴ This TRC guidance is outline in the Commission's 2021 TRC Test Order.

⁵ This includes 200,000 MWh/year of carryover savings from Phase III (283% without carryover savings).

- Provide a number of energy efficiency measures to low-income households that are
 proportionate to those households' share of total energy usage in the service territory
 (12.5017.19%).
- Deliver programs using a customer-sector approach that is flexible enough to control the pace of programs if customer preferences or market conditions change.
- Achieve a reasonable net-to-gross ("NTG") ratio for each program.
- Continue to support an effective trade ally network that stocks and promotes efficient equipment.
- Achieve an equitable distribution of programs, savings, and costs for all customer sectors.
- Nominate a portion of the portfolio's peak demand reduction into the PJM Interconnection LLC ("PJM") Forward Capacity Market ("FCM").

PPL Electric Utilities is well-positioned to deliver a portfolio of programs that will meet customers' needs, fulfill the Company's Plan objectives, and achieve the results required for Phase IV. The Company designed its programs to provide residential, low-income, and non-residential (small and large C&I) customers with a comprehensive range of options intended to drive participation. PPL Electric Utilities uses targeted marketing techniques that capitalize on ongoing market research and on customer and trade ally feedback to match outreach and messaging strategies with likely participants' primary participation drivers. The common features of all programs are education, customer care, technical support, quality assurance and quality control ("QA/QC"), and evaluation, measurement, and verification ("EM&V").

The entire portfolio is supported by financial incentives, an active trade ally network, tracking, and a delivery approach focused on providing customers the support they need to achieve their energy efficiency objectives and encourage their continued engagement with PPL Electric Utilities' programs. Implementation activities range from simple, common energy efficiency measures that can be installed with minimal oversight or administration to more complex measures that may be (but are not required to be) part of a facility-wide energy management strategy. The Plan identifies opportunities for customers in all sectors to participate in one or more program components.

1.1.2 Overall Strategy to Achieve Energy Efficiency and Conservation Goals

In Phase IV, PPL Electric Utilities' savings acquisition cost will increase from \$0.20 to \$0.246. In Phase III, to achieve compliance with a lower budget allocation, the Company implemented several operational and delivery strategies aimed at increasing cost efficiencies and ratepayer value. In Phase IV, PPL Electric Utilities will continue these efforts but also recognizes the need to increase the amount of savings per customer interaction to meet its Phase IV goals. Therefore, in the Phase IV portfolio, the Company will offer customers a more holistic path to achieving deep energy savings. To facilitate this approach, PPL Electric Utilities developed budgets, savings targets, and performance objectives based on comprehensive program offerings for its primary customer sectors: residential, low-income, and non-residential. To accomplish this, the Company relied on Phase IV market potential studies, its Phase III

program delivery experience and evaluation results, and an analysis of the Phase IV compliance requirements including the overall residential, low-income, and non-residential savings targets.

PPL Electric Utilities then issued requests for proposals ("RFPs") for the design and delivery of residential, low-income, and non-residential (targeting both small C&I and large C&I customers) programs. The Company used the responses to the RFPs to confirm that its savings targets and budgets were achievable and to determine an appropriate mix of measures and delivery strategies to include in the EE&C Plan. In addition, PPL Electric Utilities engaged The Cadmus Group LLC ("Cadmus") to conduct a cost-effectiveness analysis of the EE&C Plan.⁶

This process enabled PPL Electric Utilities to identify overarching programs that target each key customer segment and encompass more granular paths for participation in the form of program components. These program components are based on measure bundles or delivery strategies so customers can participate at the level that best meets their needs without having to face administrative hurdles or participation barriers.

PPL Electric Utilities' sector-level programs include four Residential Program components, one Low-Income Program component, and four Non-Residential Program components (*i.e.*, two small C&I and two large C&I), together comprising the Phase IV EE&C portfolio. PPL Electric Utilities will continue to administer its programs, support its trade allies and strategic partners, and track and report its portfolio performance at the more granular component level. To customers, component-level administrative and delivery designations will be invisible, and the benefits of a holistic approach to efficiency will be clearly articulated. The portfolio is projected to be cost-effective and to comply with Act 129 targets, at or below the Company's budget cap.

To further support achievement of its Phase IV energy efficiency and conservation goals, PPL Electric Utilities has several additional portfolio strategies:

- Continue to deliver programs that optimize cost efficiency and deliver the greatest value to ratepayers. The Phase IV programs have a slightly higher acquisition cost than the Phase III programs, 7 primarily due to the loss of residential lighting opportunities, which were some of the least expensive savings. To address this, PPL Electric Utilities will continue to seek opportunities to reduce and control program administrative costs:
 - Offer comprehensive programs that focus on cost-effective measures with high savings and reasonable NTG ratios to all customer segments throughout the service territory.

⁶ Cadmus is a 100% employee-owned consulting firm. For more than 30 years, Cadmus has been helping organizations forecast energy demand and trends, design programs and portfolios to capture the energy savings, and assess achievement of energy savings and demand reduction.

⁷ The program acquisition cost is defined as PPL Electric Utilities' total cost to implement the program (including administration and incentives) divided by the annual kilowatt-hours saved.

- Emphasize energy efficiency measures with coincident peak demand benefits to achieve demand reduction goals.
- Create simple incentive applications in multiple submission formats (such as hard copy mail-in, online, and tablet entry by trade allies).
- Continue to focus on providing personalized and flexible customer service to help ensure customers receive timely feedback to questions, information and educational resources that are directly relatable and immediately applicable, and rapid rebate processing.
- Work directly with conservation service providers ("CSPs") that have institutional knowledge of PPL Electric Utilities' market and implementation environment. These CSPs will implement comprehensive residential, low-income, and non-residential (small C&I and large C&I) programs and enable PPL Electric Utilities to accomplish several goals:
 - Provide a smooth a transition from Phase III to Phase IV programs to maximize customer satisfaction and allow seamless distribution of incentives (and savings) for projects that straddle both phases.⁸
 - Create economies of scale associated with cross-program functions (such as the customer call center, rebate processing, market analytics, marketing, website development, and program management).
 - Facilitate integrated customer engagement across all programs to improve the
 effectiveness of marketing, customer communications, and cross-promotion of
 efficiency opportunities, thereby increasing the extent of participation and
 project comprehensiveness and reducing outreach and recruitment costs.
 - Provide journey mapping to help identify pain points for PPL Electric Utilities' customers, so it can create an enhanced and effortless customer experience.
 - Journey mapping will enable PPL Electric Utilities to segment its customers based on distinct characteristics and create customized approaches to their needs.
 - Implement contracts that tie payments to CSP performance (in terms of costs and savings), ensuring that these providers are accountable for successful program delivery.
 - Continue to provide automated rebate applications and processing, QA/QC, performance tracking, reporting, and other functions where practical.
- *Emphasize comprehensive solutions for all customers.* PPL Electric Utilities' redesigned portfolio will accomplish three tasks:

⁸ The Company uses the in-service date of the project to determine whether to provide the funding under Phase III or Phase IV.

- Offer multiple savings opportunities (in terms of measures, end uses, delivery channels, and incentive mechanisms) in each program.
- Provide customers with high-quality energy efficiency education through both digital and traditional print outreach and engagement channels as well as through direct communications with trade allies, CSPs, strategic partners, and PPL Electric Utilities' staff.
- Promote the benefits of multiple-measure, comprehensive projects (whole-home and whole-building approaches).
- Ensure that program staff are effective, knowledgeable, and accountable to defined performance metrics. Engaged and knowledgeable staff are essential to successful programs. To this end, PPL Electric Utilities is committed to ensuring several qualities about its staff:
 - Have a full understanding of all aspects of their programs and the markets in which they operate.
 - Adhere to program-specific performance metrics to track, monitor, and analyze program success.
 - Benchmark program performance metrics against similar Pennsylvania and national programs.
 - Maintain effective relationships with trade allies through frequent communications and by striving to understand trade ally practices and business needs.
 - Possess a strong knowledge of customer preferences, behavioral triggers, motivations, and barriers.

1.2 Plan Development Process and Key Assumptions

PPL Electric Utilities began developing the EE&C Plan shortly after the Pa PUC entered the Tentative Implementation Order on March 12, 2020, at Docket No. M-2020-3015228. After more than a decade of offering Act 129 programs, PPL Electric Utilities has cultivated an experienced professional staff of program managers who work closely with CSPs, trade allies, customers, and stakeholders to seek their input on programs and measures.

The Company designed the Plan to comply with Act 129's requirements and the Commission's Implementation Order and to draw on the Phase IV market potential studies (for energy efficiency and demand response), experience from Phase I through Phase III, stakeholder input, and the RFP responses from program implementers who informed the overarching strategy.

To achieve the Commission's energy savings targets within the required budget caps, PPL Electric Utilities looked to the implementation market for solutions. By issuing competitive RFPs requesting innovative strategies from potential implementation contractors, the Company was able to identify an optimal mix of measures and programs that can achieve significant energy savings at a comparatively

low acquisition cost. Figure 1 summarizes PPL Electric Utilities' process for developing the Plan and ensuring continuous improvement.




Figure 1. Process for Developing the Plan

1.2.1 Principles Guiding Development of the Plan

PPL Electric Utilities has a longstanding commitment to energy efficiency and helping customers use electricity wisely and save on their electricity bills. The Company relies on several principles to guide development of the measures, programs, and implementation strategies in its portfolio:

- Customer focus. During Phase I through Phase III, PPL Electric Utilities has consistently focused on the customer and improved its programs to meet changing customer and market preferences. The Company designed its portfolio to educate and empower customers to take actions that save energy and money by providing personalized customer service, accelerated rebate processing, and clear and easy-to-understand program information on its website and program applications. Phase IV will continue to build on the virtual strategies the Company began in Phase III for the sake of customer safety and convenience. Through the Plan, PPL Electric Utilities offers a diverse range of information, education, and incentives to help its customers engage in energy efficiency and make informed, sustainable choices that will have a lasting impact on their energy costs.
- Compliance with Act 129. Consistent with the requirements of Act 129 and the Implementation Order, PPL Electric Utilities developed a portfolio of cost-effective energy efficiency programs that consider stakeholders' input and will generate the energy savings and peak demand reductions needed to meet the goals required by Act 129 and the Commission. The Plan is designed to exceed PPL Electric Utilities' compliance targets by approximately 3944% MWh⁹ and 810% MW and within the budget cap.
- Flexibility to address changing market conditions. PPL Electric Utilities designed its Plan to achieve its EE&C targets within its designated budget cap even as market conditions and customer preferences change over time. The Company achieves this objective through specific actions:
 - Rely on a diverse set of proven, market-ready, and cost-effective energy efficiency (electric) technologies and conservation strategies.
 - Use an overarching program structure and CSPs that will help achieve economies of scale by consolidating program component-level administrative and delivery functions and by encouraging customer participation in multiple program components through effective cross-promotion and having a single view of the customer across all measures and components.
 - Provide multiple program options and controls that help PPL Electric Utilities manage the pace of programs (to achieve the savings and costs in the EE&C Plan) and reduce the frequency of formal EE&C Plan changes. These include modifying marketing tactics, adjusting incentive levels within specified ranges,

_

⁹ This includes 200,000 MWh/year of carryover savings from Phase III (28% without carryover savings).

offering different measures at different times, and offering multiple delivery channels.

- *Effective program design.* To design these programs, the Company relied on proven, cost-effective technologies and delivery strategies and based its participation, savings, and cost projections on well-researched market potential data, historical performance, and analysis of regional and national trends in similar markets.
- Equitable programs. PPL Electric Utilities examined Phase III evaluation findings to identify the
 priorities, opportunities, and challenges faced by the variety of customer sectors, trade allies,
 and market partners that its programs serve. The Company designed the EE&C Plan to prioritize
 equity by capitalizing on identified opportunities and by mitigating challenges for disadvantaged
 customers. The Plan includes a range of measures and programs designed to meet the needs of
 all of PPL Electric Utilities' customers, with savings and costs distributed equitably across all
 customer sectors.
- Market acceptance. PPL Electric Utilities designed its Plan to stimulate market acceptance and installation of energy efficient technologies. The Company works closely with retailers, distributors, contractors, and other trade allies to encourage them to stock, specify, and promote energy efficient technologies. The EE&C Plan includes provisions for training and education; outreach to trade allies, distributors, and stakeholders; and an active awareness campaign to increase customer knowledge about and acceptance of the benefits of energy efficient equipment and to keep them informed about new advances in energy efficient products. PPL Electric Utilities will continue to encourage the wide availability of programeligible energy efficiency measures and to support increasing demand for energy efficient products and equipment. The Company will monitor and adjust its programs' performance as required if programs are not successful or if NTG ratios are low.
- Commitment to low-income customers. The EE&C Plan continues PPL Electric Utilities' commitment to helping low-income customers reduce their electricity consumption. PPL Electric Utilities will continue its successful Low-Income Assessment component.

1.2.2 Developing the Portfolio

In its RFPs, the Company challenged bidders to propose a portfolio of program components that could achieve the required savings targets within the allocated budget. Specifically, each program must be designed to achieve verified gross energy savings and peak demand reduction that is approximately proportional to its customer mix and based on historical program performance over the five-year Plan period and to capture at least 15% of the total cumulative savings each year. Additionally, the Company required each program to meet its savings objective at a proportional total direct program cost (including incentives and non-incentives incurred by the CSP and excluding the allocation of common, portfolio-level costs) and overall cost (including common costs) within its overall budget cap. See Section 2 for program costs and savings detail in Table 10.

PPL Electric Utilities further directed its CSPs to adhere to its overall guiding principles and to comply with additional design features tailored to each customer sector, as described below.

- Residential Program
 - Achieve acceptable NTG ratios as determined by PPL Electric Utilities, its evaluator, or the SWF
 - Wherever possible, be cost-effective as determined by the Pennsylvania 2021 TRC test method.
 - Offer diverse and comprehensive measure choices to all residential customers across
 PPL Electric Utilities' entire service territory.
 - Achieve high customer satisfaction (where at least 85% of customers rate themselves as very satisfied or satisfied).
- Low-Income Program
 - Offer a low-income component at no cost to households that are at or below 150% of the FPIG according to the U.S. Department of Health and Human Services in January of each program year.¹⁰
 - Provide a variety of energy efficiency measures and strive to maximize savings, within budget constraints, from direct install measures.
 - Achieve high customer satisfaction where at least 85% of customers rate themselves as very satisfied or satisfied).
 - Provide a broad selection of energy efficiency measures to qualifying low-income households.
 - Address renters and owners of single-family homes, multifamily buildings that are in the residential customer class and are occupied by low-income customers, and manufactured homes.
 - Offer information to Low-Income Assessment participants regarding PPL Electric Utilities' other universal service and energy conservation programs, such as the Company's Customer Assistance Program (i.e., OnTrack).¹¹
- Non-Residential Program
 - Achieve high customer satisfaction (where at least 85% of customers rate themselves as very satisfied or satisfied).
 - Offer a broad selection of energy efficiency measures across multiple end uses as well as to both the small C&I and large C&I customer segments across PPL Electric Utilities' service territory.

_

¹⁰ The Low-Income Program is not required to be cost-effective (per the 2021 TRC Test Order) as long as the EE&C portfolio overall is cost-effective.

¹¹ Through its OnTrack Program, PPL Electric Utilities offers reduced monthly payments to assist low-income customers with account balances in arrears.

- Achieve acceptable NTG ratios as determined by PPL Electric Utilities, its evaluator, or the SWE.
- Be cost-effective as determined by the TRC test method.

PPL Electric Utilities worked with Cadmus to model program- and portfolio-level cost-effectiveness based on projected peak load reductions, energy savings, and costs (such as delivery, incentives, incremental measure, and participant costs). PPL Electric Utilities provided the lifecycle costs, savings, and avoided cost benefits, enabling Cadmus to compute the cost-effectiveness from a TRC perspective. The key assumptions used to estimate energy savings and peak demand reduction, calculate costs, and determine cost-effectiveness are listed in Section 8.

Finally, PPL Electric Utilities iteratively adjusted the expected number of participants and customer incentive levels for each program component and for each measure to balance the portfolio, meet all savings targets, increase cost-effectiveness, and stay within the budget for each customer sector.

1.3 Summary Tables of Portfolio Savings Goals, Budgets, and Cost-Effectiveness

The tables in this section summarize the estimated savings, budget, and cost-effectiveness for PPL Electric Utilities' entire portfolio. The tables are numbered sequentially, with the formats matching those provided in the EE&C Plan Template issued by the Commission on September 9, 2020, at Docket No. M-2020-3015228. Each table caption includes a reference to the corresponding table number provided in the EE&C Plan Template:

- Table 3. Pa PUC Table 1 Portfolio Summary of Lifetime Costs and Benefits of Energy Efficiency Measures
- Table 4. Pa PUC Table 2 Summary of Portfolio Energy and Demand Savings (Meter-Level)
- Table 5. Pa PUC Table 3 Summary of Portfolio Energy and Demand Savings (System-Level)
- Table 6. Pa PUC Table 4 Summary of Portfolio Costs

Table 3. Pa PUC Table 1 - Portfolio Summary of Lifetime Costs and Benefits of Energy

Portfolio	Total Discounted Lifetime Costs (\$000)1	Total Discounted Lifetime Benefits (\$000)	Total Discounted Net ² Lifetime Benefits (\$000)	Cost-Benefit Ratio (TRC)
Residential (exclusive of Low-Income) ³	\$ <u>97,641</u> 135,548	\$ <u>98,235</u> 153,247	\$ <u>593</u> 17,699	1. <u>01</u> 13
Low-Income	\$43,97 <mark><u>6</u>7</mark>	\$ <u>21,155</u> 19,144	\$(2 <u>2,821</u> 4 ,833)	0.4 <u>8</u> 4
Commercial/Industrial Small	\$2 <u>45,746</u> 26,867	\$ <u>367,754</u> 354,590	\$12 <u>2,008</u> 7,722	1.5 <u>0</u> 6
Commercial/Industrial Large	\$ <u>396,663</u> 369,257	\$ <u>414,347</u> 383,384	\$ <u>17,684</u> 14,127	1.04
Total	\$ <u>784,026</u> 775,649	\$ <u>901,490</u> 9 10,36 4	\$ <u>117,464</u> 134,716	1. <u>15</u> 17

¹ Discounted common costs are included in the appropriate sector totals. See Table 55 (Pa PUC Table 11) for the allocation of common costs.

-

² "Net" refers to the arithmetic difference between the previous two columns. It does not refer to net verified savings.

¹² The calculation methods and assumptions used for estimating all program costs are provided in Appendix C.

³ The Implementation Order disallowed the inclusion of low-income participation in standard, non-low-income-specific residential programs in the calculation of savings towards the low-income carve-out.

Table 4. Pa PUC Table 2 - Summary of Portfolio Energy and Demand Savings

MWh Saved for	PY	13	PY	14	PY	15	PY	16	PY	17	То	tal
Consumption Reductions	1st-Year	Lifetime	1st-Year	Lifetime	1st-Year	Lifetime	1st-Year	Lifetime	1st-Year	Lifetime	1st-Year	Lifetime
(Meter-Level)	MWh	MWh	MWh	MWh	MWh	MWh	MWh	MWh	MWh	MWh	MWh	MWh
Baseline ¹	38,214,368		38,214,368		38,214,368		38,214,368		38,214,368		38,214,368	
Residential Sector (exclusive of Low-Income) – Cumulative Projected Portfolio Savings	38,050 _{39,7} 68	397,7244 82 ,159	75,377 <mark>81,2</mark> 82	788,944 <mark>988</mark> ,466	106,735 121 ,218	1,092,123 1, 468,993	135,900 ₁₆₀	1,369,165 ₁ , 935,614	163,896 <mark>199</mark> ,312	1,637,331 ₂ , 396,940	163,896 <mark>199</mark> ,312	1,637,331 2, 396,940
Low-Income Sector – Cumulative Projected Portfolio Savings	12, <u>247</u> 712	75,631 69,2 97	25,132 28, 4 20	155,192 <mark>154</mark> ,920	38,6584 5,6 25	238,700 <mark>248</mark> ,706	52,183 62,8 30	322,207 <mark>342</mark> ,492	64,430 74,7 93	397,838407 ,706	64,430 74,7 93	397,8384 07 ,706
Commercial/Industrial Small Sector – Cumulative Projected Portfolio Savings	103,668 ₁₀₂ ,924	1,413,687 <mark>1,</mark> 402,529	215,698 <mark>214</mark> ,171	2,949,905 2, 927,008	337,035 <mark>326</mark> ,250	4,631,4364, 469,658	454,890434 ,846	6,266,471 <mark>5,</mark> 965,812	574,229545 ,004	7,926,062 <mark>7,</mark> 487,697	574,229545 ,004	7,926,062 7, 487,697
Commercial/Industrial Large Sector – Cumulative Net Weather Adjusted Savings	138,124	1,976,773	284,686	4,080,107	458,4494 32 , 229	6,596,092 <mark>6,</mark> 202,784	629,601577 ,160	9,077,539 <mark>8,</mark> 290,924	800,239 <mark>721</mark> ,578	11,552,208 10,372,285	800,239 <mark>721</mark> ,578	11,552,208 10,372,285
EE&C Plan Total – Cumulative Projected Savings	292,089 <mark>293</mark> ,528	3,863,816 ³ , 930,758	600,893608 ,559	7,974,148 <mark>8,</mark> 150,501	940,878925 ,321	12,558,350 12,390,141	1,272,574 1, 235,204	17,035,383 16,534,842	1,602,794 <mark>1,</mark> 540,687	20,664,628 21,513,439	1,602,794 <mark>1,</mark> 540,687	20,664,628 21,513,439
Estimated Phase III Carryover Savings											200,000	
Total Cumulative Projected Savings Phase IV + Estimated Phase III Carryover Savings	292,089 <mark>293</mark> ,528		600,893608 ,559		940,878925 ,321		1,272,574 1, 235,204		1,602,794 <mark>1,</mark> 540,687		1,802,794 <mark>1,</mark> 740,687	
EE&C Plan Total – Percentage of Target to be Met ²	23%		4 <mark>89</mark> %		7 <u>5</u> 4%		<u>102</u> 99%		<u>128123</u> %		<u>144</u> 139%	
Percent Reduction from Baseline	1%		2%		2%		3%		4%		5%	
Commission-Identified Goal ²											1,250,157	
Percent Savings due to Portfolio Above or Below Commission-Identified Goal											<u>44</u> 39%	

¹ As defined in the Implementation Order.

² The Implementation Order directed that electric distribution companies ("EDCs") achieve at least 15% of the target amount in each program year.

Table 5. Pa PUC Table 3 - Summary of Portfolio Energy and Demand Savings

MAIA/ Sound for Consumention Doductions	ΡY	Y13	P\	14	P	/15	PY	′16	P\	/17	To	tal ³
MW Saved for Consumption Reductions (System-Level)	1st-Year MW	Lifetime MW	1st-Year MW	Lifetime MW	1st-Year MW	Lifetime MW	1st-Year MW	Lifetime MW	1st-Year MW	Lifetime MW	1st-Year MW	Lifetime MW
Baseline ¹												
Residential Sector (exclusive of Low-Income) – Cumulative Projected Portfolio Savings	8.3011.3 8	8.30 11.38	16.48 22. 94	16.48 <mark>22.9</mark> 4	23.59 32. 23	23.59 <mark>32.2</mark> 3	30.3640. 31	30.3640.3 1	36.964 7.	36.9647.7 9	36.964 7. 79	36.9647.7 9
Low-Income Sector – Cumulative Projected Portfolio Savings	<u>1.86</u> 1.68	<u>1.86</u> 1.68	3.833.75	3.833.75	<u>5.89</u> 6.02	<u>5.89</u> 6.02	7.95 <mark>8.29</mark>	7.95 <mark>8.29</mark>	9.829.86	9.82 9.86	<u>9.82</u> 9.86	9.82 9.86
Commercial/Industrial Small Sector – Cumulative Projected Portfolio Savings	17.16 17.	17.1617.0 6	35.44 <mark>35.</mark> 23	35.4435.2 3	55.06 53. 41	55.0653.4 1	74.10 71.	74.1071.0 2	93.37 88. 86	93.3788.8 6	93.37 <mark>88.</mark> 86	93.37 <mark>88.8</mark> 6
Commercial/Industrial Large Sector – Cumulative Net Weather Adjusted Savings	19.59	19.59	40.26	40.26	64.15 60. 97	64.1560.9 7	87.64 <mark>81.</mark> 28	87.6481.2 8	111.05 10 1.51	111.05 ₁₀ 1.51	111.05 ₁₀ 1.51	111.05 ₁₀ 1.51
EE&C Plan Total – Cumulative Projected Savings	46.924 9.	46.9249.7 1	96.00 102 . 18	96.00 102. 18	148.6915 2.64	148.6915 2.64	200.05 20 0.90	200.05 20 0.90	251.20 2 4 8.03	251.20 2 4 8.03	251.20 2 4 8.03	251.2024 8.03
EE&C Plan Total – Percentage of Target to be Met ²	<u>20</u> 22 %	<u>20</u> 22%	<u>42</u> 45%	<u>42</u> 45%	<u>65</u> 67%	<u>65</u> 67 %	<u>87</u> 88%	<u>87%</u> 88%	<u>110</u> 108%	110%108 %	110%108 %	110%108 %
Percent Reduction from Baseline												
Commission-Identified Goal ¹											229	229
Percent Savings due to Portfolio Above or Below Commission-Identified Goal											<u>10</u> 8%	<u>10</u> 8%

¹ As defined in the Implementation Order.

Table 6. Pa PUC Table 4 - Summary of Portfolio Costs¹

Sector	PY13		PY	14	PY	15	PY	16	PY17	
Sector	\$000	%	\$000	%	\$000	%	\$000	%	\$000	%
Residential Portfolio Annual Budget	\$13 <u>,479</u> ,4 2 4	22%	\$13, <u>639</u> 7 17	21%	\$12, <u>701</u> 8 45	20%	\$12,4 <u>53</u> 4 3	20%	\$12, <u>475</u> 3 18	20%
Low-Income Portfolio Annual Budget	\$ <u>8,063</u> 7,4 17	<u>13</u> 12%	\$ <u>8,380</u> 8,6	<u>13</u> 14%	\$ <u>8,697</u> 9 ,3	<u>14</u> 15%	\$ <u>8,697</u> 9 ,3	<u>14</u> 15%	\$ <u>8,063</u> 7,1 74	<u>13</u> 12%
Commercial/Industrial Small Portfolio Annual Budget	\$ <u>14,966</u> 1 4,980	<u>24</u> 25%	\$15,662	<u>25</u> 24%	\$ <u>15,638</u> 4 5,624	<u>25</u> 24%	\$ <u>15,225</u> 1 5,211	24%	\$ <u>15,348</u> ± 5,362	25%
Commercial/Industrial Large Portfolio Annual Budget	\$16,696	27%	\$17,413	27%	\$17,456	<u>28</u> 27%	\$17,180	<u>28</u> 27%	\$17,162	28%
Common Costs ²	\$8,620	14%	\$8,620	<u>14</u> 13%	\$8,620	<u>14</u> 13%	\$8,620	14%	\$8,620	14%

² The Implementation Order directed that EDCs achieve at least 15% of the target amount in each program year.

³ Demand savings in this table are at generation.

Total Portfolio Annual Budget	\$61, <u>824</u> 1 37	100%	\$ <u>63,715</u> 6 4,085	100%	\$ <u>63,112</u> 6 3,855	100%	\$ <u>62,174</u> 6 2,780	100%	\$ <u>61,667</u> 6 0,635	100%	
-------------------------------	-------------------------------------	------	-----------------------------	------	--	------	--	------	--	------	--

¹ Values in this table are nominal.

² Includes \$5 million of SWE costs.

1.4 Summary of Program Implementation Schedule

<u>Table 7Table 7</u> provides a visual summary of PPL Electric Utilities' implementation schedule in accordance with the Commission's EE&C Plan Template.

Phase IV Development Milestone Delivery 2020 2021 2022 2023 2024 2025 2026 Q4 Q2 Q3 Q1 Q2 Q3 Q4 Q1 Q2 Q3 Q4 Q1 Q2 Q3 Q4 Q1 Q2 Q3 Q4 Q2 Q3 Q4 **Program Activities** Phase IV EE&C Plan submitted to PaPUC for • approval PaPUC to approve or reject all or part of Phase IV EE&C Plan PPL Electric Utilities to file revised EE&C Plan (if required) Implementer and EM&V CSPs selected and under contract PJM CSP selected and under contract Program training Launch and deliver portfolio programs Tracking, QA/QC, and EM&V, continuous improvements **Annual Reporting** Semi-annual program report Final annual report SWE's annual report (submit/respond) Data request, ad hoc reports, TRM, Evaluation Framework

Table 7. PPL Electric Utilities Implementation Schedule

1.5 Strategy to Acquire 15% of Consumption Reduction and Peak Demand Reduction Target Each Program Year

Consistent with the Implementation Order, PPL Electric Utilities designed its programs to achieve at least 15% of the total consumption reduction target in each program year. The Company directed its CSPs to develop implementation strategies that also reflect this objective. The EE&C Plan includes many components and measures that will continue from Phase III. PPL Electric Utilities has significant experience with these measures and programs and believes it can control the programs' pace, as it has in previous phases. In addition, PPL Electric Utilities designed the EE&C Plan to focus on energy efficiency measures that provide coincident peak demand reduction opportunities.

PPL Electric Utilities will monitor actual performance, adjusting marketing, advertising, incentive levels, and eligible measures to manage participation as necessary to achieve at least 15% of its portfolio target annually.

1.6 Summary Description of the Programs or Measure Categories from which the Electric Distribution Company (EDC) Intends to Nominate Peak Demand Reduction into PJM's Forward Capacity Market (FCM), along with the Projected Megawatt Totals to be Bid by Year

Per the Implementation Order, PPL Electric Utilities will rely on energy efficiency measures with coincident peak demand reduction potential, such as lighting and cooling, in all its sector-level programs to achieve its annual and total peak demand reduction targets. Relying on this strategy will help the Company deliver consistent long-term peak demand reduction benefits at a lower cost than through targeted demand response programs.

PPL Electric Utilities will solicit bids from qualified CSPs to implement the nomination of a portion of its peak demand reduction as a capacity resource into PJM Interconnection LLC's ("PJM") Forward Capacity Market ("FCM"). third-party vendors to provide technical support to nominate a portion of its peak demand reduction as a capacity resource into PJM's FCM. At that time, PPL Electric Utilities will identify eligible peak demand reduction measures for nomination for each program. PPL Electric Utilities will own the forward capacity rights and the ability to bid this capacity into the PJM FCM for any energy efficiency project, measure installed, or product purchased, that includes an upstream/downstream/midstream discount, direct discount, rebate or incentive paid, or free measures installed or provided by PPL Electric Utilities, their representative CSP, partners, trade allies or distributors. By no later than January 1, 2022, PPL Electric Utilities will provide the other Joint Petitioners with details on the selected CSP's plan to nominate that capacity resource into the FCM, including how the CSP will ensure that the Company and its ratepayers are not exposed to the potential risk of penalties. At the Company's Act 129 EE&C stakeholder meetings throughout Phase IV, PPL Electric will provide updates on the nomination of this capacity resource.

1.7 Strategy to Manage EE&C Portfolio and Engage Customers and Trade Allies

For its implementation strategy, PPL Electric Utilities will rely on a broad range of CSPs, employees, trade allies, community agencies, stakeholders, and other entities engaged in energy efficiency to promote, deliver, and support the effective deployment of programs.

PPL Electric Utilities will use two program-level CSPs—one CSP will implement the residential and non-residential (small C&I and large C&I) programs and one CSP will deliver the low-income program—to deliver its portfolio. These CSPs will have the primary responsibility to design and deliver the EE&C programs, including marketing, customer care, application and rebate processing, and development and maintenance of effective trade ally networks, while jointly developing marketing plans with PPL Electric Utilities. In addition, PPL Electric Utilities will provide some overarching marketing and customer care for EE&C programs. PPL Electric Utilities will also enhance its marketing efforts and customer experience by developing an energy analyzer.

PPL Electric Utilities based its implementation strategy on an assessment of features needed to engage customers in EE&C programs and encourage them to take energy efficient actions. The engagement approach involves active, ongoing outreach to customers and trade allies. The Company follows several key strategies:

- Conduct annual EM&V to obtain several objectives:
 - Identify marketing channels and tactics most likely to elicit responses from customers and trade allies.
 - Understand drivers, motivations, and challenges to implementing energy efficiency upgrades among specific customer segments and related to common customer characteristics.
 - Develop messaging strategies matched to key customer and trade ally drivers.
 - Assess customer response to programs and evaluate whether programs are meeting customer needs.
- Offer a range of voluntary customer programs that provide tangible benefits.
- Emphasize customer service among PPL Electric Utilities staff, CSPs, and trade allies.
- Evaluate customer satisfaction and response.
- Modify programs as necessary to improve programs and customer satisfaction.
- Coordinate with trade allies, community-based organizations, and other local market
 participants through outreach, training, and co-marketing so that these partners are aware of
 PPL Electric Utilities' programs, can effectively articulate program features and benefits to
 potential customers, and can support customers in their decision to take energy efficiency
 actions.

In addition to CSPs' and PPL Electric Utilities' marketing, the success of Phase IV programs will depend on trade allies and other market partners to engage customers, promote programs, evaluate projects, and stock and install energy efficient equipment. The Company's objective is to strike a reasonable balance of costs, ratepayer value, customer choice, quality service, and energy and capacity savings. If necessary to achieve savings objectives, the Company will offer incentives to trade allies that promote, stock, and install efficient measures included in the EE&C Plan.

1.8 Data Management, Quality Assurance, and Evaluation Processes

The following sections describe the Company's approach to implementing data management, QA/QC, and evaluation processes.

1.8.1 Data Management

Each CSP's tracking system and PPL Electric Utilities' tracking database allow for program activities to be tracked daily. These systems generate reports and queries to allow for ongoing monitoring, management, analysis, and reporting of activities.

1.8.2 Quality Assurance and Quality Control

During planning and design, PPL Electric Utilities will continue to follow QA procedures to promote consistency and avoid errors. QC activities and inspection points during the implementation and evaluation phases help guide the correction of errors and identification of areas for improvement. Together, QA and QC will improve program performance.

PPL Electric Utilities will employ QA/QC procedures for Act 129 at various levels of program implementation, including CSP recruitment and training, data tracking, program operations, and inspections:

- Anticipate, detect, and prevent problems or errors rather than reacting to them.
- Strive to perform work correctly the first time.
- Establish screening and qualification protocols to confirm that qualified individuals perform all work functions.
- Train staff, CSPs, and trade allies to maintain current knowledge and skills needed for their positions.
- Document data collection and QA/QC protocols and conduct a full review to confirm that the
 proper data are collected consistently, resources are allocated appropriately, and program
 performance can be measured accurately.
- Conduct adequate planning, coordination, supervision, and technical direction.
- Define and develop a clear understanding of job requirements and procedures.
- Conduct post-installation inspections of an appropriately sized random sample of participants to confirm that the program-reported measures were installed, followed best practices and procedures, and function as expected.

A detailed description of PPL Electric Utilities' QA/QC protocols and standards is provided in Section 6.

1.8.3 Evaluation Processes

PPL Electric Utilities' EM&V CSP will conduct ongoing and annual evaluations of each program in compliance with all Pa PUC requirements and the Evaluation Framework. As part of this process, the EM&V CSP will develop an Evaluation Plan that describes the EM&V scope of work, objectives, methods, and activities for evaluating program impacts, processes, cost-effectiveness, net savings analysis, and QA/QC protocols.

The EM&V CSP will develop this Evaluation Plan in accordance with Evaluation Framework requirements and submit it to the SWE for review and approval. PPL Electric Utilities and the EM&V CSP will review (at least annually) and may update the Evaluation Plan if changes are made to programs, participation levels, savings levels, or Act 129 evaluation requirements.

The EM&V CSP will conduct evaluations annually, focusing the impact evaluation on developing accurate estimates of the programs' actual savings based on protocols developed by the SWE and the Commission, as summarized in the Evaluation Framework and the Pennsylvania Technical Reference Manual ("TRM"), as well as in the Pa PUC's Implementation Order. The impact evaluation also will include an assessment to confirm that all data required for the impact evaluation are collected (evaluability assessment). For the process evaluation, the CSP will focus on qualitative assessments of the programs' design, operation, and implementation.

The CSP will also conduct annual evaluations to determine the cost-effectiveness of the programs and portfolio using the TRC test method specified by the Commission in its 2021 TRC Test Order.

Finally, the CSP will conduct net savings evaluations as indicated by the Evaluation Framework and outlined in the Evaluation Plan to determine the net verified savings of each program. Net savings include the effects of free ridership and spillover. The EM&V CSP may also propose to conduct market effects studies to understand changes in the market and to further inform net savings. Guidance for net savings analyses are provided in the Evaluation Framework, with periodic updates from the SWE and the NTG Working Group.

Over the life of the Phase IV EE&C Plan, PPL Electric Utilities expects to revisit and revise a number of assumptions to reflect updated market conditions. The Company will submit required revisions to the Commission for review and approval in accordance with the Commission's requirements for revising EE&C Plans.

1.9 Cost Recovery Mechanism

Act 129 directs each EDC to establish a reconcilable cost recovery tariff mechanism in accordance with 66 Pa. C.S. § 1307 and to include this mechanism in its EE&C Plan (66 Pa. C.S. § 2806.1(b)(1)(i)(H), (k)(1)).

2 Energy Efficiency Portfolio/Program Summary Tables and Charts

The following tables provide a quantitative overview of the Phase IV Plan. Note that tables in this section are numbered sequentially, but the applicable table formats are based on those provided in the Commission's EE&C Plan Template (as noted below). The table captions include references to the corresponding table numbers provided in the EE&C Plan Template.

Tables in this section are the following:

- Table 8. Pa PUC Table 5 Residential, C&I Small, and C&I Large Portfolio Summaries
- Table 9. Pa PUC Table 6 Budget and Parity Analysis
- Table 10. Summary of Costs and Savings by Program and Customer Sector

Table 8. Pa PUC Table 5 - Residential, C&I Small, and C&I Large Portfolio Summaries

Program Name	Component Name	Program Market	Program Two-Sentence Summary	Program Years Operated	Lifetime MWh Savings	Lifetime MW Savings	Percent Portfolio Savings and M	Resource (MWh%
	Appliance Recycling	All customers (primarily residential)	Free pick up and recycling of inefficient refrigerators, freezers, room air conditioners and possibly dehumidifiers. Incentive paid for each eligible appliance.	PY13 - PY17	251,392142,5 56	<u>12</u> 6,130	1%	<u>5</u> 3%
	Efficient Lighting – Specialty Bulbs	All customers (primarily residential)	Upstream retail promotion and incentives applied to eligible light emitting diode ("LED") specialty bulbs. Other distribution channels include online, mail, directly to customers, welcome kits, etc.	PY13 - PY17	305,678 191, 4 46	<u>3</u> 13,081	1%	<u>1</u> 6%
Residential Portfolio Program (exclusive of	Energy Efficient Homes	Existing and new residential single family and multifamily homes	Offers rebates on a wide range of energy efficient measures for retrofit and new construction applications.	PY13 - PY17	754,102 1,736 , 782	<u>16</u> 21,867	<u>4</u> 8%	<u>7</u> 9%
Low-Income)	Student Energy Efficient Education Residential customers students and teachers		Energy efficiency education targeting primary and secondary grades, including classroom presentations, curriculum, and energy efficiency kits.	PY13 - PY17	326,158 326,1 55	<u>3</u> 2,868	2%	1%
	Home Energy Efficiency Report ¹	Residential single and multifamily	Education, online home energy surveys and Home Energy Reports comparing energy use to other customers in PPL Electric Utilities' service territory, and offering energy efficiency and demand response tips.	PY15 - PY17	-	-	0%	0%
	Totals for Residentia	l Sector			1,637,331 _{2,3} 96,940	<u>34</u> 4 3,946	<u>8</u> 12%	<u>14</u> 19%
Low-Income Sector Program	Income-qualified Low-Income single family, Assessment multifamily and manufactured homes		Offers a range of free direct install energy efficiency measures to customers whose incomes are at or below 150% of FPIG.	PY13 - PY17	397,838407,7 06	<u>9</u> 9,071	2%	4%

Program Name	Component Name	Program Market	Program Two-Sentence Summary	Program Years Operated	Lifetime MWh Savings	Lifetime MW Savings	Portfolio Savings	(MWh%
	Low-Income Assessment	Small C&I	Offers a range of free direct install energy efficiency measures in the tenant units of low-income residents living in master-metered multifamily buildings in the Small C&I rate class.	<u>58,681</u>	<u>0.5</u>	<u>0%</u>	0%	
	Totals for Low-Incom	ne Sector ²	456,519407,7 06	<u>10</u> 9,071	2%	4%		
			Provides rebates/incentives for a list of qualified energy efficiency measures and custom measures not included in PPL Electric	Custom PY13 - PY17	2,382,043 <mark>2,0</mark> 02,359	<u>2319,201</u>	<u>11</u> 10%	<u>10</u> 8%
Commercial/Industrial Small Portfolio Program	SCI- Custom and Efficient Equipment	Small C&I	Utilities' other programs. Includes combined heat and power ("CHP"), process upgrades, retrocommissioning, and other measures.	Efficient Equipment PY13 - PY17	5,485,338	<u>6362,510</u>	0% 2%	27%
	Totals for C&I Small	Sector <u>3</u>			7,867,381 _{7,4} 87,697	<u>85</u> 81,711	3 <u>7</u> 6%	<u>36</u> 35%
			Provides rebates/incentives for a list of qualified energy efficiency measures and custom measures not included in PPL Electric	Custom PY13 - PY17	8,152,152 6,9 72,229	<u>68</u> 59,099	<u>38</u> 34%	<u>29</u> 25%
Commercial/Industrial Large Portfolio Program	LCI-Custom and Efficient Equipment	Large C&I	Utilities' other programs. Includes CHP, , process upgrades, retrocommissioning, and other measures.	Efficient Equipment PY13 - PY17	3,400,056	<u>38</u> 38,322	16%	1 <u>6</u> 7%
	Totals for C&I Large	Sector			11,552,208 10	<u>107</u> 97,421	<u>54</u> 50%	<u>45</u> 42%
Totals for Plan				21,513,439 ₂₀ ,664,628	<u>235</u> 232,148	100%	100%	

¹ Although PPL Electric Utilities does not currently project participation for HERs in the Phase IV Plan, the Company may decide to offer HERs within the Phase IV period, within the approved budget, and therefore includes the HERS component in this table.

² Includes savings from master-metered multifamily buildings with low-income occupants. These savings count toward the low-income compliance target but the program costs and savings are accounted for under the customer sector corresponding to the rate class of the building's meter in assessing program cost-effectiveness. The total will not match Table 10.

³ Excludes savings from master-metered multifamily buildings with low-income occupants. These savings count toward the low-income compliance target but the program

Program Name	Component Name	Program Market	Program Two-Sentence Summary	Program Years Operated	Lifetime MWh Savings	Lifetime MW Savings	Percentage of Portfolio Resource Savings (MWh% and MW%)
--------------	----------------	----------------	------------------------------	------------------------------	-------------------------	------------------------	--

costs and savings are accounted for under the customer sector corresponding to the rate class of the building's meter in assessing program cost-effectiveness. The total will not match Table 10.

Table 9. Pa PUC Table 6 - Budget and Parity Analysis

Customer Sector	Phase IV EE&C Budget (inclusive of allocated common cost)	% of Total EDC EE&C Budget	% of EDC Total Annual Revenue	% of EDC Total MWh Sales
Residential Sector (exclusive of Low-Income)	\$ <u>74,769,386</u> 74,769,337	24%	F20/	200/
Low Income Sector ¹	\$ <u>48,386,210</u> 4 8,386,207	15%	52%	39%
Residential Subtotal	\$ <u>123,155,596</u> 123,155,544	39%	52%	39%
Commercial/Industrial Small Sector	\$89,392,278	29%	26%	39%
Commercial/Industrial Large Sector	\$99,943,535	32%	22%	22%
Non-Residential Subtotal	\$189,335,813	61%	48%	61%
EDC TOTAL	\$ <u>312,491,409</u> 312,491,356	100%	100%	100%

¹ Customers in the Low-Income sector are all customers in the residential customer class. Therefore, the Low-Income sector's figures are included in the Residential part of this table.




Table 10. Summary of Costs and Savings by Program and Customer Sector¹

		F	Residential		Lo	ow-Incon	ne	,	Small C&	I		Large C&	I		Total				
	Component	Costs (\$1000)	Savings MWh/yr²	Savings MW/yr	Costs (\$1000)	Saving s MWh/yr	Savings MW/yr ²	Costs (\$1000)	Savings MWh/yr²	Savings MW/yr ²	Costs (\$1000)	Savings MWh/yr²	Savings MW/yr ²	Total Cost (\$1000)	MWh/yr. Reduc- tion ^{2,3} .10	\$/kWh⁴	Total MW Reduc- tion ^{2,5}	\$/kW ^{4,8}	TRC Ratio ⁹
Total	Residential Program	\$64,747	163,896 19 9,312	<u>37</u> 48										\$64,747	163,896 199, 312	\$0. <u>40</u> 32	<u>37</u> 48	\$ <u>1,752</u> 1,355	1.11
Total	Low-Income Program				\$41,900	64,430 74,793	10	<u>\$2,000</u>	<u>3,912</u>	1				\$ <u>43,900</u> 41 ,900	68,342 ^{74,79}	\$0. <u>64</u> 56	10	\$ <u>4,245</u> 4,248	0.56
Total Progr	Non-Residential am							\$ <u>74,838</u> 76,838	570,317 545,004	<u>93</u> 89	\$85,906	800,239 721,578	<u>111</u> 102	\$ <u>160,745</u> 1 62,745	1,370,556 _{1,2} 66,582	\$0. <u>12</u> 13	<u>204</u> 190	\$ <u>788</u> 85 5	<u>1.27</u>
	Direct Program Costs	\$64,747			\$41,900			\$76,838			\$85,906			\$269,391					<u>1.21</u>
Perce	nt of Total Direct Costs 6	24.03%			15.55%			28.52%			31.89%			100%					
	non Costs Allocation 7	\$10,023			\$6,486			\$12,554			\$14,037			\$43,100					
	ESTIMATED EE&C COST ⁷	\$74,769			\$48,386			\$89,392			\$99,944			\$312,491					<u>1.15</u>
Estim	ated SWE Cost													\$5,000					
Total	Cost excluding SWE													¢207.401					
Costs														\$307,491					
Total	stimated Phase IV		<u>163,896</u> 19			64,430			574,229			800,239			<u>1,602,794</u> 1,5				
MWh	Yr Reduction ³		9,312			74,793			545,004			721,578			4 0,687				
	stimated Phase IV MW			3748			10			93 89			111 102				251 248		
Reduc				<u>37</u> 40			10			<u> </u>			1111102				231240		
Phase	IV Cost Cap													\$307,506					
-	y Reduction Compliance t (MWh/year) ³					72,509									1,250,157				
	Demand Reduction liance Target (MW) ⁵																229		
	n (direct & common) for y efficiency programs	\$0. <u>46</u> 38			\$0. <u>75</u> 65			\$0.16			\$0. <u>12</u> 14					\$0. <u>19</u> 20			
Carry	over from Phase III					20,000									200,000				
Total	lan and Carryover					84,430									<u>1,802,794</u> 1,7				
MWh						94,793									40,687				
1 Peak	demand savings are gros	ss verified N	MW at the ge	enerator le	evel (grosse	ed up to re	eflect transr	nission and	distribution	n ("T&D") I	ine losses).								

¹ Peak demand savings are gross verified MW at the generator level (grossed up to reflect transmission and distribution ("T&D") line losses

² Savings are for measures installed and operable from June 1, 2021, through May 31, 2026.

³ MWh/year are on a verified gross basis.

⁴ Program acquisition cost for energy efficiency programs equals program costs divided by first year's savings.

⁵ MW are on a verified gross basis.

⁶ Direct percentages are slightly different for common costs as none of the Key Account Management costs are allocated to residential or low income sectors.

⁷ Includes \$5 million SWE costs that are not subject to the cost cap.

⁸\$/kW are rounded values.

⁹ Costs and savings from master metered multifamily are associated with the Non-Residential Program. Program TRC ratio excludes common costs.

¹⁰ Master metered multifamily savings to be applied to the low income sector compliance target

3 Program and Component Descriptions

3.1 Process Used for Selection of Programs and Components

To enhance customer engagement in energy efficiency, PPL Electric Utilities revised the structure of its program offerings for Phase IV. Rather than offering a portfolio of individual programs consisting of bundled measure offerings, PPL Electric Utilities' Phase IV Plan will focus on providing each target customer sector with comprehensive solutions. PPL Electric Utilities will contract with implementation CSPs that will be tasked with providing balanced, integrated offerings to customers in the sector(s) over which they are responsible.

Customers are typically unaware of the existence of program designations; they simply want to find information easily, have a smooth participation process, and receive their incentive quickly. Under the new design, customers in the key sector will have the opportunity to implement as many, or as few, of individual energy efficiency and peak demand improvements as they like. PPL Electric Utilities designed its Phase IV programs to facilitate a seamless customer experience and provide the flexibility to enable customers who want deeper, more comprehensive efficiency upgrades to implement the project that best fits their needs and budget.

Because implementation CSPs will be tasked with (and will receive incentives for) delivering comprehensive solutions across an entire customer sector, they will be empowered to educate customers on the benefits of holistic energy efficiency strategies and to cross-promote appropriate solutions that result in more complete retrofits and higher energy and peak demand savings per participant. This comprehensive, solutions-based portfolio approach is consistent with best practices and industry trends.

The revised portfolio structure offers PPL Electric Utilities an opportunity to capture operational efficiencies, facilitate more extensive promotion and participation, encourage deeper energy efficiency and peak demand enhancements per customer, and have greater flexibility and control to manage program delivery and achieve objectives. Each program comprises components through which PPL Electric Utilities can deliver targeted offerings to its customers based on the predominant operational and delivery characteristics of that component.

These program components are very similar to the successful offerings in Phases I through III. Under its revised program design strategy, PPL Electric Utilities will continue to administer, evaluate, and report on program performance at a component level. PPL Electric Utilities developed separate budgets, savings targets, and performance objectives for each program—residential, low-Income, and non-residential—and for the associated program components. Delineation of components will be largely invisible from a customer perspective, especially in the residential sector. Access to individual measures or whole home solutions will be broadly customizable and solely at the customer's discretion. This strategy allows PPL Electric Utilities and its CSPs and trade allies to capitalize on the existing portfolio's momentum and enhance the customer experience by broadening customers' choices.

The remainder of this section provides details on individual programs, program components, and the analysis PPL Electric Utilities conducted to construct its Phase IV portfolio.

3.1.1 Portfolio Objectives and Metrics that Define Success

Portfolio Objectives

PPL Electric Utilities designed the Phase IV EE&C Plan to meet the requirements set forth by the Implementation Order and to achieve additional objectives associated with customer satisfaction and operational efficiency. These objectives are described in detail in Section $\underline{1}$ 4 of this Plan.

Metrics that Define Success

The primary objectives of this Plan are to meet the requirements of Act 129 and encourage more efficient use of electric power by PPL Electric Utilities' customers. PPL Electric Utilities will monitor its progress in meeting these objectives by tracking specific performance indicators and, when deficiencies are found, identifying corrective action. The Company will employ a range of EM&V, QA/QC, and data tracking activities to assess and monitor program and component performance and customer and trade ally satisfaction throughout Phase IV. Table 11 identifies the performance indicators and metrics PPL Electric Utilities will use to measure program and component success.

Table 11. Key Indicators and Metrics for Monitoring Portfolio Success

Key Indicator	Metrics
	Number of participants
Market Response	Number of measures installed per participant
ivialket kespolise	Participation benchmarked against industry norms
	Feedback from trade allies
	kWh/year savings
Impacts	kW/year saving
	Average project size
Customer and Trade Ally	Responses to participant surveys administered as part of QA and/or EM&V
Satisfaction	Feedback from trade allies
	Application processing time
	Incentive processing time
Operating Efficiency	Expenditures in each category
	Acquisition cost (\$/kWh saved)¹
	Levelized cost (\$/kWh saved) ¹
Cost-Effectiveness	TRC benefit/cost ratio

¹ Acquisition cost is ratio of total EDC expenditures to annual kWh. Levelized cost is the full TRC cost (including participant cost) over lifetime kWh.

3.1.2 How Program Components Were Constructed

PPL Electric Utilities relied on its Phase III program designs as a template for assigning eligible energy efficiency and peak demand measures to specific program components for analyzing cost-effectiveness and impacts. The Company then examined new measures identified through the Phase IV market

potential studies, its Phase III experience, and other market research to assess the ability of these measures to supplement or enhance existing customer offerings. PPL Electric Utilities assigned each promising measure to one or more components and then estimated participation and costs based on previous experience and an analysis of Phase IV requirements, including compliance targets and associated budgets.

After defining sector-level budgets and targets, PPL Electric Utilities issued RFPs for the design and implementation (i.e., delivery) of the residential, non-residential, and low-income programs. These RFPs were intended to confirm that PPL Electric Utilities' savings targets and budgets were achievable and realistic for each sector and to confirm the types of programs, components, and measures to include in the EE&C Plan.

Each measure underwent an extensive technical and economic screening analysis (see Section 8) to determine component, program, and portfolio-level cost-effectiveness. This analysis was the basis for iteratively adjusting individual elements to balance the portfolio and provide a reasonable mix of programs to meet all the Act 129 requirements. These requirements include the low-income set-aside targets, the overall cost cap, equity and comprehensiveness across customer segments, and cost-effectiveness at the portfolio level. The result is a mix of proven energy efficiency and peak demand strategies that will enable PPL Electric Utilities to reach its program goals within the parameters set forth in Act 129 and the Implementation Order.

For the launch and delivery of programs in Phase IV, PPL Electric Utilities will capitalize on existing activities and relationships with market partners, rely on the implementation CSPs' delivery experience, and account for the seasonality of some program components to achieve its Act 129 goals.

PPL Electric Utilities' Phase IV programs are intended to provide comprehensive energy and peak demand savings across end uses, as shown in <u>Figure 2Figure 2Figure 2</u>.

End-Use Residential Low Income Non-Residential Agricultural **Appliances Appliance Recycling** Audits CHP Compressed Air Cooling **Cooling Chillers** Food Service Heat Pump Heating **HVAC** Industrial Kits Lighting **Lighting Controls** Miscellaneous Motors, Pumps & Fans **New Homes** Office Equipment Plug Loads Pool Pumps Refrigeration (Commercial) Thermostats Ventilation Water Heat Weatherization

Figure 2. End Uses Addressed, by Program

3.1.3 Measures Included in the Portfolio of Program Components

Measures to be offered in the Phase IV program components are described in Sections 3.2 through 3.4 (see the Eligible Measures and Incentive Strategy section in each program component description).

3.1.4 Comprehensive Measures to Be Offered

The Implementation Order directs EDCs to "include at least one comprehensive program for residential customers and at least one comprehensive program for non-residential customers." To satisfy this requirement for residential customers, PPL Electric Utilities will offer two programs: (1) the Residential

¹³ Implementation Order at 23.

Program targeting its non-low-income customers; and (2) the Low-Income Program targeting its low-income customers. Both programs will provide a comprehensive mix of cost-effective energy efficiency measures for all building types (single-family, multifamily, and manufactured homes and existing and new construction). Both programs will offer in-home energy audits that assess end uses, including weatherization, water heating, lighting (available through the Efficient Lighting component), HVAC, and appliances. Residential customers will receive energy efficiency and peak demand education and be encouraged to implement multiple measures and to take a comprehensive approach to energy efficiency.

To meet the requirement for non-residential customers, PPL Electric Utilities will offer the Non-Residential Program that will target business customers of all sizes and in every segment, as well as government and educational institutions and master metered low-income multifamily buildings, with a comprehensive range of prescriptive measures (including HVAC, lighting, and water heating) as well as opportunities to implement a custom efficiency project for measures not included in PPL Electric Utilities' Energy Efficient Equipment (prescriptive) component and not included in the TRM. Custom component measures cover a comprehensive set of non-residential needs, including new or replacement energy efficient and peak demand-saving equipment, retro-commissioning, repairs, equipment optimization, building management or industrial process controls, new construction projects, CHP, and operational and process improvements that result in cost-effective energy efficiency savings.

3.2 Residential Program (2021-2026)

The following sections describe the components in PPL Electric Utilities' proposed Residential Program:

- Appliance Recycling
- Efficient Lighting Specialty Bulbs
- Energy Efficient Homes
- Student Energy Efficient Education

The next sections describe each component and their objectives; target market; implementation strategy; issues, risks, and risk management strategy; anticipated costs to participating customers; ramp-up strategy; marketing strategy; eligible measures and incentive strategy; deadline for rebate applications; start date with key schedule milestones; EM&V; administrative requirements; and estimated savings and participation. Please note that participation levels, savings, costs, and incentive ranges are estimates as directed by the Pa PUC EE&C Plan Template.

Table 12 lists estimated savings and costs by program year. The Residential Program budget is 20.7% of the total portfolio budget.¹⁴

Table 12. Pa PUC Table 9 - Residential Costs and Benefits by Program Year and Total (\$1000)

Co	st Element	PY13	PY14	PY15	PY16	PY17	Phase IV Total
Total Budget (\$0	00)	\$13, <u>479</u> 424	\$13, <u>639</u> 717	\$12, <u>701</u> 845	\$12,4 <u>53</u> 4 3	\$12, <u>475</u> 318	\$64,747
	Rebates	\$ <u>3,939</u> 3,132	\$ <u>4,001</u> 3,160	\$ <u>4,035</u> 3,188	\$ <u>4,063</u> 3,216	\$ <u>4,101</u> 3,246	\$ <u>20,138</u> 15,943
1	Upstream/Midstream Buydown	\$ <u>2,981</u> 4,407	\$ <u>2,911</u> 4, 506	\$ <u>1,932</u> 3,574	\$ <u>1,687</u> 3,075	\$ <u>1,685</u> 2,823	\$ <u>11,195</u> 18,385
Incentives	Kits	\$ <u>1,003</u> 938	\$ <u>1,002</u> 955	\$ <u>967</u> 973	\$ <u>971</u> 992	\$ <u>926</u> 1,011	\$ <u>4,870</u> 4 ,869
(\$000)	Direct Install Materials & Labor		\$ <u>631</u> 349	\$ <u>649</u> 356	\$ <u>584</u> 363	\$ <u>548</u> 370	\$ <u>3,090</u> 1,781
· 	Incentive Total	\$ <u>8,601</u> 8,820	\$ <u>8,545</u> 8,971	\$ <u>7,582</u> 8,092	\$ <u>7,305</u> 7,646	\$ <u>7,259</u> 7,449	\$ <u>39,293</u> 4 0,977
	CSP Program Design	\$46	-	-	-	-	\$46
	CSP Administrative	\$ <u>644</u> 5 67	\$ <u>675</u> 595	\$ <u>708</u> 626	\$ <u>736</u> 651	\$ <u>761</u> 675	\$ <u>3,524</u> 3,115
<u> </u>	CSP Delivery Fees	\$ <u>3,478</u> 3 ,281	\$ <u>3,706</u> 3,437	\$ <u>3,696</u> 3,412	\$ <u>3,689</u> 3,422	\$ <u>3,719</u> 3,459	\$ <u>18,288</u> 17,012
Non-Incentives	CSP Marketing	\$490	\$493	\$495	\$503	\$515	\$2,496
(\$000)	EDC Administrative	\$220	\$220	\$220	\$220	\$220	\$1,100
	EDC Other	-					-
	Non-Incentive Total	\$ <u>4,878</u> 4, 60 4	\$ 4,746 5,094	\$4 ,753 5,119	\$ <u>5,148</u> 4 ,797	\$ <u>5,216</u> 4 ,869	\$ <u>25,453</u> 23,769
Percent Incentive	ercent Incentives		<u>63</u> 65%	<u>60</u> 63%	<u>59</u> 61%	<u>58</u> 60%	<u>61</u> 63%

¹Total values may not equal the sum of all program year values due to rounding.

¹⁴ This percentage represents the program budget without common costs over the total portfolio budget, which includes common costs.

The Residential Program is projected to be cost-effective, with a TRC test ratio of 1.1301. Table 13Table 13Table 13 shows net present value benefits and costs, net benefits, and the overall benefit/cost ratio.

Table 13. Residential Program Cost-Effectiveness Results, TRC Test (\$1,000)

NPV Benefits	\$ <u>98,235</u> 153,247
NPV Costs	\$ <u>97,641</u> 135,548
Net Benefits	\$ <u>593</u> 17,699
Benefit/Cost Ratio	<u>1.01</u> 1.13

As noted in Section 1.6, PPL Electric Utilities will rely on energy efficiency measures with coincident peak demand reduction potential to achieve its annual and total demand reduction goals. PPL Electric Utilities will target end uses to nominate roughly 1 to 20% of eligible PJM peak demand savings from the Residential Program over the five-year Plan. PPL Electric Utilities is not aware at this time which measures will be nominated; however, they will likely include cooling and lighting. PPL Electric Utilities will competitively select a qualified third-party vendor to provide technical support in nominating a portion of its peak demand reductions as a capacity resource in PJM's FCM.

Appliance Recycling

Description

PPL Electric Utilities offers free pick-up and recycling of refrigerators, freezers, dehumidifiers, room air conditioners, and possibly consumer electronics (without savings or incentive). The Company offers customers a rebate for each recycled appliance, which must be plugged in and functioning when picked up. Room air conditioners, consumer electronics (if offered), and dehumidifiers are eligible for pick up with a refrigerator or freezer. PPL Electric Utilities may decide to allow dehumidifiers and room air conditioners as stand-alone measures. If feasible, the Company will offer small appliance pick-up events to which customers may bring room air conditioners and/or dehumidifiers for disposal and receive PPL Electric Utilities' incentives. The component will have the flexibility to offer in-person home pick-up or contactless curbside pick-up.

PPL Electric Utilities offers scheduling, pick-up, and decommissioning of refrigerators and freezers units and transports the units to a Pennsylvania-based processing center for disposal in an environmentally responsible manner. The disposal process involves removing hazardous materials, such as chlorinated fluorocarbons, from the refrigerant and foam insulation, preparing refrigerant for reclamation, and recycling other materials including metal and plastic.

Objectives

The objectives of Appliance Recycling are:

- Encourage customers to dispose of their existing, inefficient refrigerators, freezers, air-conditioning units, and dehumidifiers in an environmentally responsible manner.
- Reduce the use of secondary, inefficient refrigerators, freezers, and air-conditioning units.

- Enhance relationships with box stores and independent retailers to encourage participation in the "buy new and recycle" component.
- Decommission appliances on the site to prevent resale in a secondary market.
- Promote other PPL Electric Utilities energy efficiency programs.
- Achieve a total energy reduction of approximately 48,31126,316 MWh/year and 13.26.7 MW¹⁵ gross verified savings.
- Achieve high customer and trade ally satisfaction.

Target Market

Appliance Recycling targets residential customers but is available to customers in all sectors with working, residential-grade refrigerators, freezers, dehumidifiers, and room air-conditioning units. PPL Electric Utilities also encourages landlords and multifamily property managers/owners in its service territory to recycle refrigerators and freezers in their tenant units.

Implementation Strategy

The Residential CSP will manage and deliver Appliance Recycling to customers, which involves scheduling, picking up appliances, decommissioning, recycling, training retailer staff to promote the component, and tracking data. The Residential CSP will also support program-level functions by operating a customer call center, marketing and advertising, processing incentives, and tracking component activities. PPL Electric Utilities' energy efficiency staff will provide overall strategic direction and management. The EM&V CSP will provide evaluation services.

Issues, Risks, and Risk Management Strategy

<u>Table 14Table 14</u> presents market risks associated with Appliance Recycling and strategies PPL Electric Utilities will use to manage each risk.

Table 14. Appliance Recycling Issues, Risks, and Risk Management Strategies

Component Issue	Risk	Risk Management Strategies
Convenient time required for customer to be available for pick-up.	Customer may have the interest to recycle but not have time available.	Residential CSP works with customers to provide as convenient a pick-up as possible. On a case-by-case basis, special pick-up times may be arranged to meet customer needs.
Lack of component awareness among customers.	Customer participation might be low.	Residential CSP manages a robust marketing strategy, including distributing materials at community events and to retailers, running a media campaign, and designing PPL Electric Utilities bill inserts.
Customer may not see benefit of recycling qualified appliance(s).	Customer disposes of units through channels other than this component.	Residential CSP works with retailers where new units are sold to display information about the benefits of recycling. PPL Electric Utilities offers free pick-up

¹⁵ Peak Demand is at generation.

Component Issue	Risk	Risk Management Strategies		
		services plus an incentive to encourage customers to		
		recycle appliances.		

Anticipated Costs to Participating Customers

There are no direct costs incurred by customers in this component.

Ramp-up Strategy

Appliance Recycling is an existing, mature offering being carried forward from Phase III. The Residential CSP will develop marketing materials to facilitate the transition to Phase IV.

Marketing Strategy

PPL Electric Utilities' staff will work with the Residential CSP to develop and execute a marketing plan that captures sector-level economies of scale and employs targeted outreach where practical. The marketing strategy may include the following:

- Promote component through "Connect," bill inserts, the Customer Engagement Hub, and email blasts.
- Provide online access to the component via the Company's EE&C website.
- Distribute materials at community events.
- Advertise through multiple channels.
- Educate retailer staff and customers through in-store events.
- Distribute point-of-purchase materials to local retailers.
- Train local retailer staff to cross-promote component when customers purchase a new refrigerator.
- Conduct targeted outreach to PPL Electric Utilities' customers who submit a new refrigerator rebate application.

Eligible Measures and Incentive Strategy

Qualified customers receive free pick-up and disposal and an incentive for recycling working refrigerators, freezers, dehumidifiers, room air conditioners, and possibly consumer electronics (without savings or incentives). Room air conditioners, consumer electronics, and dehumidifiers may be picked up along with a qualified refrigerator or freezer. PPL Electric Utilities may decide to allow dehumidifiers and room air conditioners as stand-alone measures.

<u>Table 15Table 15</u> lists PPL Electric Utilities' proposed measures, minimum eligibility qualifications, and ranges of incentive levels.

Table 15. Pa PUC Table 7-Appliance Recycling Eligible Measures and Incentives

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
Dehumidifier Recycling	Per Product	No	Retirement and recycling without direct EDC replacement of an operable but older and inefficient room dehumidifier unit that would not have otherwise been recycled.	\$1 <u>0</u> 5	4	\$ 15	\$10 to \$25
Recycle Fridge	Per Product	No	Working unit, > 10 cubic feet and ≤ 30 cubic feet	\$35	6	\$35	\$35 to \$75
Recycle Freezer	Per Product	No	Working unit, > 10 cubic feet and ≤ 30 cubic feet	\$35	5	\$35	\$35 to \$75
RAC Recycling	Per Product	No	Retirement and recycling without direct EDC replacement of an operable but older and inefficient room AC (RAC) unit that would not have otherwise been recycled.	\$10	3	\$ 10	\$10 to \$25

¹All eligible measures are listed in this table regardless of participation projections.

Not all measures may be available at all times. PPL Electric Utilities may suspend a measure depending on popularity, pace of the component (savings and costs), free ridership, evaluation requirements, complexity of information required from customers, administrative requirements for the measure, or other reasons. PPL Electric Utilities will review the component continually and may adjust available measures or eligibility qualifications to achieve savings and cost budgets. The Company may offer tiered incentives that encourage the recycling of older equipment, installation of multiple measures, or a more comprehensive whole-home or facility approach.

Deadline for Rebate Applications

There is no rebate application for this component.

Start Date with Key Schedule Milestones

Appliance Recycling is currently offered in Phase III, and PPL Electric Utilities will manage the transition to Phase IV. <u>Table 16Table 16</u> lists estimated key schedule milestones for Appliance Recycling. PPL Electric Utilities will lead implementation or provide management oversight of all tasks.

Table 16. Appliance Recycling Schedule and Milestones

Schedule	Milestones
11/30/2020	Phase IV EE&C Plan submitted to Pa PUC
06/01/2021	Launch Phase IV component
Annually starting 01/15/2022	EDCs submit semiannual program report
Annually starting 09/30/2022	EDCs submit final annual program report
05/31/2026	Program ends

Evaluation, Measurement, and Verification

EM&V requirements will be detailed in PPL Electric Utilities' Evaluation Plan, which will be submitted to the SWE for review. PPL Electric Utilities and its EM&V CSP will conduct annual evaluations of each program component in compliance with all Pa PUC requirements and the Evaluation Framework. As part of this process, the EM&V CSP will review a sample of CSP records to verify quantity, efficiency level, and qualifying equipment. The EM&V CSP will follow all applicable methods in the TRM and the Evaluation Framework to calculate energy savings and peak demand reduction. For the Appliance Recycling component, PPL Electric Utilities anticipates conducting annual impact evaluations and conducting one process evaluation during Phase IV (activities vary by year).

Administrative Requirements

The Residential CSP will provide overall administrative and operational management of Appliance Recycling. PPL Electric Utilities will provide oversight and operational support to establish effective deployment.

Estimated Savings and Participation

<u>Table 17Table 17</u> shows the order of magnitude participation estimates for Appliance Recycling. Actual quantities will vary, and PPL Electric Utilities will manage the component to stay within budget.

Table 17. Pa PUC Table 8-Appliance Recycling Participation ¹

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
Dehumidifier Recycling	Energy Savings (MWh/year)	2,334 866	2,334 866	2,334 866	2,139 866	1,945 866	11,086 4,330
	Demand Reduction (MW)	0.522 0.201	0.522 0.201	0.522 0.201	0.479 0.201	0.435 0.201	2.481 1.004
	Projected Participation	3,120 1,200	3,120 1,200	3,120 ₄ ,200	2,860 1,200	2,600 1,200	14,820 6,000
Recycle Fridge	Energy Savings (MWh/year)	6,006 3,208	5,460 3,273	<u>5,678</u> 3,338	4,941 3,405	4,668 3,473	26,754 16,697
	Demand Reduction (MW)	0.672 0.518	0.611 0.528	0.635 0.539	0.553 0.550	0.522 0.561	2.994 2.695
	Projected Participation	14,300 7,055	13,000 7,196	13,520 7,340	11,765 7,487	11,115 7,637	63,700 36,715
Recycle Freezer	Energy Savings (MWh/year)	1,539 883	1,539 900	1,539 918	<u>1,539</u> 937	1,399 955	7,556 4,594
	Demand Reduction (MW)	0.172 0.142	0.172 0.145	0.172 0.148	0.172 0.151	0.157 0.154	0.845 0.741
	Projected Participation	2,860 1,761	2,860 1,796	2,860 1,832	2,860 1,869	2,600 1,906	14,040 9,164
RAC Recycling	Energy Savings (MWh/year)	606 134	594 136	583 139	571 142	560 145	2,915 696
	Demand Reduction (MW)	1.218 0.324	1.194 0.331	1.171 0.338	1.148 0.344	1.125 0.351	5.857 1.689
	Projected Participation	4-,597 1,633	4-,506 1,666	4-,417 1,699	4,332 1,733	4,246 1,768	22,097 8,499

¹ To show numerical values in the Pa PUC Table 8 tables, deviation from the standard use of decimals throughout Section 3 may have been applied.

 $^{^{\}rm 2}$ Total values may not equal the sum of all program year values due to rounding

Efficient Lighting - Specialty Bulbs

Description

PPL Electric Utilities encourages residential customers to purchase and install specialty LED bulbs.¹⁶ Participating customers can purchase a variety of discounted LED bulbs at local retail stores and the Company's Online Marketplace. The Residential CSP will manage operations and provide support to participating retailers and manufacturers that promote and sell eligible bulbs.

Objectives

The objectives of Efficient Lighting are:

- Provide a mechanism for customers to easily obtain discounted specialty LED bulbs in local retail stores and/or the Online Marketplace.
- Achieve widespread visibility through independent and regional retailers that carry eligible specialty LED bulbs.
- Develop and execute strategies aimed at continuing the transformation of the market for specialty LED bulbs.
- Educate customers on new lighting technologies.
- Engage retailers by educating and training retail sales associates about specialty LED bulbs.
- Achieve a total energy reduction of approximately <u>20,379</u><u>12,763</u> MWh/year and <u>3.7</u><u>14.2</u> MW¹⁷ gross verified savings.
- Achieve high customer and trade ally satisfaction.

Target Market

Efficient Lighting targets residential customers but is available to all PPL Electric Utilities customers.

Implementation Strategy

The Residential CSP will administer the component by managing retailer/manufacturer recruitment, delivering incentives to participating energy efficient light bulb manufacturers, providing marketing and educational support, and overseeing marketing and product placement in retail stores. The Residential CSP will also support program-level functions by operating a customer call center, following PPL Electric Utilities' marketing and branding guidelines, and tracking activities. PPL Electric Utilities' energy efficiency staff will provide overall strategic direction and management. The EM&V CSP will provide evaluation services.

-

¹⁶ Based on actual results from Phase III, PPL Electric Utilities estimated a portion of costs and savings associated with the Efficient Lighting Component for the small C&I sector from cross-sector sales. The actual costs and savings for the small C&I sector will be determined by the EM&V CSP during the annual evaluation.

¹⁷ Peak Demand is at generation.

Issues, Risks, and Risk Management Strategy

<u>Table 18Table 18</u> presents market risks associated with Efficient Lighting and the strategies PPL Electric Utilities will use to manage each risk.

Table 18. Efficient Lighting Issues, Risks, and Risk Management Strategies

Component Issue	Risk	Risk Management Strategies
Cost of energy efficient bulbs may be higher than the customer is willing to pay.	 Low sales translating to low savings. Customers may not be willing to purchase new, more efficient light bulbs if their current light bulbs are functioning. Economic conditions may limit customers' ability to purchase energy efficient bulbs. 	 PPL Electric Utilities offers incentives to offset the cost of efficient bulbs at retail locations. PPL Electric Utilities will likely use other distribution channels such as offering free bulbs at customer giveaway events, and through the Online Marketplace. PPL Electric Utilities educates customers on the long-term energy cost-saving benefits of higher efficiency lighting.
Lack of customer awareness about energy usage associated with different types of bulbs.	Customers do not see a need to use more efficient bulbs.	Residential CSP manages a robust marketing and education strategy, including point-of-sale promotions and discounts.
Reduction in savings due to Energy Independence and Securities Act of 2007 standards.	Specialty bulb market saturation.	PPL Electric Utilities determines the proper product mix of bulbs to reduce reliance on savings for specific bulbs
Energy efficient bulb performance.	Customer may not purchase energy efficient bulbs if they perceive bulbs do not perform well.	Residential CSP conducts ongoing communication with retailers, including training, outreach, and education.
Changing technology may affect lifecycle cost.	Customer decision-making process may change as new technology becomes available in the market.	PPL Electric Utilities adds new measures as efficiency improves.

Anticipated Costs to Participating Customers

Although the incentives will cover a portion of the efficient products' incremental costs, participating customers will be responsible for the remaining costs of purchased LED bulbs. Customer-incurred costs will vary by bulb type.

Ramp-up Strategy

This is a relaunch of the Efficient Lighting offering from Phase III, but focusing specifically on specialty bulbs. The Residential CSP will develop marketing material to facilitate the transition to Phase IV.

Marketing Strategy

PPL Electric Utilities will work with the Residential CSP to develop and execute a marketing plan that captures sector-level economies of scale and employs targeted outreach where practical. The marketing strategy may include the following:

 Promote the component through "Connect," bill inserts, the Customer Engagement Hub, and email blasts.

- Provide online access to the program via the Company's EE&C website.
- Advertise through multiple channels.
- Educate retailer staff and customers through in-store events.
- Distribute point-of-purchase materials to local retailers.
- Collaborate with ENERGY STAR® and lighting manufacturers.
- Cross-promote the lighting component with other energy efficiency educational materials.

Eligible Measures and Incentive Strategy

<u>Table 19Table 19</u> identifies PPL Electric Utilities' proposed list of measures, minimum eligibility qualifications, and range of incentive levels. In general, the incentives provided at the retail level are designed to cover up to 50% of the retail cost of LEDs.

Table 19. Pa PUC Table 7- Efficient Lighting Eligible Measures and Incentives

Measure ¹	Unit	Low- Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
TCP 11.68 Downlight Solid State Retrofit	Per PackPer Bulb	No	Downlight fixture, ≥ 400 lumens	\$ <u>22</u> 5	15	\$3	\$5 to \$8
Decorative and Min- Base AVG	Per PackPer Bulb	No	Decorative, mini-base, or globe, 250- 2,600 lumens	\$ <u>11</u> 3	15	\$3	\$5 to \$8
Globe AVG	Per PackPer Bulb	No	Decorative, mini-base, or globe, 250- 2,600 lumens	\$ <u>20</u> 5	15	\$3	\$5 to \$8
Reflectors AVG	Per PackPer Bulb	No	Reflectors or outdoor, 250- 2,600 lumens	\$ <u>22</u> 5	15	\$3	\$5 to \$8
Outdoor AVG	Per PackPer Bulb	No	Reflectors or outdoor, 250- 2,600 lumens	\$ <u>22</u> 5	15	\$3	\$5 to \$8
MaxLite 11 Parabolic Aluminized Reflector	Per Bulb	No	Reflectors or outdoor, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
MaxLite 5 Globe	Per Bulb	No	Decorative, mini-base, or globe, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
MaxLite 6.5 Multifaceted Reflector	Per Bulb	No	Reflectors or outdoor, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
Philips 4.5 Specialty	Per Bulb	No	Decorative, mini-base, or globe, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
Philips 7.2 Bulged Reflector	Per Bulb	No	Reflectors or outdoor, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
Philips 9 Bulged Reflector	Per Bulb	No	Reflectors or outdoor, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
TCP 10.5 Parabolic Aluminized Reflector	Per Bulb	No	Reflectors or outdoor, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
TCP 4 Globe	Per Bulb	No	Decorative, mini-base, or globe, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
TCP 5 Globe	Per Bulb	No	Decorative, mini-base, or globe, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8

Measure ¹	Unit	Low- Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
TCP 5 Specialty	Per Bulb	No	Decorative, mini-base, or globe, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
TCP 7.5 Reflector	Per Bulb	No	Reflectors or outdoor, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8
TCP 9.5 Bulged Reflector	Per Bulb	No	Reflectors or outdoor, 250- 2,600 lumens	N/A	N/A	N/A	\$5 to \$8

¹ All eligible measures are listed in this table regardless of participation projections. N/A indicates measure may be offered in future program years but not at the launch of Phase IV.

All measures may not be available at all times. PPL Electric Utilities may suspend a measure depending on popularity, pace of the component (savings and costs), free ridership, evaluation requirements, administrative requirements for the measure, or other reasons. PPL Electric Utilities will review the component continually and may adjust available measures or eligibility qualifications to achieve savings and cost budgets.

Deadline for Rebate Applications

PPL Electric Utilities offers Efficient Lighting incentives at the point of sale; therefore, there is no rebate application.

Start Date with Key Schedule Milestones

Efficient Lighting was offered in Phase III, and PPL Electric Utilities will facilitate its relaunch as a component in Phase IV, but focus on specialty lighting. <u>Table 20Table 20</u> lists the estimated key schedule milestones

Schedule	Milestones
11/30/2020	Phase IV EE&C Plan submitted to Pa PUC
06/01/2021	Launch Phase IV component
Annually starting 01/15/2022	EDCs submit semiannual program report
Annually starting 09/30/2022	EDCs submit final annual program report
05/31/2026	Program ends

Table 20. Efficient Lighting Schedule and Milestones

Evaluation, Measurement, and Verification

The EM&V requirements will be detailed in PPL Electric Utilities' Evaluation Plan, which will be submitted to the SWE for review. PPL Electric Utilities and its EM&V CSP will conduct annual evaluations of each component in compliance with all Pa PUC requirements and the Evaluation Framework. As part of this process, the EM&V CSP will verify savings attributable to this component. The EM&V CSP will verify bulb quantities and savings for lighting distributed through other channels (such as giveaways) where the specific participant is known. The EM&V CSP will follow all applicable methods in the TRM and the Evaluation Framework to calculate energy savings and peak demand reduction. For Efficient

Lighting, PPL Electric Utilities anticipates conducting annual impact and process evaluations (activities vary by year).

Administrative Requirements

The Residential CSP will provide overall administrative and operational management of Efficient Lighting. PPL Electric Utilities will provide oversight and operational support to establish effective deployment.

Estimated Participation

<u>Table 21Table 21</u> shows the order of magnitude participation estimates for Efficient Lighting. Actual quantities will vary, and PPL Electric Utilities will manage the component to stay within budget.

Table 21. Pa PUC Table 8-Efficient Lighting Projected Participation ¹

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	1,175 588	914 576	200 288	95 115	70 58	2,454 1,624
TCP 11.68 Downlight Solid State Retrofit	Demand Reduction (MW)	0.113 0.613	0.088 0.600	0.019 0.300	0.009 0.120	0.007 0.060	0.236 1.693
	Projected Participation	135,040 102,000	105,000 99,960	23,000 49,980	10,900 20,000	8,000 10,000	281,940
	Energy Savings (MWh/year)	<u>1,330</u> 732	<u>1,136</u> 717	<u>242</u> 359	<u>97 179</u>	<u>56</u> 75	2,861 2,062
Decorative and Min-Base AVG	Demand Reduction (MW)	0.128 0.803	0.109 0.787	0.023 0.393	0.009 0.197	0.005 0.082	0.275 2.261
	Projected Participation	275,000 210,000	235,000 205,800	50,000 102,900	20,000 51,450	11,588 21,438	591,588
	Energy Savings (MWh/year)	609 4 13	<u>533</u> 4 05	<u>127 202</u>	<u>81</u> 101	<u>33 51</u>	1,383 1,172
Globe AVG	Demand Reduction (MW)	0.585 0.454	0.512 0.445	0.122 0.223	0.078 0.111	0.031 0.056	1.329 1.289
	Projected Participation	120,000 96,000	105,000 94,080	25,000 47,040	16,000 23,520	6,400 11,760	272,400
	Energy Savings (MWh/year)	4,712 2,021	4,749 1,981	<u>1,542</u> 990	<u>308</u> 495	<u>156</u> 206	11,468 5,694
Reflectors AVG	Demand Reduction (MW)	0.452 2.252	0.456 2.207	0.148 1.104	0.030 0.552	0.015 0.230	1.101 6.345
	Projected Participation	382,000 330,000	385,000 323,400	125,000 161,700	25,000 80,850	12,637 33,687	929,637
Outdoor AVG	Energy Savings (MWh/year)	<u>864</u> 699	873 699	<u>301</u> 4 66	<u>116 233</u>	<u>58 116</u>	2,212

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Demand Reduction (MW)	<u>0.164</u>	<u>0.165</u>	0.057	0.022	0.011	<u>0.419</u>
		0.471	0.471	0.314	0.157	0.079	1.493
	Projected Participation	89,037	90,000	31,000	11,963	6,000	
		72,000	72,000	48,000	24,000	12,000	228,000

¹ To show numerical values in the Pa PUC Table 8 tables, deviation from the standard use of decimals throughout Section 3 may have been applied.

Energy Efficient Homes

Description

PPL Electric Utilities provides comprehensive energy efficiency options for new and existing homes. The Company offers a range of energy efficient measures, rebates, education, and services that help its customers increase their homes' efficiency. The component contains these delivery channels:

- The new homes channel encourages construction of energy efficient new homes through a
 rebate to builders or homeowners who exceed the energy efficiency performance required by
 current building codes in newly constructed homes. This offer is for both single-family and
 multifamily buildings.
- In the comprehensive in-home audit and weatherization channel, customers learn about the benefits of energy efficiency measures, such as appliance recycling, lighting, HVAC, and water heating. Depending on audit recommendations, customers may receive direct-install or giveaway measures and may qualify for insulation and air sealing rebates. Energy efficiency kits may also be offered to PPL Electric Utilities' customers interested in learning more about energy efficiency and the programs offered by the Company.
- In the midstream and/or downstream energy efficiency equipment channel PPL Electric Utilities provides rebates for high-performance heat pumps, heat pump water heaters, pool pumps, and central air conditioners, as well as other energy efficient appliances.

PPL Electric Utilities is also considering offering an enhanced bonus incentive to customers who install a comprehensive package of measures.

Objectives

The objectives of Energy Efficient Homes are:

- Encourage customers to view energy efficiency in a holistic manner.
- Provide customers with education, audits, and energy-saving solutions.
- Promote construction of energy efficient new homes.
- Educate construction industry professionals and other trade allies about the benefits of energy
 efficient homes.

² Total values may not equal the sum of all program year values due to rounding.

- Achieve a total energy reduction of approximately <u>57,777</u><u>122,803</u> MWh/year and <u>16.93</u><u>23.8</u> MWh¹⁸ gross verified savings.
- Achieve high customer and trade ally satisfaction.

Target Market

Energy Efficient Homes is targeted to residential homebuilders and customers residing in single-family and individually metered multifamily homes.

Implementation Strategy

The Residential CSP will deliver Energy Efficient Homes to customers and homebuilders through marketing, participant recruitment, and trade ally recruitment and support. Because the component consists of three separate channels, trade ally support will vary. These are the responsibilities of the Residential CSP and PPL Electric Utilities:

- **New homes.** The Residential CSP will identify, recruit, and train potential builders; assist new home builders with paperwork; answer specific questions; test new home performance; and issue incentives to builders and homeowners.
- **Audit and weatherization.** The Residential CSP will conduct in-home audits; identify, recruit, and train HVAC contractors; form and maintain a trade ally network; and answer questions.
- Energy efficient equipment. The Residential CSP will work with retailers, distributors, trade allies, and manufacturers to promote energy efficient equipment such as HVAC equipment and pool pumps through a midstream approach that builds on its current and new relationships with distributors in PPL Electric Utilities' service territory and may decide to offer an HVAC Tune-Up Optimization measure within this component. PPL Electric Utilities will continue to broaden its market reach by offering rebates for qualified products at the point of sale.
- Online Marketplace. PPL Electric Utilities will offer customers the opportunity to purchase energy efficient lighting and equipment through a virtual storefront.

The Residential CSP will also support program-level functions by operating a customer call center, managing marketing and advertising, processing incentives to customers, and tracking activities. PPL Electric Utilities will provide overall strategic direction and management. The EM&V CSP will provide evaluation services.

Issues, Risks, and Risk Management Strategy

<u>Table 22Table 22</u> presents market risks associated with Energy Efficient Homes and the strategies PPL Electric Utilities will use to manage each risk.

¹⁸ Peak Demand is at generation.

Table 22. Energy Efficient Homes Issues, Risks, and Risk Management Strategies

Component Issue	Risk	Risk Management Strategies
Efficiency is not a common priority for builders and customers.	Builders do not take advantage of rebates, resulting in lower savings.	Residential CSP educates builders on the value and benefits associated with energy efficiency.
Builders may not abide by the efficient building practices required to qualify for the rebate	Builders may choose cheaper, less efficient equipment and building practices.	Residential CSP educates builders on the performance standards and building practices required to qualify for program rebates.
The economic environment may limit the ability of builders and customers to purchase energy efficient equipment and appliances for these reasons: High-efficiency equipment is viewed as too expensive. There is little incentive to upgrade equipment that is still operational or to weatherize a home.	Builders or customers may choose to install cheaper, less efficient equipment.	 Residential CSP conducts robust program marketing and provides general energy efficiency information to customers. PPL Electric Utilities offers rebates that help reduce incremental costs. Residential CSP educates customers on the long-term energy cost-saving benefits of higher-efficiency equipment and home weatherization.

Anticipated Costs to Participating Customers

Costs incurred by Energy Efficient Homes participants will vary by delivery channel and type of qualifying equipment installed through the component.

Ramp-up Strategy

Energy Efficient Homes is an existing, mature offering carried forward from Phase III. The Residential CSP will develop marketing material to facilitate the transition to Phase IV. The CSP also plans to make rebates for HVAC equipment and pool pumps available through a midstream channel. PPL Electric Utilities may continue to offer downstream rebates on these measures.

Marketing Strategy

PPL Electric Utilities will work with the Residential CSP to develop and execute a marketing plan that captures sector-level economies of scale and employs targeted outreach where practical. The marketing strategy may include the following:

- Promote component through "Connect," bill inserts, the Customer Engagement Hub, and email blasts.
- Provide online access to the component via the Company's EE&C website.
- Advertise through multiple marketing channels.
- Identify builders through collaboration with state and regional builders' associations and provide them with component details.
- Educate retailer staff and customers through in-store events.
- Distribute point-of-purchase materials to local retailers.

 Recruit and train retailers and distributors on qualifying technology, rebates, and crosspromotion.

The Residential CSP will also conduct outreach to previously participating and new trade allies (retailers, manufacturers, distributors, homebuilders, and contractors) and provide them with rebate information, educate them on Phase IV changes, and offer ongoing support. After the Residential Program CSP's contract is approved by the Commission, PPL Electric Utilities will develop and implement a detailed marketing plan to foster increased Residential Program participation. This marketing plan will support all components of the Residential Program after the Phase IV EE&C Plan is approved, including the Energy Efficient Homes Component, and will be designed to achieve the 122,803 MWh/year of projected savings targeted in the Energy Efficient Homes Component. Copies of this marketing plan will be provided to the other Joint Petitioners by no later than January 1, 2022.

Eligible Measures and Incentive Strategy

<u>Table 23Table 23</u> lists PPL Electric Utilities' expected measures, minimum eligibility qualifications, and incentive level ranges.

Table 23. Pa PUC Table 7-Energy Efficient Homes Eligible Measures and Incentives

Measure ¹	Unit	Low- Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
Connected Thermostat- Electric Heat AVG (downstream)	Per Product	No	ENERGY STAR Certified Product List	\$140	11	\$75	Up to \$200
Connected Thermostat- CAC AVG (downstream)	Per Product	No	ENERGY STAR Certified Product List	\$140	11	\$75	Up to \$200
New Homes-Connected Thermostat-Electric Heat (downstream)	Per Product	No	ENERGY STAR Certified Product List	\$140	11	\$75	Up to \$200
New Homes-Connected Thermostat-CAC (downstream)	Per Product	No	ENERGY STAR Certified Product List	\$140	11	\$75	Up to \$200
Fuel Switching – Central Heating (downstream) Maximum of 20075 units across all customer sectors/programsfor residential customers	Per Project	No	Must replace electric equipment with ENERGY STAR certified natural gas, propane, or fuel oil equipment	\$8,600	15	\$ 200	Up to \$300
Fuel Switching – DHW (downstream) Maximum of 200 75 units across all customer sectors/programsfor residential customers	Per Project	No	Must replace electric water heater with ENERGY STAR certified natural gas or propane equipment	\$1,416	11	\$ 200	Up to \$300
HPWH-AVG	Per Project	No	ENERGY STAR	\$671	10	\$400	Up to \$500
Air Sealing -AVG (weatherization – downstream)	Per Project	No	Must be performed in accordance with BPI standards with pre- and post-blower door testing. Must have a 10%	\$1,596	15	\$ 200	Up to \$200

Measure ¹	Unit	Low- Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
			minimum improvement. Home must have a main source electric heating or central air conditioning.				
ENERGY STAR Dehumidifiers (downstream)	Per Product	No	ENERGY STAR	\$11	12	\$50	Up to \$25
Ductless Mini-Split Heat Pump (16 SEER/9.0 HSPF) – replacing baseboard/room AC	Per Project	No	ENERGY STAR	\$3,847	15	\$400	Up to \$500
ENERGY STAR Air Source Heat Pump 16 SEER/9.0 HSPF/12.5 EER or Higher	Per Project	No	ENERGY STAR	\$987	15	\$450	Up to \$400
ENERGY STAR Air Source Heat Pump 17.5 SEER/9.7 HSPF/EER 13.5 or Higher	Per Project	No	ENERGY STAR	\$1,222	15	\$450	Up to \$500
ENERGY STAR Refrigerator (downstream)	Per Product	No	ENERGY STAR, at least 15% more efficient than baseline	\$68	14	\$50	Up to \$75
Ceiling Insulation AVG- Electric Heat (weatherization – downstream)	Per Project	No	The existing R-value cannot exceed R-30. Final R-value must be ≥ R-49, home has electric main source heat. Rebate cannot exceed the cost of the measure.	\$2,401	15	\$ 500	75% of cost, up to \$500
Ceiling Insulation AVG-Non- Electric Heat (weatherization – downstream)	Per Project	No	The existing R-value cannot exceed R-30. Final R-value must be ≥ R-49, home has central air conditioning. Rebate cannot exceed the cost of the measure.	\$2,401	15	\$ 200	75% of cost, up to \$300
Basement Wall Insulation AVG (weatherization – downstream)	Per Project	No	Home has electric main source heat or central air conditioning. Basement or crawl space insulation should have either a minimum R-10 continuous insulated sheathing on the interior or exterior of the home, or R-13 cavity insulation at the interior of the crawl space wall in International Energy Conservation Code ("IECC") Climate Zone 4, and R-15 continuous or R-19 cavity insulation in zones 5 or 6.	\$1,870	15	\$ 500	75% of cost, up to \$500
ENERGY STAR Central Air Conditioner (13 SEER/12EER to 16 SEER/12.5EER)	Per Project	No	ENERGY STAR	\$1,037	15	\$300	Up to \$400
ENERGY STAR Central Air Conditioner (14	Per Project	No	ENERGY STAR	\$719	15	\$300	Up to \$500

Measure ¹	Unit	Low- Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
SEER/12EER to 17.5 SEER/13.5EER)							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Variable speed pool pump	Per Project	No	Replace constant speed	\$396	10	\$350	Up to \$350
New Homes-15% or higher better than code-Electric Heat	Per Project	No	Individually metered, must have own heating, < 6 stories, dwellings must occupy 80% or more of occupiable space, 15% or higher better than code	\$1,930	15	\$838	Up to \$4,500
New Homes-15% or higher better than code-Gas Heat	Per Project	No	Individually metered, must have own heating, < 6 stories, dwellings must occupy 80% or more of occupiable space, 15% or higher better than code	\$1,930	15	\$370	Up to \$4,500
In-Home Audit Incentive (Elec Heat + AC)	Per Project	No	Home has electric main source heat and central air conditioning	\$0	0	\$350	Up to \$350
In-Home Audit Incentive (Elec Heat or Central AC)	Per Project	No	Home has electric main source heat or central air conditioning	\$0	0	\$200	Up to \$200
Comprehensive Retrofit Bonus- Tier 1 ²	Per Project	No	Tier 1	\$0	0	\$250	Up to \$250
Comprehensive Retrofit Bonus- Tier 2 ²	Per Project	No	Tier 2	\$0	0	\$350	Up to \$350
Electric Hot Water Kit (Single Family – In-Home Audits)	Per Kit	No	Electric hot water only	\$38	7	\$38	\$38
Gas Hot Water Kit (Single Family – In-Home Audits)	Per Kit	No	Gas hot water only	\$29	6	\$29	\$29
Electric Hot Water Kit (Single Family)	Per Kit	No	Electric hot water only	\$38	7	\$38	\$38
Gas Hot Water Kit (Single Family)	Per Kit	No	Gas hot water only	\$29	6	\$29	\$29
Smart Thermostat (Online Marketplace)	Per Product	No	ENERGY STAR	\$140	11	\$65	Up to \$75
Weatherstrip (Online Marketplace)	Per Project	No	Must be installed on doors, windows, or attic hatches/doors	\$2	15	\$ 4	Up \$5
Advanced Power Strip (Online Marketplace)	Per Product	No	Tier 1	\$32	5	\$9	Up to \$15
Occupancy Sensor Switch (Online Marketplace)	Per Product	No	Installation of occupancy sensors and/or connected ("smart") lighting	\$26	10	\$5	Up to \$15
ENERGY STAR Dehumidifier (Online Marketplace)	Per Product	No	ENERGY STAR	\$11	12	\$50	Up to \$25
Electric Hot Water Kit (Single Family – Virtual Assessments)	Per Kit	No	Electric hot water only	\$38	7	\$38	\$38
Gas Hot Water Kit (Single Family – Virtual Assessments)	Per Kit	No	Gas hot water only	\$29	6	\$29	\$29
ENERGY STAR Air Purifier (downstream rebates and online marketplace)	Per Product	No	ENERGY STAR	\$74	9	\$25	N/A

Measure ¹	Unit	Low- Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
Water Heater Pipe Insulation (online marketplace)	Per Foot	No	≥ R-3	\$4	15	\$5	N/A
Holiday Lights (online marketplace)	Per Product	No	Replace incandescent holiday lights	\$6	10	\$5	N/A
ENERGY STAR Clothes Washers (downstream rebates)	Per Product	No	ENERGY STAR	\$187	11	\$50	N/A
ENERGY STAR Ceiling Fans (downstream rebates)	Per Product	No	ENERGY STAR	\$15	15	\$25	N/A
GSHP DeSuperheaters (midstream)	Per Project	No	Installation on new or existing Ground Source Heat Pump to replace any type of electric water heater	\$1,811	15	\$ 1,000	N/A
Solar Water Heaters (midstream)	Per Project	No	Existing electric water heater	\$6,655	15	\$1,000	N/A
Water Heater Tank Wrap (online marketplace)	Per Project	No	Installation of R-8 wrap insulation to existing electric water heater with R-24 or less	\$72	7	\$10	N/A
Compact Refrigerators (downstream rebates)	Per Product	No	ENERGY STAR	\$36	14	\$10	N/A
Duct Sealing 50% unvented crawlspace, 30% attic (average)	Per Project	No	Home with electric ducted heating system. Requires duct leakage test by BPI certified trade allies.	\$479	15	\$175	N/A
Duct Sealing & Insulation 50% unvented crawlspace, 30% attic (average)	Per Project	No	Home with electric ducted heating system. Requires duct leakage test by BPI certified trade allies.	\$1,702	15	\$500	N/A
Custom Measures	Per kW	No	Minimum TRC requirement may be implemented as a requirement for projects if necessary to help ensure the program or portfolio TRC is greater than 1.0. Incentive \$500/kW, incentive capped at \$1,000.	N/A	N/A	N/A	N/A
Home Energy Report	Per Project	No	Must be PPL Electric Utilities residential customer	N/A	Varies based on TRM	N/A	N/A

¹ All eligible measures are listed in this table regardless of participation projections. N/A indicates measure may be offered in future program years but not at the launch of Phase IV.

All measures may not be available at all times. PPL Electric Utilities may suspend a measure depending on popularity, pace of the component (savings and costs), free ridership, evaluation requirements, complexity of information required by customer, administrative requirements for the measure, or other reasons. PPL Electric Utilities will review the component continually and may add or adjust available measures, eligibility qualifications, or incentives to achieve savings and cost budgets. It may offer tiered

² The Company will begin offering the Comprehensive Retrofit Bonus Incentives within the Energy Efficient Homes Component by no later than January 1, 2022.

incentives that encourage installation of multiple measures or a more comprehensive whole home or facility approach. PPL Electric Utilities plans to work with other EDCs and stakeholders to offer a consistent mechanism for new home construction delivery.

PPL Electric Utilities will offer comprehensive in-home diagnostic audits throughout Phase IV. The cost of a comprehensive audit may vary depending on the auditor chosen by the customer. Customers will receive a rebate, the amount of which may vary depending on the type of heating and cooling equipment installed in the home.

To the extent that a project is eligible under the new construction offering, the Company will work with interested stakeholders to help ensure that the Act 129 funds allocated for multifamily affordable housing projects are not substituted for funds otherwise provided through state or federal assistance programs.

Deadline for Rebate Applications

The rebate application will list the deadline for its submission. The deadline will not exceed 180 days from the date the measure was installed or purchased. For some measures, PPL Electric Utilities may allow customers to request project preapproval to lock in the stipulated incentive level and guarantee project funding.

Start Date with Key Schedule Milestones

<u>Table 24Table 24</u> lists the estimated key schedule milestones for Energy Efficient Homes. PPL Electric Utilities will lead implementation or provide management oversight of all tasks.

Schedule	Milestones
11/30/2020	Phase IV EE&C Plan submitted to Pa PUC
06/01/2021	Launch Phase IV component
Annually starting 01/15/2022	EDCs submit semiannual program report
Annually starting 09/30/2022	EDCs submit final annual program report
05/31/2026	Program ends

Table 24. Energy Efficient Homes Schedule and Milestones

Evaluation, Measurement, and Verification

The EM&V requirements will be detailed in PPL Electric Utilities' Evaluation Plan, which will be submitted to the SWE for review. PPL Electric Utilities and its EM&V CSP will conduct annual evaluations of each component in compliance with all Pa PUC requirements and the Evaluation Framework. The EM&V CSP will follow all applicable methods in the TRM and the Evaluation Framework to calculate energy savings and peak demand reduction. For Energy Efficient Homes, PPL Electric Utilities anticipates conducting annual impact and process evaluations (activities vary by year).

Through Energy Efficient Homes, PPL Electric Utilities offers incentives for new home construction, in-home energy audits, and a variety of weatherization and equipment. Each of these requires an evaluation approach specifically tailored to the product.

As part of the savings verification and evaluation, the EM&V CSP will review a sample of participant rebates and Residential CSP records to verify the quantity, efficiency level, and rebate qualifications by measure type. Because the Company offers a variety of equipment and services, the EM&V CSP will stratify the verification sample accordingly, designating a sample size appropriate for each stratum and technology. Overall, the sample size will meet the level of rigor specified in the Evaluation Framework, which will probably be 85% confidence with 15% precision (85/15) at the component level, the same as in Phase III. In its annual reports, PPL Electric Utilities will provide the Energy Efficient Homes

Component's actual incentive costs, electric savings, and demand reductions broken down by the following three categories: (a) new homes; (b) audit and weatherization; and (c) energy efficient equipment.

Administrative Requirements

The Residential CSP will provide overall administrative and operational management of Energy Efficient Homes. PPL Electric Utilities will provide oversight and operational support to establish effective deployment.

Estimated Participation

<u>Table 25Table 25</u> shows the order of magnitude participation estimates for Energy Efficient Homes. Actual quantities will vary, and PPL Electric Utilities will manage the component to stay within budget.

Table 25. Pa PUC Table 8-Energy Efficient Homes Projected Participation ¹

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
Connected Thermostat-	Energy Savings (MWh/year)	<u>439</u> 672	<u>447</u> 685	<u>457</u> 700	<u>465</u> 713	<u>475</u> 727	2,283 3,497
Electric Heat AVG	Demand Reduction (MW)	<u>0.019</u> -	<u>0.019</u> -	<u>0.020</u> -	<u>0.020</u> -	<u>0.021</u> -	<u>0.099</u> -
(downstream)	Projected Participation	<u>720</u> 554	<u>735</u> 565	<u>750</u> 577	<u>764</u> 588	<u>780</u> 600	3,749 _{2,8} 84
	Energy Savings (MWh/year)	<u>60</u> 46	<u>61</u> 47	<u>62</u> 48	<u>63</u> 4 9	<u>65</u> 50	<u>311</u> 239
Connected Thermostat- CAC	Demand Reduction (MW)	0.00 <u>9</u> 7	0.00 <u>9</u> 8	0.00 <u>9</u> 8	0.0 <u>10</u> 08	0.0 <u>10</u> 08	0.0 <u>47</u> 39
AVG (downstream)	Projected Participation	<u>343</u> 264	<u>350</u> 269	<u>358</u> 275	<u>364</u> 280	<u>372</u> 286	1, <u>786</u> 37 4
New Homes-Connected	Energy Savings (MWh/year)	<u>198152</u>	<u>202</u> 155	<u>206</u> 158	<u>210161</u>	<u>214165</u>	1,029 79
Thermostat-Electric Heat	Demand Reduction (MW)	0.00 <u>7</u> 5	0.00 <u>7</u> 6	0.00 <u>7</u> 6	0.00 <u>7</u> 6	0.00 <u>8</u> 6	0.0 <u>39</u> 28
(downstream)	Projected Participation	<u>455</u> 350	<u>464</u> 357	<u>473</u> 364	<u>482</u> 371	<u>493</u> 379	2,367 1,8 21
New Homes Connected	Energy Savings (MWh/year)	<u>47</u> 36	<u>48</u> 37	<u>49</u> 37	<u>50</u> 38	<u>51</u> 39	<u>243</u> 187
New Homes-Connected Thermostat-CAC	Demand Reduction (MW)	0.00 <u>8</u> 6	0.00 <u>8</u> 6	0.00 <u>8</u> 6	0.00 <u>8</u> 6	0.00 <u>8</u> 6	0.03 <u>9</u> 0
(downstream)	Projected Participation	<u>455</u> 350	<u>464</u> 357	<u>473</u> 364	<u>482</u> 371	<u>493</u> 379	2,367 _{1,8} 21
Fuel Switching – Central Heating (downstream)	Energy Savings (MWh/year)	<u>96 218</u>	<u>96 224</u>	<u>96 224</u>	<u>96 231</u>	<u>96 237</u>	481 1,135

Demand Reduction (MW) 1. 1. 1. 1. 1. 1. 1. 1	Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
Projected Participation 15 34 15 36 15 36 15 36 15 37 75 477	Maximum of 200 -75 units	Demand Reduction (MW)						
15.34 15.36 15.36 15.37 75.177	across all customer		_	_		_	_	
Fuel Switching — DHW (downstream) Maximum of 200-75 units across-all customer sectors/programsfor residential customers Projected Participation Fine Sysvings (MWh/year) Demand Reduction (MW) Demand Red		Projected Participation						
Column C			<u>15</u> 34	<u>15</u> 35	<u>15</u> 35	<u>15</u> 36	<u>15</u> 37	<u>75</u> 177
Maximum of 200-75 units across-all-customer sectors/programsfor residential customers sectors/programsfor residential customers Demand Reduction (MW) 0.005 0.0	_	Energy Savings (MWh/year)	<u>41 58</u>	<u>41 58</u>	<u>41 61</u>	<u>41 61</u>	<u>41 64</u>	<u>207</u> 301
### Section 1.5 cm 1.5 cm	1 -	Demand Reduction (MW)	0.003	0.003	0.003	0.003	0.003	0.017
Projected Participation		Demand Redderon (WWV)	0.005	0.005	0.005	0.005	0.005	0.024
HPWH-AVG	sectors/programsfor	Projected Participation	<u>15 21</u>	<u>15 21</u>	<u>15 22</u>	<u>15 22</u>	<u>15 23</u>	<u>75 109</u>
Demand Reduction (MW)		Energy Savings (MWh/year)	722	7 <u>22</u> 36	7 <u>48</u> 51	76 <mark>26</mark>	<u>803</u> 782	l
Energy Savings (MWh/year) 32 ±5 31 ±5 29 ±6 27 ±6 146 79	HPWH-AVG	Demand Reduction (MW)	0.060	0.06 <u>0</u> 1	0.06 <mark>23</mark>	0.06 <u>3</u> 4	0.06 <u>7</u> 5	0.313
Energy Savings (MWh/year) 32 ±5 31 ±5 29 ±6 27 ±6 146 79		Projected Participation	516	51 2 6	53 57	54 58	574 59	2.686
Air Sealing- AVG (weatherization – downstream) Demand Reduction (MW) Projected Participation Energy Savings (MWh/year) Demand Reduction (MW) Demand Reduction (MW) Demand Reduction (MW) Projected Participation Demand Reduction (MW) Demand Reduc		,	22.15	_				· ·
(weatherization – downstream) Demand Reduction (MW) 0.0003								
Projected Participation 30 16 29 16 27 17 25 17 25 17 136 83 333 44	,	Demand Reduction (MW)						
ENERGY STAR Dehumidifiers (downstream) Energy Savings (MWh/year) Demand Reduction (MW) Demand Reduction (MW) Projected Participation Energy Savings (MWh/year) Ductless Mini-Split Heat Pump (16 SEER/9.0 HSPF) - replacing baseboard/room AC Energy Savings (MWh/year) ENERGY STAR Air Source Heat Pump 16 SEER/9.0 HSPF/12.5 EER or Higher ENERGY STAR Air Source Heat Pump 17.5 SEER/9.7 HSPF/EER 13.5 or Higher ENERGY STAR Refrigerator (downstream) Energy Savings (MWh/year) Energy Savings (MWh/y	downstream)	Projected Participation	30.16		27 17	25 17	25 17	
ENERGY STAR Dehumidifiers (downstream) Demand Reduction (MW) Demand Reduction (MW) Projected Participation Demand Reduction (MW) Projected Participation Demand Reduction (MW) Projected Participation Ductless Mini-Split Heat Pump (16 SEER/9.0 HSPF) – replacing baseboard/room AC Energy Savings (MWh/year) Ener		,	30 10	23 10	27_17	23 17	23 17	
Demand Reduction (MW)		Energy Savings (MWh/year)	640 320	654 327	669 333	676 340	695 347	
Countstream Countstream Countstream Countstream Projected Participation 3,318 1,669 1,693 1,727 1,762 1,762 1,792 1,815 8,639 1,867 1,815 1,792 1,815 1,793 1,815 1,935	ENERGY STAR Dehumidifiers	Daniel de Daduction (NAA)	 			0.170		
Ductless Mini-Split Heat Pump (16 SEER/9.0 HSPF) - replacing baseboard/room AC	(downstream)	Demand Reduction (WW)	0.080	0.082	0.084	0.085	0.087	0.418
Ductless Mini-Split Heat Pump (16 SEER/9.0 HSPF) - replacing baseboard/room AC		Projected Participation	3,318	<u>3,390</u>	3,467	<u>3,503</u>	<u>3,600</u>	<u>17,278</u>
Ductless Mini-Split Heat Pump (16 SEER/9.0 HSPF) - replacing baseboard/room AC Demand Reduction (MW)		Frojected Farticipation	1,660	1,693	1,727	1,762	1,797	8,639
Ductless Mini-Split Heat Pump (16 SEER/9.0 HSPF) – replacing baseboard/room AC Demand Reduction (MW) 1.873 2.053 2.066 2.066 2.066 2.066 40.125 2.065 2.066 2.0		 Energy Savings (MWh/year)						
Demand Reduction (MW) 1.873 2.053 2.066 2.06	Ductless Mini-Split Heat Pump	Energy savings (intrin) year)						
baseboard/room AC Projected Participation Energy Savings (MWh/year) Energy Savings (MWh/year) Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MW) Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MW) Energy Savings (MWh/year) Energy Savin		Demand Reduction (MW)						
ENERGY STAR Air Source Heat Pump 16 SEER/9.0 HSPF/12.5 EER or Higher Projected Participation 2,900 3,180 3,200 3,200 3,200 15,680	baseboard/room AC	, ,	+					
ENERGY STAR Air Source Heat Pump 16 SEER/9.0 HSPF/12.5 EER or Higher		Projected Participation		1				
ENERGY STAR Air Source Heat Pump 16 SEER/9.0 HSPF/12.5 EER or Higher Demand Reduction (MW) Demand Reduction (MW) Demand Reduction (MW) ENERGY STAR Air Source Heat Pump 17.5 SEER/9.7 HSPF/EER 13.5 or Higher ENERGY STAR Refrigerator (downstream) ENERGY STAR Refrigerator (downstream) Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MW) D			2,300	3,100	3,200	3,200	3,200	
ENERGY STAR Air Source Heat Pump 16 SEER/9.0 HSPF/12.5 EER or Higher Demand Reduction (MW) Demand Reduction (MW)		Energy Savings (MWh/year)	763 677	778 691	792 705			
Demand Reduction (MW)		5 15 1 1 (2014)				_		
Projected Participation 1,288 1,313 1,338 3,939 3,501		Demand Reduction (MW)						
ENERGY STAR Air Source Heat Pump 17.5 SEER/9.7 HSPF/EER 13.5 or Higher Demand Reduction (MW) Projected Participation Energy Savings (MWh/year) Energy Savings (MWh/year) Energy Savings (MWh/year) Projected Participation Energy Savings (MWh/year) Demand Reduction (MW) Projected Participation 1,711 1,745 1,780 1,816 1,852 8,904 Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MW) Demand Reduction (MW) Demand Reduction (MW) 20.004 0.005 0.005 0.005 0.005 0.005 0.005 0.005 0.005 0.005 0.004 0.044 0.045 0.045 0.045 0.048 Energy Savings (MWh/year) Demand Reduction (MW) Demand Reduction (MWh/year) Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MWh/year) Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MWh/year) Demand Reduction (MWh/year) Demand Reduction (MWh/year) Demand Reduction (MWh/year) Energy Savings (MWh/year) Demand Reduction (MWh/year) Demand Reduction (MWh/year) Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MWh/year) Demand Reduction (MWh/year) Demand Reduction (MWh/year) Energy Savings (MWh/year) Demand Reduction (MWh/year) Energy Savings (MWh/year) Demand Reduction (MWh/year) Energy Savings (MWh/year) E	EER OF HIGHE	Projected Participation						
ENERGY STAR Air Source Heat Pump 17.5 SEER/9.7 HSPF/EER 13.5 or Higher Demand Reduction (MW)		Trojected rarticipation	1,144	1,167	1,190			
Demand Reduction (MW) Dema		Energy Savings (MWh/year)	-	-	-	809 719	824 733	
13.5 or Higher Projected Participation Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MW) Projected Participation 1,711 1,745 1,80 1,816 1,822 2,759 2,452 2,452 2,452 Energy Savings (MWh/year) Round Reduction (MW) Projected Participation 1,711 1,745 1,780 1,816 1,852 8,904 Energy Savings (MWh/year) Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MW) Demand Reduction (MW) Projected Participation 232 237 241 246 251 1,207 Demand Reduction (MW) Demand Reduction (MWh/year) Energy Savings (MWh/year) Projected Participation Energy Savings (MWh/year) Projected Participation 232 237 241 246 251 1,207 Demand Reduction (MWh/year) Demand Reduction (MWh/year) Energy Savings (MWh/year) Energy Savings (MWh/year) Demand Reduction (MWh/year) Projected Participation 232 237 241 246 251 1,207 Demand Reduction (MWh/year) Demand Reduction (MWh/ye		Demand Reduction (MANA)				0.167	0.170	0.337
Projected Participation - - -		Demand Reduction (WW)	-	-	-	0.149	0.151	0.300
Demand Reduction (MW) Dema	13.3 of Flight	Projected Participation	-	-	-	l —		
Demand Reduction (MW) 0.017 0.017 0.018 0.018 0.086		Energy Savings (MWh/year)	80	82	84	1		
Projected Participation 1,711 1,745 1,780 1,816 1,852 8,904	_	Demand Reduction (MW)	0.017	0.017		0.018	0.018	0.086
Ceiling Insulation AVG-Electric Heat (weatherization – downstream) Energy Savings (MWh/year) 183 217 187 222 190 226 194 230 198 235 1,129 Demand Reduction (MW) 0.004 0.042 0.005 0.042 0.005 0.044 0.005 0.045 0.005 0.045 0.005 0.045 0.005 0.045 0.023 0.045 0.0218 Ceiling Insulation AVG-Non-Electric Heat (weatherization Energy Savings (MWh/year) 45 17 46 17 47 17 48 18 49 18 236 86 Electric Heat (weatherization Demand Reduction (MW) 0.002 0.002 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003								
Ceiling Insulation AVG-Electric Heat (weatherization – downstream) Energy Savings (MWh/year) 183 217 187 222 190 226 194 230 198 235 1,129 Demand Reduction (MW) 0.004 0.005 0.005 0.005 0.005 0.005 0.005 0.045 0.045 0.218 Projected Participation 232 237 241 246 251 1,207 Ceiling Insulation AVG-Non-Electric Heat (weatherization Energy Savings (MWh/year) 45 17 46 17 47 17 48 18 49 18 236 86 Electric Heat (weatherization Demand Reduction (MW) 0.002 0.003 0.003 0.003 0.003 0.003	Heat (weatherization –	,			_,: 00	_,,,	,	
downstream) Demand Reduction (MW) 0.042 0.043 0.044 0.045 0.045 0.218 Projected Participation 232 237 241 246 251 1,207 Ceiling Insulation AVG-Non-Electric Heat (weatherization Energy Savings (MWh/year) 45 17 46 17 47 17 48 18 49 18 236 86 Electric Heat (weatherization Demand Reduction (MW) 0.002 0.003 0.003 0.003 0.003 0.003		Energy Savings (MWh/year)	<u>183 217</u>	<u>187</u> 222	<u>190 226</u>	<u>194</u> 230	<u>198</u> 235	
Projected Participation 232 237 241 246 251 1,207 Ceiling Insulation AVG-Non-Electric Heat (weatherization Energy Savings (MWh/year) 45 17 46 17 47 17 48 18 49 18 236 86 Electric Heat (weatherization Domand Reduction (MW) 0.002 0.003 0.003 0.003 0.003 0.003		Demand Reduction (MW)						1
Ceiling Insulation AVG-Non- Electric Heat (weatherization Energy Savings (MWh/year) 45 17 46 17 47 17 48 18 49 18 236 86 Domand Reduction (MWh) 0.002 0.003	downstream)	Projected Participation						
Electric Heat (weatherization Domand Reduction (MAN) 0.002 0.003 0.003 0.003 0.003 0.003	Ceiling Insulation AVG-Non-	·						
Domand Poduction (MMM)								
	- downstream)	Demand Reduction (MW)	0.002	0.003	0.003 0.013	0.003	0.003	0.015

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Projected Participation	131	134	136	139	142	682
	Energy Savings (MWh/year)	<u>34 </u> 2	<u>34 </u> 2	<u>34 2</u>	<u>34 </u> 2	<u>34 </u> 2	<u>169 11</u>
Basement Wall Insulation AVG (weatherization –	Demand Reduction (MW)	0.0017	0.0017	0.0017	0.0017	0.0017	0.0086
downstream)		0.0001	0.0001	0.0001	0.0001	0.0001	0.0006
,	Projected Participation	<u>20</u> 4	<u>20</u> 4	<u>20</u> 4	<u>20</u> 4	<u>20</u> 4	<u>100 20</u>
	Energy Savings (MWh/year)	271	<u>291 276</u>	<u>340 282</u>	-	-	901 829
ENERGY STAR Central Air Conditioner (13 SEER/12EER	Demand Reduction (MW)	0.161	0.173 0.164	0.202 0.168	-	-	0.536 0.493
to 16 SEER/12.5EER)	Projected Participation	932	1,000 951	1,169 970	-	-	3,101 2,853
	Energy Savings (MWh/year)	-	-	-	<u>245 285</u>	<u>259</u> 290	<u>504</u> 575
ENERGY STAR Central Air Conditioner (14 SEER/12EER	Demand Reduction (MW)	-	-	-	0.149 0.173	0.158 0.177	0.307 0.350
to 17.5 SEER/13.5EER)	Projected Participation	-	-	-	<u>850</u> 989	900 1,009	1,750 1,998
	Energy Savings (MWh/year)	<u>687</u> 514	<u>701</u> 524	<u>473</u> 534	<u>826</u> 546	<u>882 556</u>	3,569 2,675
Variable speed pool pump	Demand Reduction (MW)	0. <u>226</u> 16	0. <u>230</u> 17	0.156	0.271	0.290	<u>1.173</u>
	, ,	9	2	0.176	0.180	0.183	0.880
	Projected Participation	<u>472</u> 353	<u>481</u> 360	<u>325</u> 367	<u>567</u> 375	606 382	2,451 1,837
	Energy Savings (MWh/year)	2, <u>887</u> 22	2, <u>946</u> 26	3,004 ^{2,3}	3,063 _{2,3}	3,125 _{2,4}	1 <u>5,025</u> 1,
Namelana 150/ an highan	- 67 6- (77 - 7	1 1200 0	6	11	56	04	558
New Homes-15% or higher better than code-Electric Heat	Demand Reduction (MW)	1.1260.8 66	1.1490.8 84	1.1720.9 02	1.1950.9 19	1.2190.9 38	5.8624.5 09
better than code Electric fredt	Projected Participation	1,08883	<u>1,110</u> 85	<u>1,132</u> 87	<u>1,154</u> 88	<u>1,178</u> 90	<u>5,663</u> 4,3
		7	4	1	8	6	56
	Energy Savings (MWh/year)	<u>781</u> 600	<u>796</u> 612	<u>812625</u>	<u>828</u> 637	<u>844</u> 650	4,061 ^{3,1}
New Homes-15% or higher	Demand Reduction (MW)	0. <u>690</u> 53	0. <u>704</u> 54	0. <u>719</u> 55	0. <u>732</u> 56	0. <u>747</u> 57	3.592 2.7
better than code-Gas Heat	Demand Reduction (MW)	1	1	3	3	4	63
	Projected Participation	<u>667</u> 513	<u>680</u> 523	<u>694</u> 534	<u>707</u> 544	<u>722555</u>	3,470 2,6 69
In Hama Audit Inconting /Flag	Energy Savings (MWh/year)	-	-	-	-	-	-
In-Home Audit Incentive (Elec Heat + AC)	Demand Reduction (MW)	-	-	-	-	-	-
Treat · riej	Projected Participation	50	51	52	53	54	260
to the see Acada to see to a /Elec	Energy Savings (MWh/year)	-	-	-	-	-	-
In-Home Audit Incentive (Elec Heat or Central AC)	Demand Reduction (MW)	-	-	-	-	-	-
ricat or central rej	Projected Participation	26	26	27	27	28	134
	Energy Savings (MWh/year)	-	-	-	-	-	-
Comprehensive Retrofit Bonus- Tier 1 ³	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	75	7 <u>0</u> 7	<u>80</u> 78	80	8 <u>6</u> 1	391
Comprehensive Retrofit Bonus- Tier 2 ³	Energy Savings (MWh/year)	-	-	-	-	-	-
	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	25	<u>3</u> 26	<u>30</u> 26	2 <u>0</u> 7	2 <u>0</u> 7	131
	Energy Savings (MWh/year)	8	8	8	8	8	<u>39</u> 40
Electric Hot Water Kit (Single	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	0.004
Family – In-Home Audits)	Projected Participation	50	51	52	53	54	260
Gas Hot Water Kit (Single	Energy Savings (MWh/year)	2	<u>3</u> 2	<u>3</u> 2	3	3	13
Family – In-Home Audits)	Demand Reduction (MW)	0.0002	0.0002	0.0002	0.00032	0.00032	0.0012
	· , ,		L	l			Ļ

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Projected Participation	26	27	27	28	28	136
Electric Hot Water Kit (Single	Energy Savings (MWh/year)	<u>569</u> 576	<u>578</u> 58 4	<u>586 593</u>	<u>595</u> 602	604 611	2,931 2,966
	Demand Reduction (MW)	0.061	0.062	0.063	0.064	0.065	0.316
	Projected Participation	3,753	3,808	3,864	3,922	3,980	19,327
	Energy Savings (MWh/year)	<u>229</u> 247	233 251	<u>237 255</u>	<u>240</u> 260	<u>244</u> 26 4	1,183 1,278
Gas Hot Water Kit (Single Family)	Demand Reduction (MW)	0.022 0.021	0.022 0.021	0.023 0.021	0.023 0.022	0.023 0.022	0.113 0.107
	Projected Participation	2,489	2,529	2,569	2,611	2,653	12,851
	Energy Savings (MWh/year)	<u>224</u> 172	<u>229</u> 176	<u>233</u> 179	<u>238</u> 183	<u>243</u> 187	1,16689 7
Smart Thermostat (Online Marketplace)	Demand Reduction (MW)	0.034 0.028	0.035 0.028	0.035 0.029	0.036 0.030	0.037 0.030	0.177 0.145
	Projected Participation	1,29099 2	1, <u>316</u> 01	1, <u>342</u> 03	1, <u>369</u> 05 3	1, <u>396</u> 07 4	6,712 ^{5,1}
	Energy Savings (MWh/year)	20	22	23	24	24	112
Weatherstrip (Online Marketplace)	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0004
ivial ketplace)	Projected Participation	580	620	660	680	680	3,220
	Energy Savings (MWh/year)	15	15	15	16	16	77
Advanced Power Strip (Online Marketplace)	Demand Reduction (MW)	0.002	0.002	0.002	0.002	0.002	0.008
ivial ketplace)	Projected Participation	182	186	189	193	197	947
	Energy Savings (MWh/year)	0	0	1	1	1	<u>3</u> 2
Occupancy Sensor Switch (Online Marketplace)	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	17	17	18	18	18	88
	Energy Savings (MWh/year)	<u>154</u> 77	<u>154</u> 77	<u>154</u> 77	<u>154</u> 77	<u>154</u> 77	772 386
ENERGY STAR Dehumidifier	Demand Reduction (MW)	0.039	0.039	0.039	0.039	0.039	0.194
(Online Marketplace)	Demand Reddedon (WW)	0.019	0.019	0.019	0.019	0.019	0.097
	Projected Participation	<u>800</u> 4 00	<u>800</u> 4 00	<u>800</u> 4 00	<u>800</u> 4 00	<u>800</u> 4 00	4,000 2,000
Floatria Hat Water Kit (Single	Energy Savings (MWh/year)	84	85	87	89	90	435
Electric Hot Water Kit (Single Family – Virtual Assessments)	Demand Reduction (MW)	0.00 <u>9</u> 8	0.00 <u>9</u> 8	0.00 <u>9</u> 8	0.0 <u>10</u> 08	0.0 <u>10</u> 09	0.04 <u>7</u> 2
	Projected Participation	551	562	573	584	596	2,866
Coollet Water Kit (Cingle	Energy Savings (MWh/year)	10	10	11	11	11	53
Gas Hot Water Kit (Single Family – Virtual Assessments)	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	0.005
Turning Tricual 7 issessments,	Projected Participation	110	112	115	117	119	573
ENERGY STAR Air Purifier	Energy Savings (MWh/year)	<u>-</u> 56	<u>9056</u>	<u>90</u> 56	<u>90</u> 56	<u>90</u> 56	<u>362</u> 278
	Demand Reduction (MW)	-0.006	0. <u>010</u> 00 6	0.0 <u>10</u> 06	0.0 <u>10</u> 06	0.0 <u>10</u> 06	0.0 <u>41</u> 32
offilite filarketplace)	Projected Participation	-100	<u>163</u> 100	<u>163</u> 100	<u>163</u> 100	<u>163</u> 100	<u>650</u> 500
	Energy Savings (MWh/year)	_0.1	<u>4.80.1</u>	<u>4.8</u> 0.1	<u>4.8</u> 0.1	<u>4.8</u> 0.1	<u>19.1 0.6</u>
Water Heater Pipe Insulation (online marketplace)	Demand Reduction (MW)	-0.0001	0.0001	0.0001	0.0001	0.0001	0.0006
	Projected Participation	-100	1 <u>25</u> 00	1 <u>25</u> 00	1 <u>25</u> 00	1 <u>25</u> 00	500
	Energy Savings (MWh/year)	-2	2	2	2	2	10
Holiday Lights (online marketplace)	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	-100	1 <u>25</u> 00	1 <u>25</u> 00	1 <u>25</u> 00	1 <u>25</u> 00	500
-	•						
ENERGY STAR Clothes	Energy Savings (MWh/year)	-10	1 <u>2</u> 0	1 <u>2</u> 0	1 <u>2</u> 0	1 <u>2</u> 0	<u>4852</u>
ENERGY STAIR CIOCHES	Energy Savings (MWh/year) Demand Reduction (MW)	- 10 - 0.001	1 <u>2</u> 0 0.001	1 <u>2</u> 0 0.001	1 <u>2</u> 0 0.001	1 <u>2</u> 0 0.001	48 52 0.00 <u>5</u> 6

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	-3	<u>4</u> 3	<u>4</u> 3	<u>4</u> 3	<u>4</u> 3	15
ENERGY STAR Ceiling Fans (downstream rebates)	Demand Reduction (MW)	<u>-0.0002</u>	0.000 <u>3</u> 2	0.000 <u>3</u> 2	0.000 <u>3</u> 2	0.000 <u>3</u> 2	0.0011
(downstream repates)	Projected Participation	-100	1 <u>25</u> 00	1 <u>25</u> 00	1 <u>25</u> 00	1 <u>25</u> 00	500
CCUP D. C I	Energy Savings (MWh/year)	<u>-</u> 1	1	1	1	1	4
GSHP DeSuperheaters (midstream)	Demand Reduction (MW)	<u>-0.0001</u>	0.0001	0.0001	0.0001	0.0001	0.0003
(iiiidstream)	Projected Participation	-2	<u>3</u> 2	<u>3</u> 2	<u>3</u> 2	<u>3</u> 2	10
	Energy Savings (MWh/year)	<u>-9</u>	<u>12</u> 9	<u>12</u> 9	<u>12</u> 9	<u>12</u> 9	47
Solar Water Heaters (midstream)	Demand Reduction (MW)	-0.001	0.001	0.001	0.001	0.001	0.006
(Illiasticalli)	Projected Participation	<u>-</u> 5	<u>6</u> 5	<u>6</u> 5	<u>6</u> 5	<u>6</u> 5	25
	Energy Savings (MWh/year)	<u>-</u> 14	1 <u>7</u> 4	1 <u>7</u> 4	1 <u>7</u> 4	1 <u>7</u> 4	68
Water Heater Tank Wrap (online marketplace)	Demand Reduction (MW)	-0.002	0.002	0.002	0.002	0.002	0.008
(online marketplace)	Projected Participation	-100	1 <u>25</u> 00	1 <u>25</u> 00	1 <u>25</u> 00	1 <u>25</u> 00	500
0 10 11	Energy Savings (MWh/year)	-0.3	0. <u>4</u> 3	0. <u>4</u> 3	0. <u>4</u> 3	0. <u>4</u> 3	1.7
Compact Refrigerators (downstream rebates)	Demand Reduction (MW)	<u>-0.0001</u>	0.0001	0.0001	0.0001	0.0001	0.0003
(downstream repates)	Projected Participation	-10	1 <u>3</u> 0	1 <u>3</u> 0	1 <u>3</u> 0	1 <u>3</u> 0	50
Duct Sealing 50% unvented	Energy Savings (MWh/year)	<u>-8</u>	<u>9</u> 8	<u>9</u> 8	<u>9</u> 8	<u>9</u> 8	38
crawlspace, 30% attic	Demand Reduction (MW)	-0.001	0.001	0.001	0.001	0.001	0.003
(average)	Projected Participation	<u>-15</u>	1 <u>9</u> 5	1 <u>9</u> 5	1 <u>9</u> 5	1 <u>9</u> 5	75
Duct Sealing & Insulation 50%	Energy Savings (MWh/year)	<u>-12</u>	1 <u>5</u> 2	1 <u>5</u> 2	1 <u>5</u> 2	1 <u>5</u> 2	59
unvented crawlspace, 30%	Demand Reduction (MW)	-0.002	0.002	0.002	0.002	0.002	0.010
attic (average)	Projected Participation	<u>-15</u>	1 <u>9</u> 5	1 <u>9</u> 5	1 <u>9</u> 5	1 <u>9</u> 5	75

¹ To show numerical values in the Pa PUC Table 8 tables, deviation from the standard use of decimals throughout Section 3 may have been applied.

Student Energy Efficient Education

Description

PPL Electric Utilities offers energy efficiency kits and education to students and teachers. The component consists of these three channels:

- **Primary Grade Energy Efficiency Education**, in which the Company offers an interactive classroom presentation to students in grades 2-3.
- Intermediate Grade Energy Efficiency Education, in which the Company offers an interactive classroom presentation to students in grades 5-7.
- **Secondary Grade Energy Efficiency Education**, in which the Company offers an interactive classroom presentation to students in grades 9-12.

The presentation educates students about energy and conservation topics using hands-on activities. Content is correlated to Pennsylvania Education Academic Standards for the appropriate grade levels and endorsed by the Pennsylvania Department of Education. Students who participate in the presentation receive a take-home energy efficiency kit.

² Total values may not equal the sum of all program year values due to rounding.

³ The Company will begin offering the Comprehensive Retrofit Bonus Incentives within the Energy Efficient Homes Component by no later than January 1, 2022.

The CSP will offer a poster contest and innovation challenge, which will support the component by giving students an additional opportunity to reflect on what they learned and how they acted on tips provide during the presentations.

PPL Electric Utilities will provide participating teachers with energy efficiency measures, such as smart power strips, to use as instructional aides to educate students about energy efficiency.

Objectives

The objectives of Student Energy Efficient Education are:

- Expand and promote energy efficiency literacy through education outreach components.
- Provide energy efficiency education to students offered through school assemblies and classroom curriculum.
- Confirm energy efficiency education correlates to Pennsylvania Education Academic Standards.
- Provide students and teachers with a take-home kit of energy efficiency measures that can be installed at home.
- Provide teachers with energy efficiency information, lesson plans, activities, training, materials, and support for classroom use.
- Achieve a total energy reduction of approximately 37,429 MWh/year and 3.1 MW¹⁹ gross verified savings.
- Achieve high customer and teacher satisfaction.

Target Market

PPL Electric Utilities targets Student Energy Efficient Education to residential customers throughout its service territory by using schools as an outreach mechanism.

Implementation Strategy

The Residential CSP will deliver the component to schools and have sole responsibility for marketing to and recruiting potential schools and teachers, creating curriculum correlated to Pennsylvania Education Academic Standards, securing endorsement by the Pennsylvania Department of Education, conducting the energy efficiency presentations, and assembling and shipping the take-home energy efficiency kits. The Residential CSP will also provide support by operating a customer call center, following PPL Electric Utilities' marketing and branding guidelines, and tracking activities.

PPL Electric Utilities' energy efficiency staff will provide overall strategic direction and management. The EM&V CSP will provide evaluation services.

.

¹⁹ Peak Demand is at generation.

Issues, Risks, and Risk Management Strategy

<u>Table 26Table 26</u> presents market risks associated with Student Energy Efficient Education and the strategies PPL Electric Utilities will use to manage each risk.

Table 26. Student EE Education Issues, Risks, and Risk Management Strategies

Component Issue	Risk	Risk Management Strategies
Teachers may not have time in their schedules to incorporate the presentations.	Lesson plans are often created far in advance and teachers may not see value in the presentation and, therefore, may not participate.	Residential CSP ensures that the curriculum is correlated to the Pennsylvania Education Academic Standards and fits into teachers' existing lesson plans.
Customers do not install the energy efficiency measures or complete the survey included in their take-home kits	Although the education component would be completed, measurable energy savings would not be achieved.	 Residential CSP provides instructions on how to install the devices in the kits. Residential CSP manages a customer call center for participants who have questions about the kits or how to install the measures.
Virtual presentations.	Not as much direct interactions with students, so it may be more difficult to capture their attention.	Residential CSP may provide follow-up calls with teachers and email follow-ups with students after the presentation.

Anticipated Costs to Participating Customers

There are no direct costs incurred by customers in this component.

Ramp-up Strategy

Student Energy Efficient Education is an existing, mature offering being carried forward from Phase III. The Residential CSP will develop marketing material to facilitate the transition to Phase IV.

Marketing Strategy

To recruit teachers and schools to participate in Student Energy Efficient Education, the Residential CSP will work with PPL Electric Utilities to secure a list of qualified schools in the PPL Electric Utilities' service territory. The Residential CSP will issue promotional materials directly to potential participants via email and direct mail.

Eligible Measures and Incentive Strategy

Participants in each component receive a take-home energy efficiency kit that contains a variety of low-cost measures, such as LEDs and water-saving measures. PPL Electric Utilities will review the component continually and may adjust available measures or eligibility qualifications to achieve savings and cost budgets.

Table 27. Pa PUC Table 7-Student EE Education Eligible Measures and Incentives

Measure ¹	Unit	Low- Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
Bright Kids (Primary School) Kit	Per Kit	No	Meets current TRM requirements	\$20	5	\$20	\$20
Take Action (Middle School) Kit	Per Kit	No	Meets current TRM requirements	\$31	9	\$31	\$31
Innovation (High School) TI Strip Kit	Per Kit	No	Meets current TRM requirements	\$30	9	\$30	\$30

¹ All eligible measures are listed in this table regardless of participation projections.

Deadline for Rebate Applications

PPL Electric Utilities offers Student Energy Efficient Education services at no cost to customers; therefore, there is no rebate application.

Start Date with Key Schedule Milestones

Student Energy Efficient Education is currently offered in Phase III, and PPL Electric Utilities will facilitate the transition to Phase IV. <u>Table 28Table 28 lists</u> the estimated key schedule milestones for Student Energy Efficient Education. PPL Electric Utilities will lead implementation or provide management oversight of all tasks.

Table 28. Student Energy Efficient Education Schedule and Milestones

Schedule	Milestones
11/30/2020	Phase IV EE&C Plan submitted to Pa PUC
06/01/2021	Launch Phase IV component
Annually starting 01/15/2022	EDCs submit semiannual program report
Annually starting 09/30/2022	EDCs submit final annual program report
05/31/2026	Program ends

Evaluation, Measurement, and Verification

The EM&V requirements will be detailed in PPL Electric Utilities' Evaluation Plan, which will be submitted to the SWE for review. PPL Electric Utilities and its EM&V CSP will conduct annual evaluations of each component in compliance with all Pa PUC requirements and the Evaluation Framework. As part of this process, the EM&V CSP will review a sample of CSP records and student surveys and will follow all applicable methods in the TRM and the Evaluation Framework to calculate energy savings and peak demand reduction. For the Student Energy Efficient Education component, PPL Electric Utilities anticipates conducting annual impact and process evaluations (activities vary by year).

Through Student Energy Efficient Education, PPL Electric Utilities offers classroom training for students and delivers energy conservation kits free of charge to participants. Typically, the energy efficiency kits

include a paper/online survey for students to complete. As part of the evaluation, the EM&V CSP will analyze data collected from all returned student surveys.

Administrative Requirements

The Residential CSP will provide overall administrative and operational management of Student Energy Efficient Education. PPL Electric Utilities will provide oversight and operational support to establish effective deployment.

Estimated Participation

Table 29 shows order of magnitude participation estimates for Student Energy Efficient Education.

Actual quantities will vary, and PPL Electric Utilities will manage the component to stay within budget.

Table 29. Pa PUC Table 8-Student Energy Efficient Education Projected Participation¹

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	<u>557</u> 51 4	<u>562</u> 525	535	<u>524</u> 546	<u>497 557</u>	2,676 2,677
Bright Kids (Primary School) Kit	Demand Reduction (MW)	0.048 0.042	0.048 0.043	0.046 0.043	0.045 0.044	0.043 0.045	0.230 0.217
	Projected Participation	5,594 5,168	<u>5,652</u> 5,271	5,377	<u>5,271</u> 5,484	<u>5,000</u> 5,594	26,894
	Energy Savings (MWh/year)	<u>5,302</u> 4,839	5,238 4,935	<u>5,135</u> 5,034	4,992 5,135	4,665 5,238	25,331 25,181
Take Action (Middle School) Kit	Demand Reduction (MW)	0.402 0.367	0.397 0.374	0.389 0.382	0.379 0.389	0.354 0.397	1.921 1.909
	Projected Participation	15,230 13,899	15,045 14,177	14,750 14,461	14,340 14,750	13,400 15,045	72,765 72,332
	Energy Savings (MWh/year)	2,016 1,839	2,016 1,876	1,738 1,914	1,912 1,952	<u>1,738</u> 1,991	9,422 9,571
Innovation (High School) TI Strip Kit	Demand Reduction (MW)	0.156 0.143	0.156 0.145	0.135 0.148	0.148 0.151	0.135 0.154	0.730 0.742
	Projected Participation	5,800 5,290	5,800 5,396	5,000 5,504	5,500 5,614	5,000 5,726	27,100 27,530

¹ To show numerical values in the Pa PUC Table 8 tables, deviation from the standard use of decimals throughout Section 3 may have been applied.

²Total values may not equal the sum of all program year values due to rounding.

Residential Pilot Programs

Description

During Program Year 13 (i.e., June 1, 2021, to May 31, 2022), PPL Electric Utilities will work with its Residential CSP or other contractors to develop proposals for a Deep Energy Retrofits pilot program and a Net Zero Building pilot program. As part of the pilot programs, PPL Electric Utilities will examine program designs and incentive structures that are offered in other jurisdictions for similar programs and pilots. The Company's proposals will include a description of the pilots' goals, how the performance of the pilots will be measured, data to be tracked, projected cost, performance and participation, and schedule. Each of the pilot programs will have a budget of no less than \$500,000 and no more than \$1 million. PPL Electric Utilities will present the proposals to stakeholders in Program Year 13. The Company will submit, within a reasonable time, a description of the pilot program(s) to the Commission and stakeholders prior to implementation in accordance with Section 9.1.4 of the Phase IV EE&C Plan. If either or both of the pilots require a change to the Phase IV EE&C Plan, the Company will review the change with stakeholders and submit the change to the Commission in a petition to modify the Phase IV EE&C Plan. Assuming that no Phase IV EE&C Plan change is required to implement these pilot programs, PPL Electric Utilities will begin implementing these pilot programs no later than Program Year 14 to allow sufficient time to analyze the pilot programs' results and incorporate learnings within Phase IV. PPL Electric Utilities' EM&V CSP will assess the pilot programs' performance and will recommend changes to PPL Electric Utilities' full-scale energy efficiency offerings based on the EM&V CSP's assessment of the pilot programs' performance.

3.3 Low-Income Program (2021-2026)

This section summarizes PPL Electric Utilities' proposed-Low-Income Program component (*i.e.*, Low-Income Assessment) and the component's objectives, target market, implementation strategy, issues, risks and risk management strategy, anticipated costs to participating customers, ramp-up strategy, marketing strategy, eligible measures and incentive strategy, deadline for rebate applications, start date with key schedule milestones, EM&V, administrative requirements, estimated savings and participation, and plans for achieving compliance with the Implementation Order.

<u>Table 30Table 30</u>Table 30 lists estimated savings and costs by program year. The Low-Income Program budget is 13.4% of the total portfolio budget.²⁰

Table 30. Pa PUC Table 9 - Low-Income Costs and Benefits by Program Year (\$1000)_1

	Cost Element	PY13	PY14	PY15	PY16	PY17	Phase IV Total 24
То	tal Budget (\$000)	\$8,063 \$7,417	\$8,380 \$8,673	\$8,697 \$9,310	\$8,697 \$9,326	\$8,063 \$7,174	\$41,900
	Rebates	-	-	-	-	-	-
	Upstream/Midstream Buydown	-	-	-	-	-	-
	Kits	\$ <u>151</u> 155	\$ <u>159</u> 191	\$ <u>167</u> 209	\$ <u>167</u> 209	\$ <u>151</u> 146	\$ <u>796</u> 910
Incentives (\$000)	Direct Install Materials Q Labor	\$ <u>4,281</u> 4,0	\$ <u>4,453</u> 4,7	\$ <u>4,625</u> 5,0	\$ <u>4,625</u> 5,0	\$ <u>4,281</u> 3,8	\$ <u>22,265</u> 22
	Direct Install Materials & Labor	67	51	94	94	95	,901
	Incentive Total	\$ <u>4,432</u> 4 ,2	\$ <u>4,613</u> 4 ,9	\$ <u>4,792</u> 5,3	\$ <u>4,792</u> 5,3	\$ <u>4,432</u> 4 ,0	\$ <u>23,062</u> 23
	incentive rotal	21	43	03	03	41	,811
	CSP Program Design	-	-	-	-	-	-
	CSP Administrative	\$ <u>806</u> 523	\$ <u>806</u> 539	\$ <u>806</u> 556	\$806\$ 573	\$ <u>806</u> 589	\$ <u>4,031</u> 2,7 81
	CCD Delivery Fore	\$ <u>2,462</u> 2,2	\$ <u>2,592</u> 2,7	\$ <u>2,721</u> 2,9	\$ <u>2,721</u> 2,9	\$ <u>2,462</u> 2,0	¢12.050
Non-Incentives	CSP Delivery Fees	03	21	80	80	73	\$12,958
(\$000)	CSP Marketing	<u>-\$250</u>	<u>-\$250</u>	<u>-\$250</u>	<u>-\$250</u>	<u>-\$250</u>	<u>-\$1,250</u>
	EDC Administrative	\$220	\$220	\$220	\$220	\$220	\$1,100
	EDC Other		<u>\$150</u> -	<u>\$157</u> -	<u>\$157</u> -	<u>\$142</u> -	<u>\$750</u> -
	Non-Incentive Total	\$ <u>3,631</u> 3,1	\$ <u>3,768</u> 3,7	\$ <u>3,905</u> 4 ,0	\$ <u>3,905</u> 4 ,0	\$ <u>3,631</u> 3,1	\$ <u>18,839</u> 18
	Non-incentive rotal	96	31	06	23	33	,089
Percent Incentives		<u>55</u> 57%	<u>55</u> 57%	5 <u>5</u> 7%	5 <u>5</u> 7%	5 <u>5</u> 6%	5 <u>5</u> 7%

¹ Excludes benefits and costs from master-metered multifamily buildings with low-income occupants. These savings count toward the low-income compliance target but the program costs and savings are accounted for under the customer sector corresponding to the rate class of the building's meter in assessing program cost-effectiveness.

_

²⁴ Total values may not equal the sum of all program year values due to rounding.

²⁰ This percentage represents the program budget without common costs over the total portfolio budget, which includes common costs.

The Low-Income Program is projected not to be cost-effective, with a TRC test ratio of 0.4844. <u>Table 31Table 31</u> shows net present value benefits and costs, net benefits, and the overall benefit/cost ratio.

Table 31. Low-Income Program Cost-Effectiveness Results, TRC Test (\$1,000) 1

NPV Benefits	\$ <u>21,155</u> 19,1 44
NPV Costs	\$ <u>43,976</u> 4 3,977
Net Benefits	(\$ <u>22,821</u> 24,833)
Benefit/Cost Ratio	0. <u>48</u> 44

¹ Excludes benefits and costs from master-metered multifamily buildings with low-income occupants. These savings count toward the low-income compliance target but the program costs and savings are accounted for under the customer sector corresponding to the rate class of the building's meter in assessing program cost-effectiveness.

As noted in Section 1.6, PPL Electric Utilities will rely on energy efficiency measures with coincident peak demand reduction potential to achieve its annual and total peak demand reduction goals. PPL Electric Utilities will target end uses to nominate roughly 1 to 20% of eligible PJM peak demand savings from the low-income program over the five-year Plan. PPL Electric Utilities is not aware at this time which measures will be nominated; however, they will likely include cooling and lighting. PPL Electric Utilities will competitively select a qualified third-party vendor to provide technical support in nominating a portion of its peak demand reductions as a capacity resource in PJM's FCM.

Low-Income Assessment

Description

Through Low-Income Assessment, PPL Electric Utilities will offer a broad selection of no-cost energy-saving improvements and education to qualifying low-income customers residing in single-family homes, individually metered multifamily units, and manufactured homes. ²¹ Direct installation of energy efficiency measures for lighting, water aeration, and weatherization will be offered through PPL Electric Utilities' in-home and remote assessment delivery channels. Additionally, PPL Electric Utilities maywill offer comprehensive measures, such as ductless mini-split heat pumps, heat pump maintenance, heat pump water heaters, building shell measures, and smart thermostats through the in-home assessment delivery channel.

-

²¹ Under Low-Income Assessment, individually metered <u>and master-metered</u> low-income multifamily residences are eligible for the same measures as individually metered single family low-income residences. Individually metered manufactured homes are also eligible for the same measures as any other type of individually metered home receiving services from Low-Income Assessment as long as they meet income guidelines.

Low-income residents in individually metered multifamily units will be eligible for all measures provided in the Low-Income Assessment, but specific measures may require landlord approval. Common space in multifamily building will be treated separately through PPL Electric Utilities' Non-Residential Program. Multifamily buildings' eligibility requirements are not affected by the number of living units in the buildings. PPL Electric Utilities also will provide the same measures available under the Low-Income Program inside the tenant units of low-income residents in master-metered multifamily buildings at no direct cost to the building owners or those tenants, subject to: (1) the measures' eligibility qualifications; (2) landlord approval; (3) available program funds; (4) the overall Low-Income Program acquisition cost; and (5) a limit on cumulative spending of \$2.0 million in direct costs during Phase IV. All delivery channels are subject to available funding and must fall within the overall acquisition cost of the program.

Objectives

The objectives of the Low-Income Assessment component are:

- Provide low-income customers with no-cost energy-saving improvements and education to help them reduce their energy and peak demand usage.
- Achieve high customer, preferred partner, and trade ally satisfaction.
- Promote other PPL Electric Utilities energy efficiency program components.
- Provide low-income customers several options for receiving services safely and in consideration of their preferences.
- Achieve a total energy reduction of approximately 74,79364,430 MWh/year and 9.810 MW/year²² of gross verified savings.
- Increase the safety of low-income customers' homes by installing no-cost measures such as smoke and carbon monoxide detectors, which will be coordinated with the Low-Income Usage Reduction Program ("LIURP") Assessment.

Target Market

Through Low-Income Assessment, PPL Electric Utilities targets low-income customers (renters and owners) living in single-family homes, individually metered multifamily buildings (residential customer class), master-metered multifamily buildings (small C&I customer class) and manufactured homes. To qualify as low-income, household income must be at or below 150% of the Federal Poverty Income Guidelines (FPIG). Enrollees in PPL Electric Utilities' OnTrack Program are eligible.²³ Tenants must obtain landlord approval for certain measures to participate in the component. The number of units in a multifamily building does not affect the eligibility of its residents to receive energy-saving improvements and education.

²³ Through its OnTrack Program, PPL Electric Utilities offers reduced monthly payments to assist low-income customers with account balances in arrears.

²² Peak Demand is at generation.

Implementation Strategy

The Low-Income CSP will deliver the Low-Income Assessment component and will be responsible for outreach, customer recruitment, assessments, education, and equipment installation. The Low-Income CSP will also support sector-level functions, including operating a customer call center, marketing, and tracking activities. PPL Electric Utilities' energy efficiency staff will provide overall strategic direction and management. The EM&V CSP will provide evaluation services.

Issues, Risks, and Risk Management Strategy

<u>Table 32Table 32</u> presents market risks associated with Low-Income Assessment and the strategies PPL Electric Utilities will use to manage each risk.

Table 32. Low-Income Assessment Issues, Risks, and Risk Management Strategies

Component Issue	Risk	Risk Management Strategies
Homeowner and landlord lack of component awareness.	Low participation	 Low-Income CSP markets directly to income-eligible customers and through other partners and trade allies. Low-Income CSP conducts neighborhood sweeps where few customers have participated in assessments. Low-Income CSP markets at town hall gatherings and other venues
Difficulty getting landlord approval for participation by lowincome tenants.	Low participation among renters	 Low-Income CSP markets directly to landlords. Low-Income CSP seeks joint ventures with equipment suppliers, trade allies, and other organizations to provide additional incentives/discounts (such as financial incentives to eliminate code violations) to remove landlord barriers.
Possible saturation of eligible assessment participants.	Low participation and savings	 PPL Electric Utilities strongly encourages that all OnTrack Program enrollees also participate in Low-Income Assessment. Low-Income CSP installs additional measures for customers who previously participated. Low-Income CSP reaches out to landlords who previously declined participation.

Anticipated Costs to Participating Customers

There are no direct costs incurred by customers in this component.

Ramp-up Strategy

The Low-Income Assessment is an existing, mature component being carried forward from Phase III. The Low-Income CSP will develop marketing materials and an implementation strategy to facilitate the transition to Phase IV.

Marketing Strategy

PPL Electric Utilities will work with the Low-Income CSP to develop and execute a marketing plan that captures sector-level economies of scale and employs targeted outreach where practical. In addition to the current outreach encouraging OnTrack customers to participate in Low-Income Assessment, the Company will work with the Low-Income CSP to create and target marketing and outreach to eligible

low-income customers who are not enrolled in OnTrack. The Company will describe its Low-Income Assessment marketing efforts at its Act 129 EE&C stakeholder meetings and ask stakeholders for feedback and recommendations.

The marketing strategy may include the following:

- Promote the component in PPL Electric Utilities' publications.
- Provide online access to the component through the Company's EE&C website.
- Introduce a welcome kit to recruit customers for the Low-Income Assessment component.
- Implement direct outreach, such as neighborhood sweeps, community and town hall events, and door-to-door canvassing, to create awareness about the Low-Income Assessment component; such outreach will involve identifying low-income neighborhoods, multifamily buildings, and manufactured home parks that may benefit from services and canvassing with door hangers.
- Conduct targeted telemarketing and direct mailing to customers participating in the OnTrack Program and Low-Income Home Energy Assistance Program ("LIHEAP") and to other incomeeligible customers.
- Develop partnerships with housing and redevelopment authorities, community action groups, and other social service agencies. PPL Electric Utilities will develop a list of available assistance programs for each county in its service territory that it can provide to households served through its Act 129 programs and will work with its CBOs and other members of its Universal Service Advisory Committee to help create and maintain these lists for use by PPL Electric Utilities' Low-Income Program CSP.
- Recruit multifamily building owners and tenants to implement energy efficiency measures.

Eligible Measures and Incentive Strategy

Table 33 identifies PPL Electric Utilities' proposed list of measures, minimum eligibility qualifications, and range of incentive levels.

Table 33. Pa PUC Table 7-Low-Income Assessment Eligible Measures and Incentives

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Full Cost (\$/unit)	Estimated Useful Life	Incentive Amount or Incentive Range (\$/unit)
Welcome Kit REA	Per Kit	Yes	Must be current OnTrack customer	\$9	15	\$9
Welcome Kit On-site	Per Kit	Yes	Must be current OnTrack customer	\$9	15	\$9
Water Kit SF REA	Per Kit	Yes	Electric hot water only, maximum flow rate is 1.5 gallons per minute	<u>N/A\$10</u>	<u>N/A</u> 9	<u>N/A\$10</u>
Water Kit MF REA	Per Kit	Yes	Electric hot water only, maximum flow rate is 1.5 gallons per minute	<u>N/A\$10</u>	<u>N/A</u> 9	<u>N/A\$10</u>
Water Kit SF On-site	Per Kit	Yes	Electric hot water only, maximum flow rate is 1.5 gallons per minute	<u>N/A\$10</u>	N/A9	<u>N/A\$10</u>
Water Kit MF On-site	Per Kit	Yes	Electric hot water only, maximum flow rate is 1.5 gallons per minute	<u>N/A\$10</u>	<u>N/A</u> 9	<u>N/A\$10</u>
Kitchen Aerator SF REA	Per Product	Yes	Electric hot water only, maximum flow rate is 1.5 gallons per minute	\$3	10	\$3

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Full Cost (\$/unit)	Estimated Useful Life	Incentive Amount or Incentive Range (\$/unit)
Kitchen Aerator MF	Per		Electric hot water only, maximum flow			
REA	Product	Yes	rate is 1.5 gallons per minute	\$3	10	\$3
	Per		Electric hot water only, maximum flow			
Bath Aerator SF REA	Product	Yes	rate is 0.5 gallons per minute	\$2	10	\$2
	Per		Electric hot water only, maximum flow			
Bath Aerator MF REA	Product	Yes	rate is 0.5 gallons per minute	\$2	10	\$2
Low Flow Showerhead	Per		Electric hot water only, maximum flow			
SF REA	Product	Yes	rate is 1.5 gallons per minute	\$ <u>9</u> 7	9	\$ <u>9</u> 7
Low Flow Showerhead	Per		Electric hot water only, maximum flow			
MF REA	Product	Yes	rate is 1.5 gallons per minute	\$ <u>9</u> 7	9	\$ <u>9</u> 7
Low Flow Showerhead	Per		Electric hot water only, maximum flow			
Hand Held SF REA	Product	Yes	rate is 1.5 gallons per minute	\$1 <u>5</u> 4	9	\$1 <u>5</u> 4
Low Flow Showerhead	Per		Electric hot water only, maximum flow			
Hand Held MF REA	Product	Yes	rate is 1.5 gallons per minute	\$1 <u>5</u> 4	9	\$1 <u>5</u> 4
	Per		Meets current TRM requirements,			
LED Night Light REA	Product	Yes	Replaces incandescent night light	\$2	8	\$2
LED Specialty						
(Globe/Candelabra)			Meets current TRM requirements,			
REA	Per Bulb	Yes	ENERGY STAR	\$ <u>8</u> 6	15	\$ <u>8</u> 6
LED GSL A-Line (9 Watt			Meets current TRM requirements,			_
or other) REA	Per Bulb	Yes	ENERGY STAR	\$ <u>7</u> 6	15	\$ <u>7</u> 6
LED Reflector						
(Par/BR/R/downlight)			Meets current TRM requirements,			
REA	Per Bulb	Yes	ENERGY STAR	\$ <u>10</u> 6	15	\$ <u>10</u> 6
Smart Strips - Tier 1	Per					
REA	Product	Yes	Meets current TRM requirement	\$ <u>25</u> 19	5	\$ <u>25</u> 19
Remote assessment &			Must be PPL Electric Utilities customer			
Energy Education REA	Per Project	Yes	regardless of heating fuel	\$ <u>6</u> 70	1	\$ <u>6</u> 70
Carbon Monoxide	Per		-			
Detector REA	Product	Yes	Must be recommended by auditor	\$20	1	\$20
	Per					
Smoke Alarm REA	Product	Yes	Must be recommended by auditor	\$ <u>7</u> 5	1	\$ <u>7</u> 5
Kitchen Aerator SF On-	Per		Electric hot water only, maximum flow			
site	Product	Yes	rate is 1.5 gallons per minute	\$ <u>3</u> 4	10	\$ <u>3</u> 4
Kitchen Aerator MF	Per		Electric hot water only, maximum flow			
On-site	Product	Yes	rate is 1.5 gallons per minute	\$ <u>3</u> 4	10	\$ <u>3</u> 4
	Per		Electric hot water only, maximum flow			_
Bath Aerator SF On-site	Product	Yes	rate is 0.5 gallons per minute	\$ <u>2</u> 3	10	\$ <u>2</u> 3
Bath Aerator MF On-	Per		Electric hot water only, maximum flow	· -		-
site	Product	Yes	rate is 0.5 gallons per minute	\$ <u>2</u> 3	10	\$ <u>2</u> 3
Water Heater Pipe			<u> </u>			
Insulation On-site	Per Foot	Yes	Electric hot water only	\$2	13	\$2
Low Flow Showerhead	Per		Electric hot water only, maximum flow	·		·
SF On-site	Product	Yes	rate is 1.5 gallons per minute	\$9	9	\$9
Low Flow Showerhead	Per		Electric hot water only, maximum flow		-	
MF On-site	Product	Yes	rate is 1.5 gallons per minute	\$9	9	\$9
Low Flow Showerhead	Per		Electric hot water only, maximum flow		-	
Hand Held SF On-site	Product	Yes	rate is 1.5 gallons per minute	\$15	9	\$15
Low Flow Showerhead	Per	1.55	Electric hot water only, maximum flow			7
Hand Held MF On-site	Product	Yes	rate is 1.5 gallons per minute	\$15	9	\$15
Thermostatic Shower		1.23	0 p	7	_	7
Restriction Valve SF	Per		Electric hot water only, Meets current			
On-site	Product	Yes	TRM requirements	N/A\$ 26	N/A 15	N/A\$ 26

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Full Cost (\$/unit)	Estimated Useful Life	Incentive Amount or Incentive Range (\$/unit)
Thermostatic Shower						
Restriction Valve MF	Per	.,	Electric hot water only, Meets current	N/440C	N/045	N/A 42.6
On-site	Product	Yes	TRM requirements	<u>N/A</u> \$26	<u>N/A</u> 15	<u>N/A\$26</u>
Water Heater	Dan					
Temperature Setback	Per	Voc	Electric hot water only, Meets current	¢10	2	¢10
On-site	Product	Yes	TRM requirements	\$10	2	\$10
Heat Pump Water						
Heater Replacement On-site	Per Project	Yes	Electric hot water only, ENERGY STAR	\$2,768	10	\$2,768
Furnace Whistle On-	Per	163	Liectric flot water offiy, ENERGY STAR	72,700	10	\$2,700
site	Product	Yes	Meets current TRM requirements	<u>N/A\$4</u>	<u>N/A</u> 5	<u>N/A</u> \$4
Site	Per	103	Meets current TRM requirements,	<u>14/A</u> 94	<u>11/A</u> 5	<u>11/7</u> 27
LED Night Light On-site	Product	Yes	Replaces incandescent night light	\$ <u>2</u> 3	8	\$ <u>2</u> 3
LED Specialty			The production of the state of	¥ <u>=</u> °		Y=0
(Globe/Candelabra)			Meets current TRM requirements,			
On-site	Per Bulb	Yes	ENERGY STAR	\$8	15	\$8
LED A-Line (9 Watt or			Meets current TRM requirements,			
other) On-site	Per Bulb	Yes	ENERGY STAR	\$ <u>7</u> 8	15	\$ <u>7</u> 8
LED Reflector						
(Par/BR/R/downlight)			Meets current TRM requirements,			
On-site	Per Bulb	Yes	ENERGY STAR	\$ <u>10</u> 8	15	\$ <u>10</u> 8
Removal/Disposal of			Existing, working refrigerator or			
Extra Refrigeration Unit	Per		freezer 10-30 cubic feet in size, unit is			
On-site	Product	Yes	primary or secondary unit	<u>N/A\$50</u>	<u>N/A</u> 5	<u>N/A\$50</u>
			Existing, working refrigerator or			
Recycle and Replace	Per		freezer 10-30 cubic feet in size, unit is			
Freezer On-site	Product	Yes	primary or secondary unit	\$696	5	\$696
Smart Strips - Tier 1	Per					
On-site	Product	Yes	Meets current TRM requirement	\$25	5	\$25
Carbon Monoxide	Per					
Detector On-site	Product	Yes	Must be recommended by auditor	\$20	1	\$20
	Per					
Smoke Alarm On-site	Product	Yes	Must be recommended by auditor	\$ <u>7</u> 5	1	\$ <u>7</u> 5
Smart Thermostat Heat	Per					
Pump On-site	Product	Yes	ENERGY STAR	\$320	11	\$320
Smart Thermostat						
Electric Furnace On-	Per	.,				
site	Product	Yes	ENERGY STAR	<u>N/A</u> \$320	<u>N/A</u> 11	<u>N/A</u> \$320
Heat Pump	Per	W	Repair or replacement, Meets current	6250	2	6250
Maintenance On-site	Product	Yes	TRM requirements	\$250	3	\$250
On-site Assessment &	B		Mark has BBI Elastria Hallitia			
Energy Education On-	Per	Voc	Must be PPL Electric Utilities customer regardless of heating fuel	\$135 00	1	¢12500
Site	Product	Yes			1	\$1 <u>35</u> 00
Ductless Mini-split Heat Pumps On-site	Per Product	Yes	Repair or replacement, Meets current TRM requirements. ENERGY STAR	Up to \$8,000	15	Up to \$8,000
Ceiling/Attic or Wall	Product	162	Meets current TRM requirements. Not	\$6,000	13	υριο 38,000
Insulation - Baseboard			applicable for individually metered	Up to		
Heat	Per Home	<u>Yes</u>	multifamily units	\$2,500	<u>15</u>	<u>Up to \$2,500</u>
<u>iicat</u>	<u>i ci rioille</u>	163	Meets current TRM requirements. Not	<u> </u>	10	<u>οριο 32,300</u>
Ceiling/Attic or Wall			applicable for individually metered	Up to		
Insulation - Heat Pump	Per Home	Yes	multifamily units	\$2,500	15	Up to \$2,500
Residential Air Sealing -		<u> </u>		1 -/555	<u>==</u>	<u></u>
		Ī	1	1		1

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Full Cost (\$/unit)	Estimated Useful Life	Incentive Amount or Incentive Range (\$/unit)
Residential Air Sealing -						
<u>Heat Pump</u>	<u>Per Home</u>	<u>Yes</u>	Meets current TRM requirements	<u>Up to \$800</u>	<u>15</u>	<u>Up to \$800</u>
Water Heater Pipe						
Insulation REA	Per Foot	Yes	Electric hot water only	N/A	N/A	N/A
Thermostatic Shower						
Restriction Valve SF	Per		Electric hot water only, Meets current			
REA	Product	Yes	TRM requirements	N/A	N/A	N/A
Thermostatic Shower						
Restriction Valve MF	Per		Electric hot water only, Meets current			,
REA	Product	Yes	TRM requirements	N/A	N/A	N/A
	Per					,
Furnace Whistle REA	Product	Yes	Meets current TRM requirements	N/A	N/A	N/A
	_		Existing, working refrigerator or			
Recycle and Replace	Per		freezer 10-30 cubic feet in size, unit is			
Refrigerator REA	Product	Yes	primary or secondary unit	N/A	N/A	N/A
Removal/Disposal of	_		Existing, working refrigerator or			
Extra Refrigeration Unit			freezer 10-30 cubic feet in size, unit is			
REA	Product	Yes	primary or secondary unit	N/A	N/A	N/A
	_		Existing, working refrigerator or			
Recycle and Replace	Per		freezer 10-30 cubic feet in size, unit is			
Freezer REA	Product	Yes	primary or secondary unit	N/A	N/A	N/A
Smart Strips - Tier 2	Per					
REA	Product	Yes	Meets current TRM requirement	N/A	N/A	N/A
	Per					
ES Dehumidifier REA	Product	Yes	ENERGY STAR	N/A	N/A	N/A
Battery Replaced in						
Existing Smoke Alarm	Per	.,		21/2		21/2
REA	Product	Yes	As recommended by auditor	N/A	N/A	N/A
Decide and Decide as	D		Existing, working refrigerator or			
Recycle and Replace	Per	.,	freezer 10-30 cubic feet in size, unit is	d00001/4	CN1/A	400001/4
Refrigerator On-site	Product	Yes	primary or secondary unit	<u>\$923</u> N/A	<u>6</u> N/A	<u>\$923</u> N/A
Smart Strips - Tier 2	Per		NA	21/2	N1 / A	N1 / A
On-site	Product	Yes	Meets current TRM requirement	N/A	N/A	N/A
Energy Star	Per		ENERGY CTAR	21/2	N1 / A	N1/A
Dehumidifier On-site	Product	Yes	ENERGY STAR	N/A	N/A	N/A
Battery Replaced in	Dor					
Existing Smoke Alarm	Per		As as a supplied of the supplied of	N1/A	N1 / A	N1/A
On-site	Product	Yes	As recommended by auditor	N/A	N/A	N/A
Energy Star Air Purifiers	Per Product	Voc	Moots current TPM requirements	NI/A	NI/A	NI/A
		<u>Yes</u>	Meets current TRM requirements.	<u>N/A</u>	<u>N/A</u>	N/A
Room AC (RAC)	Per Product	Voc	Meets current TRM requirements.	N/A	NI/A	N/A
Retirement Energy Star Room AC	Per	<u>Yes</u>	ivicets current Trivi requirements.	IN/ A	<u>N/A</u>	IN/A
(RAC) Replacement	Product	Vac	Meets current TRM requirements.	NI/A	NI/A	NI/A
		<u>Yes</u>	inteets current Trivi requirements.	<u>N/A</u>	<u>N/A</u>	N/A
Variable Speed Pool	Per Product	Voc	Meets current TRM requirements	N/A	NI/A	NI/A
<u>Pump</u>	riouuct	<u>Yes</u>	Meets current TRM requirements.	<u>N/A</u>	<u>N/A</u>	N/A
SCI MMMF Direct Install - Master Meter ²	Per Project	<u>No</u>	Participants must be low-income residents in a master-metered multifamily building. Must meet current TRM requirements.	<u>\$315</u>	<u>15</u>	<u>\$315</u>

¹ All eligible measures are listed in this table regardless of participation projections. N/A indicates measure may be offered in future program years but not at the launch of Phase IV.

² Represents eligible measures for master-metered multifamily buildings with low-income occupants. These measures count toward the

Measure ¹ Un	Low-Income Measure (Yes/No)	Eligibility Requirements	Full Cost (\$/unit)	Estimated Useful Life	Incentive Amount or Incentive Range (\$/unit)
-------------------------	-----------------------------------	--------------------------	------------------------	--------------------------	--

<u>low-income compliance target but the program costs and savings are accounted for under the customer sector corresponding to the rate</u> class of the building's meter in assessing program cost-effectiveness.

PPL Electric Utilities and the Low-Income CSP will work with stakeholders, community based
organizations ("CBOs"), preferred partners, and trade allies to create partnerships that can take advantage of additional incentives or cost savings for low-income customers. The Low-Income CSP will
make reasonable efforts to meet with the natural gas distribution companies ("NGDCs") that operate within PPL Electric Utilities' service territory to identify and evaluate opportunities for coordination of low-income EE&C programs that are funded by residential customers. At its annual EE&C stakeholder meetings, PPL Electric Utilities will present information about these coordination efforts and will allow stakeholders to provide feedback and recommendations.

All measures may not be available at all times. PPL Electric Utilities will review the component continually and may adjust available measures or eligibility qualifications to achieve savings and cost budgets. Additionally, up to \$2.0 million of the Low-Income Assessment's budget will be dedicated to: (1) space heating; (2) building shell measures; (3) water heater maintenance, repair, or replacement; and (4) appliance replacement/recycling.

PPL Electric Utilities will coordinate Low-Income Assessment with its LIURP Assessment consistent with the Company's coordination in Phase III to maximize the effectiveness of measures and services provided to participants. If measures are jointly funded by PPL Electric Utilities' LIURP and Low-Income Program, PPL Electric Utilities will allocate the actual costs and savings for jointly funded measures based upon the percentage of total costs paid by each funding source. In addition, to further coordinate delivery of services to low-income households and help minimize the number of LIURP and Low-Income Program contractors who visit a customer's service location, the Low-Income CSP will consider, when selecting potential subcontractors, the efficiencies that can be gained by subcontracting work under the Low-Income Assessment component to CBOs who provide services under the Company's LIURP. The Low-Income CSP will also provide all of those CBOs with any invites to bid or requests for proposals to serve as subcontractors.

If a low-income home is eligible for full cost treatment, ²⁴ the Company will install eligible measures through itsboth LIURP Assessment or and Low-Income Assessment budgets, provided that the following conditions are all met:

The customer receives landlord approval, as appropriate.

_

²⁴ Full cost treatment may include weatherization and other measures outside scope of traditional assessments.

- The customer has installed electric heat in at least 50% of the home.
- The customer's home did not previously receive full cost services through the Low-Income Winter Relief Assistance Program (WRAP) in Phase III.
- The customer's home has no health or safety concerns that prevent the installation of full cost measures.
- The cost of the full cost measures can be accommodated in the LIURP Assessment or Low-Income Assessment budget.

Some measures provided in a home will be covered by Low-Income Assessment and others by LIURP Assessment. PPL Electric Utilities intends to increase the coordination and provide additional efficiencies between the Low-Income Assessment and LIURP Assessment, including:

- Single source for coordinated marketing campaigns.
- Reduced customer acquisition cost.
- Integrated intake and customer eligibility screening.
- Additional LIURP pre-screening opportunities for enhanced delivery of the program.
- Streamlined administrative and management processes.
- Consistent QA/QC procedures.

Potential LIURP Assessment measures will be identified during the Low-Income Assessment. If eligibility is determined, a Personal Energy Guide will refer the customer to a Preferred Partner for the installation of the LIURP measures.²⁵

The Low-Income Assessment will provide baseload measures for LIURP Assessment customers whose income is less than 150% of the FPIG, allowing more of the LIURP budget to focus on comprehensive measures. Baseload measures for customers whose income is between 150% and 200%- of the FPIG will be funded through the LIURP budget.

Deadline for Rebate Applications

PPL Electric Utilities offers Low-Income Assessment services at no cost to customers; therefore, there is no rebate application.

Start Date with Key Schedule Milestones

<u>Table 34Table 34Table 34</u> lists the estimated key schedule milestones for Low-Income Assessment. PPL Electric Utilities staff will lead implementation or provide management oversight of all tasks.

_

²⁵ See page 127 for Preferred Partner definition.

Table 34. Low-Income Assessment Schedule and Milestones

Schedule	Milestones
11/30/2020	Phase IV EE&C Plan submitted to Pa PUC
06/01/2021	Launch Phase IV component
Annually starting 01/15/2022	EDCs submit semiannual program report
Annually starting 09/30/2022	EDCs submit final annual program report
05/31/2026	Program ends

Evaluation, Measurement, and Verification

The EM&V requirements will be detailed in PPL Electric Utilities' Evaluation Plan, which will be submitted to the SWE for review. The EM&V CSP will follow all applicable methods in the TRM to calculate energy savings and peak demand reduction. PPL Electric Utilities anticipates conducting annual impact evaluations and conducting process evaluations at least once during Phase IV.

The EM&V CSP will review a sample of participant records to verify the quantity, efficiency level, and qualification based on measure type and job type. If a home receives measures from Low-Income Assessment and LIURP Assessment, the Evaluation Plan will describe how their savings will be allocated.

Administrative Requirements

The Low-Income CSP will provide overall administrative and operational management of Low-Income Assessment. PPL Electric Utilities will provide oversight and operational support to establish effective deployment.

Estimated Participation

Table 35 shows the order of magnitude participation estimates for Low-Income Assessment. Actual quantities will vary, and PPL Electric Utilities will manage the component to stay within budget.

Table 35. Pa PUC Table 8-Low-Income Assessment Projected Participation ¹

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
Welcome Kit REA	Energy Savings						
	(MWh/year)	<u>251 254</u>	<u> 265 </u> 314	<u>278</u> 344	<u>278 </u> 344	<u>251 239</u>	<u>1,323 </u>
	Demand Reduction		0.149	0.157	0.157	0.142	
	(MW)	<u>0.142 </u>	0.138	0.151	0.151	0.105	<u>0.746</u> 0.658
	Duningto d Doutisingtion		12,385	13,004	13,004	<u>11,765</u>	
	Projected Participation	<u>11,765</u> <u>11,900</u>	14,700	16,100	16,100	11,200	<u>61,923</u> 70,000
	Energy Savings						
	(MWh/year)	<u>108</u> 109	<u>113 135</u>	<u>119 147</u>	<u>119 147</u>	<u>108</u> 103	<u>567 641</u>
Walsoma Kit On sita	Demand Reduction		0.064	0.067	0.067	0.061	
Welcome Kit On-site	(MW)	<u>0.061</u> <u>0.048</u>	0.059	0.065	0.065	0.045	<u>0.320</u> 0.282
	Drainated Dartisination		<u>5,308</u>	<u>5,573</u>	<u>5,573</u>	5,042	
	Projected Participation	<u>5,042</u> 5,100	6,300	6,900	6,900	4,800	<u>26,539</u> 30,000

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings	- 18	- 22	<u>-25</u>	<u>-25</u>	-17	- 107
Water Kit SF REA	(MWh/year)	_10				-="	_107
	Demand Reduction (MW)	<u>-0.002</u>	-0.002	<u>-0.002</u>	<u>-0.002</u>	<u>-0.002</u>	<u>-0.011</u>
	Projected Participation	<u>-114</u>	<u>-141</u>	<u>-</u> 154	<u>-</u> 154	-107	-670
	Energy Savings (MWh/year)	<u>-</u> 4	<u>-</u> 1	<u>-</u> 4	<u>-</u> 4	<u>-</u> 4	<u>-</u> 5
Water Kit MF REA	Demand Reduction (MW)	<u>-0.0001</u>	<u>-0.0001</u>	<u>-0.0001</u>	<u>-0.0001</u>	<u>-0.0001</u>	<u>-0.0005</u>
	Projected Participation	<u>-</u> 6	<u>-</u> 7	_8	_8	<u>-</u> 6	-35
	Energy Savings (MWh/year)	-8	-10	<u>-</u> 11	<u>-</u> 11	<u>-</u> 7	<u>-46</u>
Water Kit SF On-site	Demand Reduction (MW)	-0.001	<u>-0.001</u>	<u>-0.001</u>	<u>-0.001</u>	<u>-0.001</u>	-0.005
	Projected Participation	<u>-49</u>	<u>-60</u>	-66	-66	<u>-</u> 46	-287
	Energy Savings (MWh/year)	<u>-</u> 0	<u>-</u> 0	<u>-</u> 4	<u>-</u> 4	<u>-</u> 0	<u>-</u> 2
Water Kit MF On-site	Demand Reduction (MW)	-0.000	<u>-0.000</u>	<u>-0.000</u>	<u>-0.000</u>	<u>-0.000</u>	<u>-0.000</u>
	Projected Participation	_3	_3	_3	_3	-2	<u>-</u> 15
	Energy Savings (MWh/year)	<u>1,128</u> 608	<u>1,187</u> 751	<u>1,246</u> 823	<u>1,246</u> 823	<u>1,128</u> 572	<u>5,935</u> 3,578
Kitchen Aerator SF	Demand Reduction		0.164	0.173	0.173	<u>0.156</u>	
REA	(MW)	<u>0.156</u> 0.082	0.102	0.111	0.111	0.077	<u>0.822</u> 0.484
	Projected Participation	<u>4,681</u> 3,426	4,927 4,232	<u>5,174</u> 4,635	<u>5,174</u> 4,635	4,681 3,224	24,637 20,151
Kitchen Aerator MF	Energy Savings (MWh/year)	<u>44 24</u>	<u>47</u> 30	<u>49 32</u>	<u>49 32</u>	<u>44 23</u>	<u>234 141</u>
REA	Demand Reduction (MW)	<u>0.006</u> 0.003	0.006 0.004	0.007 0.004	0.007 0.004	0.006 0.003	<u>0.032</u> 0.019
	Projected Participation	<u>246</u> 180	<u>259 223</u>	<u>272 244</u>	<u>272 244</u>	<u>246</u> 170	<u>1,297</u> 1,061
	Energy Savings (MWh/year)	<u>536</u> 4 10	<u>564</u> 506	<u>592</u> 555	<u>592</u> 555	<u>536</u> 386	<u>2,818</u> 2,411
Bath Aerator SF REA	Demand Reduction (MW)	<u>0.074</u> 0.056	0.078 0.069	0.082 0.075	0.082 0.075	0.074 0.052	<u>0.390</u> 0.327
	Projected Participation	<u>7,021</u> 5,375	7,391 6,639	7,761 7,272	7,761 7,272	7,021 5,059	<u>36,955</u> 31,616
	Energy Savings (MWh/year)	<u>35 27</u>	<u>37</u> 33	<u>39</u> 36	<u>39</u> 36	<u>35 25</u>	<u>185</u> 158
Bath Aerator MF REA	Demand Reduction					0.005	
	(MW)	0.005 0.004	0.005	0.005	0.005	0.003	0.026 0.021
	Projected Participation	370 283	389 349	<u>408</u> 383	408 383	370 266	<u>1,945</u> 1,664
	Energy Savings (MWh/year)	<u>301 228</u>	<u>316</u> 281	<u>332</u> 308	<u>332</u> 308	<u>301</u> 214	<u>1,582</u> 1,338
Low Flow Showerhead SF REA	Demand Reduction (MW)	<u>0.025</u> 0.018	0.026 0.023	0.028 0.025	0.028 0.025	0.025 0.017	<u>0.131</u> 0.108
	Projected Participation	<u>1,040</u> 788	<u>1,095</u> 9 73	<u>1,150</u> 1,065	<u>1,150</u> 1,065	<u>1,040</u> 741	<u>5,475</u> 4 ,632
Low Flow	Energy Savings (MWh/year)	<u>16 12</u>	<u>16 15</u>	<u>17 16</u>	<u>17 16</u>	<u>16 11</u>	<u>82</u> 70
Showerhead MF REA	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	<u>0.007</u> 0.006
	Projected Participation	<u>55</u> 41	<u>58 51</u>	<u>61 56</u>	<u>61 56</u>	<u>55</u> 39	<u>288</u> 244
	Energy Savings (MWh/year)	1,052 796	<u>1,107 984</u>	1,163 1,077	1,163 1,077	<u>1,052 749</u>	<u>5,536</u> 4, 68 4

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
Lav. Flav.	Demand Reduction		0.092	0.096	0.096	0.087	
Low Flow Showerhead Hand Held SF REA	(MW)	<u>0.087</u>	0.080	0.087	0.087	0.061	<u>0.458</u> 0.379
	Dunington d Doubinium tinu		3,832	4,024	4,024	3,641	
HEIU SF KEA	Projected Participation	<u>3,641 </u>	3,405	3,729	3,729	2,594	<u>19,162</u> 16,213
	Energy Savings						
Low Flow	(MWh/year)	<u>55</u> 41	<u>58 51</u>	<u>61 56</u>	<u>61 56</u>	<u>55</u> 39	<u>288</u> 244
Showerhead Hand	Demand Reduction		<u>0.005</u>			0.005	
Held MF REA	(MW)	<u>0.005</u> 0.003	0.004	0.005	0.005	0.003	<u>0.024</u> 0.020
	Projected Participation	<u>192 145</u>	<u>202 179</u>	<u>212 196</u>	<u>212 196</u>	<u>192 137</u>	<u>1,009</u> 853
	Energy Savings						
	(MWh/year)	<u>156-228</u>	<u>158-281</u>	<u>162</u> 308	<u>162</u> 308	<u>156</u> 214	<u>796 1,340</u>
LED Night Light REA	Demand Reduction	-	-	-	-	-	-
	(MW)				6.025		
	Projected Participation	6 504 0 504	<u>6,664</u>	<u>6,836</u>	<u>6,835</u>	<u>6,584</u>	22 502 56 420
		<u>6,584</u> <u>9,594</u>	11,852	12,981	12,981	9,030	<u>33,503_56,438</u>
	Energy Savings	052.747	000 000	042.070	0.40.070	052.675	4 4004 240
LED Specialty	(MWh/year)	<u>853-717</u>	898 886	942 970	942 <u>970</u>	853-675	4,488 <mark>4,219</mark>
(Globe/Candelabra)	Demand Reduction	0.120.0.000	0.127	0.133	0.133	0.120	0.634.0.503
REA	(MW)	<u>0.120 0.099</u>	0.122	0.134	0.134	0.093	<u>0.634</u> 0.583
	Projected Participation	31,937 26,864	33,618 33,185	35,298 36,346	35,298 36,346	31,937 25,284	<u>168,088</u> 158,025
	Energy Savings	<u>31,937 20,804</u>				· · · · · · · · · · · · · · · · · · ·	130,023
	(MWh/year)	<u>3,411</u> 3,361	3,590 4,152	3,770 4,547	3,770 4,547	3,411 3,163	<u>17,952</u> 19,770
LED GSL A-Line (9	Demand Reduction	<u>3,411 3,301</u>	0.631	0.662	0.662	0.599	3.155
Watt or other) REA	(MW)	0.599 0.481	0.031 0.594	0.650	0.650	0.333	2.828
Walt of Other) KLA	(10100)	127,747	134,470	141,194	141,194	127,747	672,350
	Projected Participation	92,106	113,778	124,614	124,614	86,688	541,800
	Energy Savings	0 = , = 0				33,000	0.12,000
	(MWh/year)	187 157	197 194	206 213	206 213	187 148	983 924
LED Reflector	Demand Reduction		0.028			0.027	
(Par/BR/R/downlight)	(MW)	0.027 _{0.022}	0.027	0.030	0.030	0.021	0.141 _{0.130}
REA	Due to the d Denti discritica		4,803	5,043	<u>5,043</u>	4,562	
	Projected Participation	<u>4,562</u> 3,838	4,741	5,192	5,192	3,612	24,013 22,575
	Energy Savings		<u>1,881</u>	<u>1,975</u>	<u>1,975</u>	<u>1,787</u>	
	(MWh/year)	<u>1,787</u> 1,417	1,754	1,923	1,923	1,332	<u>9,403</u> 8,350
Smart Strips - Tier 1	Demand Reduction		0.194	0.204	0.204	0.185	
REA	(MW)	<u>0.185</u> 0.143	0.177	0.194	0.194	0.135	<u>0.972</u> 0.844
	Projected Participation		21,131	22,188	22,188	20,074	<u>105,655</u>
		<u>20,074</u> <u>15,919</u>	19,711	21,607	21,607	14,970	93,815
	Energy Savings						
Remote assessment	(MWh/year)	<u>487</u> 608	<u>513</u> 751	<u>539</u> 823	<u>539</u> 823	487 572	<u>2,565</u> 3,576
& Energy Education	Demand Reduction					0.004	
REA	(MW)	0.004 0.003	0.004	0.005	0.005	0.003	<u>0.022</u> 0.020
	Projected Participation	0.425.7.676	<u>9,605</u>	<u>10,085</u>	<u>10,085</u>	<u>9,125</u>	40.035.45.450
	Fnormy Covings	<u>9,125</u> 7,676	9,482	10,385	10,385	7,224	<u>48,025</u> 45,150
	Energy Savings	<u>=-</u>	<u>=</u>	<u></u>	<u>=</u> -	27	<u></u>
Carbon Monoxide	(MWh/year) Demand Reduction						
Detector REA	(MW)	=	=	=	<u>=</u> -	=	=
	· '	<u>650</u> 724					
	Projected Participation Energy Savings	030724	<u>726</u> 894	<u>753</u> 979	<u>753</u> 979	650 673	<u>3,532</u> 4 ,249
	(MWh/year)	-	-	-	-	-	-
Smoke Alarm REA	Demand Reduction						
	(MW)	-	-	-	-	-	-
	1 (, ,	I	l	l	l	l	l .

Kitchen Aerator SF On-site (MWh/year) 199_270 209_333 220_365 220_365 199_254 1_047_1586 On-site (MW)	Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
Energy Savings (MWh/year) 19 270 209 333 220 365 199 254 1.047 1;886 100 1;88 100 1		Projected Participation				<u>7,154</u>		
Minth/year 199.270 209.333 220.365 220.365 199.254 1,047.1586		·	<u>6,475</u> 5,757	7,111	7,788	7,788	5,418	<u>34,071</u> 33,863
Demand Reduction O.028 O.036 O.029 O.030 O.038 O.028 O.051								
Constitute (MW)	Kitchen Aerator SF		<u>199 270</u>					1,047 1,586
Projected Participation 826 1,519 870 1,876 913 2,055 913 2,055 926 1,429 4,348 8,934	On-site		0.029.0.026	I —				0 1/5 0 215
Kitchen Aerator MF On-site (MWh/year) 8 11 8 13 9 14 9 14 8 10 41 62 (MWh/year) 0.001 0.00		, ,						
MWh/year			020 1,313	070 1,070	<u>515</u> 2,055	<u>515</u> 2,055	020 1,423	4,540 0,554
Demand Reduction (MW) 0.001 0.001 0.00			8 11	8 13	9 14	9 14	8 10	41 62
(MW)		Demand Reduction		0.001	0.001	0.001	0.001	
Energy Savings (MWh/year) 95.174 99.245 104.235 104.235 95.864 497.1,022	OII-Site		0.001 0.001	0.002	0.002	0.002	0.001	0.006 0.008
Bath Aerator SF On- site			<u>43</u> 80	<u>46 99</u>	<u>48 108</u>	<u>48 108</u>	<u>43</u> 75	<u>229</u> 470
Demand Reduction (MW)								
Math	Bath Assats a CE On		<u>95</u> 174					497 1,022
Projected Participation 1,239,2,278 1,370 1,370 3,082 2,144 6,522,13,401			0.012.0.024					0.060.0.129
Projected Participation 1,239 2,278 2,814 3,082 3,082 2,144 6,522 13,401	SILC		0.013 0.024	1		l		<u>0.003</u> 0.130
Energy Savings (MWh/year) 6.11 7.14 7.15 7.15 6.11 33.67		Projected Participation	1.239 2.278	1				6.522 13.401
Math Aerator MF On- site Month/year 6.11 7.14 7.15 7.15 6.11 33.67		Energy Savings	<u></u>	_,,,	2,332	2,302	_,	<u> </u>
Demand Reduction (MW)	Bath Assats a ME Os		<u>6 11</u>	<u>7</u> 14	<u>7 15</u>	<u>7 15</u>	<u>6 11</u>	<u>33 67</u>
MW 0.001 0.002		Demand Reduction		0.001	0.001	0.001		
Energy Savings (MWh/year) 13.12 13.14 14.16 14.16 13.11 66.68	site		<u>0.001</u> 0.002	0.002	0.002	0.002	0.001	<u>0.005</u> 0.009
Mater Heater Pipe Demand Reduction (MW)			<u>65 120</u>	<u>69 148</u>	<u>72 162</u>	<u>72 162</u>	<u>65</u> 113	<u>343 705</u>
Water Heater Pipe Insulation On-site Demand Reduction (MW) 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.005 Projected Participation 1,610 1,480 1,695 1,780 2,003 1,780 2,003 1,612 2,003 1,4993 8,477 8,708 Energy Savings (MWh/year) 53.98 56.120 59.132 59.132 53.92 279.574 Demand Reduction (MW) 0.004 0.008 0.005 0.005 0.005 0.005 0.004 0.004 0.004 0.001 0.001 0.001 0.001 0.001 0.0023 0.004 Low Flow Energy Savings (MWh/year) 3.5 3.6 3.7 3.7 3.5 15.30 Showerhead MF On-site 10.002 0.000 0.0002 0.0002 0.0003 0.0003 0.0003 0.0003 0.0002 0.0003 0.0003 0.0003 0.0002 0.0003 0.000								
Insulation On-site			<u>13 12</u>	<u>13 14</u>	<u>14</u> 16	<u>14 16</u>	<u>13 11</u>	<u>66 68</u>
Projected Participation 1,610 1,480 1,829 2,003 2,003 1,393 8,477 8,708	Insulation On-site		0.001	0.001	0.001	0.001	0.001 0.001	0.005
Energy Savings (MWh/year) 53 98 56 120 59 132 53 92 279 574		Drojected Participation		<u>1,695</u>	<u>1,780</u>	<u>1,780</u>	<u>1,612</u>	
Low Flow Showerhead SF On- site (MWh/year) 53.98 56.120 59.132 59.132 53.92 279.574 Showerhead SF On- site Demand Reduction (MW) 0.004 0.008 0.005 0.005 0.005 0.004 0.004 0.003 0.004 0.004 0.003 0.004 0.003 0.004 0.002 0.003 0.003 0.0002 0.0002 0.0003 0.0003 0.0002 0.0012 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0003 0.0002 0.0002 0.0002 0.0002 0.0002			<u>1,610</u> 1,480	1,829	2,003	2,003	1,393	<u>8,477</u> 8,708
Demand Reduction (MW)								
MW 0.004 0.008 0.010 0.011 0.011 0.007 0.023 0.046	-		<u>53 98</u>					<u>279 574</u>
Projected Participation 183 338 193 417 203 457 203 457 183 318 965 1,985			0.004.0.009					0.022.0.046
Energy Savings (MWh/year) 3.5 3.6 3.7 3.7 3.5 15.30	site	-				i		
Low Flow Chow Showerhead MF On-site Chow Flow Showerhead MF On-site Chow Flow Showerhead MF On-site Chow Flow Showerhead Hand Held SF On-site Chow Flow Showerhead Hand Held MF On-site Chow Flow Frojected Participation Chow Flow Showerhead Hand Held MF On-site Chow Flow Frojected Participation Chow Flow Flow Flow Flow Flow Flow Flow Fl			103 330	133 417	203 437	<u>203 437</u>	103 310	303 1,363
Demand Reduction	Low Flow		3 5	3 6	3 7	3 7	3 5	15 30
Company Comp	Showerhead MF On-							
Energy Savings	site	(MW)	<u>0.0002</u> 0.000					<u>0.0012</u> 0.002
Low Flow Check C		Projected Participation	<u>10 18</u>	<u>10 22</u>	<u>11 24</u>	<u>11 24</u>	<u>10</u> 17	<u>52</u> 104
Demand Reduction								
Held SF On-site (MW)	Low Flow		<u>186</u> 341					<u>977</u> 2,007
Projected Participation 642 1,181 676 1,459 710 1,598 710 1,598 642 1,112 3,382 6,949	Showerhead Hand		0.045.0.005					0.004.0.105
Energy Savings 10 18 10 22 11 24 10 17 51 105	Held SF Un-site	<u> </u>						
Low Flow Showerhead Hand Showerhead Hand Held MF On-site (MWh/year) 10_18 10_22 11_24 11_24 10_17 51_105 Demand Reduction 0.001 0.001 0.001 0.001 0.001 0.001 0.004 0.008 Projected Participation 34_62 36_77 37_84 37_84 34_59 178_366 Energy Savings (MWh/year) 214 217 219 219 213 283 Characteristics Shower Restriction Valve SF On-site Demand Reduction (MW) 20.001 20.001 20.002 20.002 20.001 20.007			<u>642 1,181</u>	<u>6/6 1,459</u>	<u>/10 1,598</u>	<u>/10 1,598</u>	<u>042 1,112</u>	3,382 6,949
Demand Reduction	Low Flow	0, 0	10 18	10.22	11 24	11 24	10 17	51 105
Held MF On-site (MW) 0.001 0.002 0.002 0.002 0.001 0.004 0.008 Projected Participation 34 62 36 77 37 84 37 84 34 59 178 366 Thermostatic Shower Restriction Valve SF On-site Demand Reduction (MW) -0.001 -0.001 -0.001 -0.002 -0.002 -0.002 -0.001 -0.007		•	10 10				10 17	<u>51</u> 103
Projected Participation 34 62 36 77 37 84 37 84 34 59 178 366	Held MF On-site		0.001				0.001	0.004 0.008
Energy Savings		· · · · · ·						
Thermostatic Shower Restriction Valve SF On-site (MWh/year)								
On-site (MW) = -0.001 = -0.002 = -0.002 = -0.001 = -0.007	Thermostatic Shower		-14	<u>-</u> ±+	-13	-13	-15	- ŏ5
	Restriction Valve SF On-site		<u>-0.001</u>	<u>-0.001</u>	<u>-0.002</u>	<u>-0.002</u>	<u>-0.001</u>	<u>-0.007</u>
			-243	-300	-329	-329	-229	<u>-1,429</u>

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings	1	1	1	1	1	4
Thermostatic Shower	(MWh/year)	<u>-</u> 4	<u>-</u> 1	1 _	<u>-</u> 4	<u>-</u> 4	<u>-</u> 4
Restriction Valve MF On-site	Demand Reduction (MW)	-0.0001	<u>-0.0001</u>	<u>-0.0001</u>	<u>-0.0001</u>	<u>-0.0001</u>	-0.0004
	Projected Participation	-13	-16	-17	-17	-12	-75
	Energy Savings						
Water Heater	(MWh/year)	<u>34 62</u>	<u>35</u> 77	<u>37</u> 84	<u>37</u> 84	<u>34 58</u>	<u>177</u> 365
Temperature Setback	Demand Reduction		0.003	0.003	0.003	0.003	
On-site	(MW)	<u>0.003</u> 0.005	0.006	0.007	0.007	0.005	<u>0.015</u> 0.030
	Projected Participation	338 622	<u>356</u> 768	<u>374</u> 841	<u>374</u> 841	338 585	<u>1,780</u> 3,657
Heat Pump Water	Energy Savings (MWh/year)	<u>146</u> 136	<u>153 169</u>	<u>161 185</u>	<u>161 185</u>	<u>146 128</u>	<u>767</u> 803
Heater Replacement	Demand Reduction			0.009	0.009	<u>0.008</u>	
On-site	(MW)	<u>0.008</u> 0.007	0.009	0.010	0.010	0.007	0.043
	Projected Participation	<u>80 75</u>	<u>84 92</u>	<u>88 101</u>	<u>88 101</u>	<u>80 70</u>	<u>420</u> 4 39
Furnace Whistle On-	Energy Savings (MWh/year)	<u>-</u> 1	-2	-2	-2	<u>-</u> 4	<u>-8</u>
site	Demand Reduction (MW)	-0.0003	<u>-0.0004</u>	<u>-0.0004</u>	-0.0004	-0.0003	-0.0017
	Projected Participation	-107	-132	-145	-145	-101	-629
	Energy Savings (MWh/year)	<u>29</u> 98	<u>30 121</u>	<u>32 132</u>	<u>32 132</u>	<u>29</u> 92	<u>151</u> 574
LED Night Light On- site	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	<u>1,208</u> 4 ,112	<u>1,271</u> 5,079	<u>1,335</u> 5,563	<u>1,335</u> 5,563	<u>1,208</u> 3,870	<u>6,356</u> <u>24,188</u>
	Energy Savings					74.000	
LED Specialty	(MWh/year)	<u>74</u> 307	<u>78 380</u>	<u>82</u> 416	<u>82 416</u>	<u>74 289</u>	<u>391 1,808</u>
(Globe/Candelabra)	Demand Reduction	0.010.0.043	0.011	0.012	0.012	0.010	0.055.0.350
On-site	(MW)	0.010 0.042	0.052	0.057	0.057	0.040	<u>0.055</u> 0.250
	Projected Participation	<u>2,780 11,513</u>	2,927 14,222	3,073 15,577	3,073 15,577	<u>2,780</u> 10,836	<u>14,633</u> 67,725
	Energy Savings	2,700 11,313	14,222	13,377	13,377	10,030	14,033 07,723
	(MWh/year)	559 1,200	<u>588 1,483</u>	618 _{1,624}	618 1,624	559 1,130	2,942 7,061
LED A-Line (9 Watt or	Demand Reduction		0.103	0.109	0.109	0.098	<u>=,e :=</u> : ,e ==
other) On-site	(MW)	0.098 0.172	0.212	0.232	0.232	0.162	0.517 1.010
	Duningtod Doutisingtion		22,035	23,137	23,137	20,933	110,175
	Projected Participation	<u>20,933</u> <u>32,895</u>	40,635	44,505	44,505	30,960	193,500
	Energy Savings						
LED Reflector	(MWh/year)	<u>33</u> 67	<u>35</u> 83	<u>36</u> 91	<u>36</u> 91	<u>33</u> 63	<u>173</u> 396
(Par/BR/R/downlight)	Demand Reduction		0.005	0.005	0.005	0.005	
On-site	(MW)	0.005 0.009	0.012	0.013	0.013	0.009	0.025 0.056
	Projected Participation	<u>805</u> 1,645	<u>848 </u> 2,032	<u>890 2,225</u>	<u>890 2,225</u>	<u>805</u> 1,548	<u>4,238</u> 9,675
,	Energy Savings	_					_
Removal/Disposal of	(MWh/year)	<u>-</u> 4	<u>-</u> 1	<u>-</u> 1	<u>-</u> 1	<u>-</u> 1	<u>-</u> 5
Extra Refrigeration Unit On-site	Demand Reduction	- 0.0001	- 0.0002	-0.0002	- 0.0002	- 0.0001	- 0.0008
Offic Off-Site	(MW) Projected Participation	_			_	_	
	Energy Savings	<u>-</u> 1	<u>-</u> 1	<u>-</u> 1	<u>-</u> 1	<u>-</u> 1	<u>-</u> 6
	(MWh/year)	4	4	4	4	4	<u>20</u>
Recycle and Replace	Demand Reduction			<u> </u>	<u> </u>	<u> </u>	20
Refrigerator On-site	(MW)	0.0003	0.0003	0.0003	0.0003	0.0003	0.002
	Projected Participation	<u>8</u>	<u>8</u>	9	9	<u>8</u>	42
Recycle and Replace	Energy Savings	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u></u>
Freezer On-site	(MWh/year)	<u>4</u> 8	<u>4</u> 10	<u>4</u> 10	<u>4</u> 10	<u>4</u> 7	<u>20</u> 4 5

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Demand Reduction		0.0003	0.0003	0.0003	0.0003	
	(MW)	0.0003 _{0.001}	0.001	0.001	0.001	0.001	<u>0.002</u> 0.004
	Projected Participation	<u>8 16</u>	<u>8 20</u>	<u>9 22</u>	<u>9</u> 22	<u>8 15</u>	<u>42 97</u>
	Energy Savings						
	(MWh/year)	<u>215</u> 534	<u>226</u> 660	238 723	238 723	<u>215</u> 503	<u>1,131</u> 3,142
Smart Strips - Tier 1	Demand Reduction		0.023	0.025	0.025	0.022	
On-site	(MW)	0.022 0.054	0.067	0.073	0.073	0.051	<u>0.117 </u>
	Projected Participation	2 445 6 002	<u>2,543</u>	<u>2,670</u>	<u>2,670</u>	<u>2,415</u>	42 742 25 207
	Energy Savings	<u>2,415</u> 6,002	7,415	8,121	8,121	5,648	<u>12,713</u> 35,307
	(MWh/year)	-	-	-	-	-	-
Carbon Monoxide	Demand Reduction						
Detector On-site	(MW)	-	-	-	-	-	-
	Projected Participation	175 313	190 386	212 422	212 422	175 295	964 1,838
	Energy Savings						
	(MWh/year)	-	-	-	-	-	-
Smoke Alarm On site	Demand Reduction	_		_			
Smoke Alarm On-site	(MW)	-	-	-	-	_	-
	Projected Participation		<u>1,000</u>	<u>1,050</u>	<u>1,050</u>		
	,	<u>950 2,467</u>	3,048	3,338	3,338	950 2,322	<u>5,000</u> <u>14,513</u>
	Energy Savings	44.50	40.10	40.1-	40.17	44.15	-o
Smart Thermostat	(MWh/year)	<u>11 13</u>	<u>12 16</u>	<u>12 17</u>	<u>12 17</u>	<u>11 12</u>	<u>59</u> 75
Heat Pump On-site	Demand Reduction	0.001	0.001	0.001	0.001	0.001	0.006
	(MW)	<u>0.001</u> - 19 22	<u>0.001</u> -	<u>0.001</u> -	<u>0.001</u> -	0.001 - 19 21	<u>0.006</u> - <u>102</u> 129
	Projected Participation Energy Savings	13 44	<u>20 27</u>	<u>21</u> 30	<u>21</u> 30	19 71	707 173
Smart Thermostat	(MWh/year)	-18	-22	-24	-24	-17	-104
Electric Furnace On-	Demand Reduction						
site	(MW)	-	-	-	-	-	-
	Projected Participation	<u>-12</u>	<u>-15</u>	-16	-16	-11	-71
	Energy Savings	-	_	_	_		_
Hoat Dumn	(MWh/year)	<u>4</u> 9	<u>4</u> 12	<u>5</u> 13	<u>5</u> 13	<u>4</u> 9	<u>22 55</u>
Heat Pump Maintenance On-site	Demand Reduction		0.001	0.001	0.001		
ividintendince On-site	(MW)	<u>0.001</u> 0.002	0.002	0.002	0.002	0.001	<u>0.004</u> 0.009
	Projected Participation	<u>19</u> 43	<u>20 54</u>	<u>21 59</u>	<u>21 59</u>	<u>19</u> 41	<u>102 255</u>
	Energy Savings	0000	04.055	05.055	05.055	000:=	450 4 555
On-site Assessment	(MWh/year)	<u>86 261</u>	91 322	95 353	95 353	<u>86 245</u>	<u>453 </u> 1,533
& Energy Education	Demand Reduction (MW)	0.001	0.001 0.002	0.001 0.002	0.001 0.002	0.001	<u>0.004</u> 0.009
On-site	(10100)	0.001		1,780		0.001 1,610	<u>0.004</u> 0.009
	Projected Participation	<u>1,610 </u> 3,290	<u>1,695</u> 4,064	1,780 4,451	<u>1,780</u> 4,451	3,096	<u>8,475 19,350</u>
	Energy Savings	1,010 5,230	7,004	7,731	7,731	3,030	<u>5,475</u> 15,556
	(MWh/year)	21 19	22 23	23 ₂₅	<u>23 25</u>	21 18	110 110
Ductless Mini-split	Demand Reduction						
Heat Pumps On-site	(MW)	0.002	0.002	0.002	0.002	0.002	<u>0.011</u> 0.010
	Projected Participation	<u>10</u> 9	<u>10 11</u>	<u>11 12</u>	<u>11 12</u>	<u>10</u> 8	<u>50</u> 50
	Energy Savings						
Ceiling/Attic or Wall	(MWh/year)	<u>8</u>	<u>9</u>	<u>9</u>	<u>9</u>	<u>8</u>	<u>44</u>
<u>Insulation -</u>	Demand Reduction						
Baseboard Heat	(MW)	<u>0.0001</u>	0.0002	0.0002	0.0002	0.0001	0.0008
	Projected Participation	<u>8</u>	<u>8</u>	<u>9</u>	<u>9</u>	<u>8</u>	<u>41</u>
Ceiling/Attic or Wall	Energy Savings						4.5
Insulation - Heat	(MWh/year)	<u>2</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>11</u>
Pump	Demand Reduction	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004
	(MW)	<u>0.0001</u>	<u>0.0001</u>	<u>0.0001</u>	<u>0.0001</u>	<u>0.0001</u>	0.0004

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Projected Participation	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>5</u>	<u>24</u>
	Energy Savings						
Residential Air	(MWh/year)	<u>30</u>	<u>31</u>	<u>33</u>	<u>33</u>	<u>30</u>	<u>157</u>
Sealing - Baseboard	Demand Reduction						
<u>Heat</u>	<u>(MW)</u>	<u>0.001</u>	<u>0.001</u>	0.001	<u>0.001</u>	<u>0.001</u>	<u>0.006</u>
	Projected Participation	<u>23</u>	<u>24</u>	<u>26</u>	<u>26</u>	<u>23</u>	<u>122</u>
	Energy Savings						
Residential Air	(MWh/year)	<u>11</u>	<u>12</u>	<u>12</u>	<u>12</u>	<u>11</u>	<u>59</u>
Sealing - Heat Pump	<u>Demand Reduction</u>						
Scaling Treat Lamp	<u>(MW)</u>	<u>0.0001</u>	<u>0.0001</u>	<u>0.0001</u>	<u>0.0001</u>	<u>0.0001</u>	<u>0.0006</u>
	Projected Participation	<u>14</u>	<u>15</u>	<u>15</u>	<u>15</u>	<u>14</u>	<u>73</u>
	Energy Savings	<u>744</u>	<u>783</u>	<u>821</u>	<u>821</u>	<u>743</u>	<u>3,912</u>
SCI MMMF Direct	(MWh/year)						
Install - Master	<u>Demand Reduction</u>	0.092	0.097	0.102	0.102	0.092	0.483
Meter ³	<u>(MW)</u>						
	Projected Participation	<u>845</u>	889	933	933	844	4,444

¹ To show numerical values in the Pa PUC Table 8 tables, deviation from the standard use of decimals throughout Section 3 may have been applied.

Plans for Achieving Compliance with the Implementation Order

PPL Electric Utilities designed its EE&C Plan to achieve its low-income targets with Phase IV transactions (projects that are implemented during Phase IV) through an income-qualified component only, the Low-Income Assessment.

Health and Safety Pilot Program

PPL Electric Utilities' Low-Income CSP will implement a low-income health and safety pilot program to remediate health and safety hazards that prevent low-income customers from receiving comprehensive energy efficiency measures. The pilot program will be funded at no less than \$400,000 and no more than \$750,000 over the five-year Phase IV and will prioritize high usage customers. Through this pilot, PPL Electric will assess the extent to which addressing health and safety barriers will allow it to increase energy and bill savings and decrease other universal service program costs. PPL Electric Utilities also will track which EE&C measures were allowed to be installed through the installation of the various health and safety measures in the participating customers' homes.

² Total values may not equal the sum of all program year values due to rounding.

³ Includes savings from master-metered multifamily buildings with low-income occupants. These savings count toward the low-income compliance target but the program costs and savings are accounted for under the customer sector corresponding to the rate class of the building's meter in assessing program cost-effectiveness.

3.4 Non-Residential Program (2021-2026)

PPL Electric Utilities' proposed-Non-Residential Program will be offered to all large C&I and small C&I customers, including government and educational institutions and master metered low-income multifamily buildings. The following sections describe the two components in PPL Electric Utilities' proposed-Non-Residential Program:

- Efficient Equipment (Prescriptive)
- Custom

The component sections below provide the component description; objectives; target market; implementation strategy; issues, risks, and risk management strategy; anticipated costs to participating customers; ramp-up strategy; marketing strategy; eligible measures and incentive strategy; deadline for rebate applications; start date with key schedule milestones; EM&V; administrative requirements; and estimated savings and participation. Please note that participation levels, savings, costs, and incentive ranges are estimates as directed by the Pa PUC EE&C Plan Template.

Table 36 and Table 37 list estimated savings and costs by program year and in total for the Non-Residential Program (large C&I and small C&I, respectively). The Non-Residential Large C&I budget is 27.5% of the total portfolio budget, and the Non-Residential Small C&I budget is 24.6% of the total portfolio budget.²⁶

Со	st Element	PY13	PY14	PY15	PY16	PY17	Phase IV Total ¹
Total	Budget (\$000)	\$16,696	\$17,413	\$17,456	\$17,180	\$17,162	\$85,906
	Rebates	\$10,733	\$11,191	\$11,189	\$10,993	\$10,955	\$55,060
	Upstream/Midstream Buydown	\$537	\$552	\$533	\$507	\$501	\$2,630
Incentives (\$000)	Kits	-	-	-	-	-	-
	Direct Install Materials & Labor	-	-	-	-	-	-
	Incentive Total	\$11,270	\$11,742	\$11,722	\$11,500	\$11,456	\$57,690
	CSP Program Design	\$101	-	-	-	\$11,456 -	\$101
	CSP Administrative	\$769	\$849	\$885	\$906	\$934	\$4,343
	CSP Delivery Fees	\$4,032	\$4,254	\$4,262	\$4,176	\$17,162 \$10,955 \$501 - - \$11,456	\$20,884
Non-Incentives (\$000)	CSP Marketing	\$414	\$457	\$477	\$488	\$503	\$2,339
(5000)	EDC Administrative	\$110	\$110	\$110	\$110	\$110	\$550
	EDC Other	-	-	-	-	-	-
	Non-Incentive Total	\$5,426	\$5,671	\$5,734	\$5,680	\$5,706	\$28,216
Perce	ent Incentives	68%	67%	67%	67%	67%	67%

 $^{^{\}rm 1}$ Total values may not equal the sum of all program year values due to rounding.

-

²⁶ This percentage represents the program budget without common costs over the total portfolio budget, which includes common costs.

Table 37. Pa PUC Table 9 - Small C&I Costs and Benefits by Program Year (\$1000) 1

	Cost Element	PY13	PY14	PY15	PY16	PY17	Phase IV Total ⁴²
Total Budget (\$000	0)	\$ <u>14,966</u> 14,	\$15,662	\$ <u>15,638</u> 15,6	\$ <u>15,225</u> 15, 211	\$ <u>15,348</u> 15,	\$76,838
	Rebates	\$ <u>8,331</u> 8 ,73	\$ <u>8,781</u> 9,18	\$ <u>8,768</u> 9 ,168	\$ <u>8,523</u> 8,92	\$ <u>8,622</u> 9,02	\$ <u>43,025</u> 4 5,
	Upstream/Midstream Buydown	\$1,461	\$1,483	\$1,445	\$1,393	\$1,370	\$7,152
Incentives (\$000)	Kits	-	-	-	-	-	-
	Direct Install Materials & Labor	\$ <u>416</u> 150	\$ <u>458</u> 178	\$ <u>470</u> 176	\$ <u>467</u> 174	\$ <u>433</u> 167	\$ <u>2,245</u> 845
	Incentive Total	\$ <u>10,208</u> 10,	\$ <u>10,722</u> 10, 842	\$ <u>10,683</u> 10,7	\$ <u>10,384</u> 10,	\$ <u>10,425</u> 10,	\$ <u>52,422</u> 53,
	CSP Program Design	\$129	-	-	-	-	\$129
	CSP Administrative	\$ <u>822</u> 702	\$ <u>875</u> 755	\$ <u>887</u> 767	3815,6 \$15,22515, 211 89,168 \$8,5238,92 3 ,445 \$1,393 0176 \$467174 8310,7 \$10,38410, 490 7767 \$888768 ,546 \$3,430 113 \$413 110 \$110 54,835 \$4,8414,72 1	\$ <u>906</u> 786	\$ <u>4,378</u> 3,77 8
	CSP Delivery Fees	\$3,319	\$3,548	\$3,546	\$3,430	\$3,482	\$17,325
Non-Incentives (\$000)	CSP Marketing	\$378	\$407	\$413	\$413	\$423	\$2,034
(3000)	EDC Administrative	\$110	\$110	\$110	\$110	\$110	\$550
	EDC Other	-	-	-	-	-	-
	Non-Incentive Total	\$ <u>4,758</u> 4 ,63	\$ <u>4,940</u> 4, 82	\$ <u>4,955</u> 4 ,835		\$ <u>4,922</u> 4 ,80	\$ <u>24,416</u> 23, 816
Percent Incentives		<u>68</u> 69%	<u>68</u> 69%	<u>68</u> 69%	<u>68</u> 69%	<u>68</u> 69%	6 <mark>89</mark> %

¹ Includes benefits and costs from master-metered multifamily buildings with low-income occupants. These savings count toward the low-income compliance target but the program costs and savings are accounted for under the customer sector corresponding to the rate class of the building's meter in assessing program cost-effectiveness.

<u>Table 38Table 38</u> and <u>Table 39Table 39</u> show net present value benefits and costs, net benefits, and the overall benefit/cost ratio for the large C&I and small C&I sectors, respectively.

Table 38. Large C&I Cost-Effectiveness Results, TRC Test (\$1,000)

NPV Benefits	\$ <u>414,347</u> 383,38 4
NPV Costs	\$ <u>396,663</u> 369,257
Net Benefits	\$ <u>17,684</u> 14 ,127
Benefit/Cost Ratio	1.04

 $^{^{42}}$ Total values may not equal the sum of all program year values due to rounding.

Table 39. Small C&I Cost-Effectiveness Results, TRC Test (\$1,000)

NPV Benefits	\$ <u>367,754</u> 354,590
NPV Costs	\$ <u>245,746</u> 226,867
Net Benefits	\$ 127,722 <u>122,008</u>
Benefit/Cost Ratio	1.5 <u>0</u> 6

¹ Includes benefits and costs from master-metered multifamily buildings with low-income occupants. These savings count toward the low-income compliance target but the program costs and savings are accounted for under the customer sector corresponding to the rate class of the building's meter in assessing program cost-effectiveness.

As noted in Section 1.6, PPL Electric Utilities will rely on energy efficiency measures with coincident peak demand reduction potential to achieve its annual and total peak demand reduction goals. PPL Electric Utilities will target end uses to nominate roughly 1% to 20% of eligible PJM peak demand savings from the Non-Residential Program over the five-year Plan. PPL Electric Utilities is not aware at this time which measures will be nominated; however, they will likely include cooling and lighting. PPL Electric Utilities will competitively select a qualified third-party vendor to provide technical support in nominating a portion of its peak demand reductions as a capacity resource in PJM's FCM.

Efficient Equipment Component

The Efficient Equipment component is the same for both large C&I and small C&I customers unless noted otherwise.

Description

Through the Efficient Equipment component, PPL Electric Utilities promotes the purchase and installation of a wide range of high-efficiency measures, including lighting, HVAC, refrigeration, motors/drives, commercial kitchen equipment, agricultural equipment, equipment controls, and new construction projects. The Company provides customers financial incentives based on the measure installed and savings achieved, which offset the higher purchase costs of energy efficient and peak demand-saving equipment.

The component has four delivery channels:

- Downstream rebates. In Phase IV, PPL Electric Utilities will continue to offer rebate submissions, similar to the downstream channel successfully used in Phase III. Customers, contractors, or trade allies will submit applications for review and validation by the Non-Residential CSP. The CSP will review and validate all submitted applications and eligible projects will be processed and incentives paid upon project completion and final savings calculations.
- **Direct discount.** PPL Electric Utilities will implement the direct discount delivery channel to engage small C&I customers. This approach is supported by a network of qualified contractors and higher incentives that motivate them to complete projects that would otherwise not receive their attention. The Non-Residential CSP helps the contractor orchestrate the project from beginning to end on behalf of the customer. Small C&I customers benefit by having an expert

identify the applicable measures, manage the project, and apply for and secure incentives to offset the upfront cost of the project. The amount of the incentive appears on the project invoice, and the customer is responsible for the remaining project cost. Once the project is complete and the application is updated, the Non-Residential CSP commences measurement and verification. The CSP then reimburses the contractor with a check for the incentive.

- **Direct install.** In Phase IV, PPL Electric Utilities will build on the successful direct install offering from Phase III. The Non-Residential CSP will target hard-to-reach small C&I customers and provide a no-cost assessment to identify retrofit measures and operational improvements to lower energy consumption and costs and to install energy efficiency measures. After the assessment, the Non-Residential CSP will send customers an assessment report with additional recommendations to support their overall energy efficiency and peak demand needs and goals and recommendations for qualified trade allies with whom they can work.
- Midstream. PPL Electric Utilities will continue using a midstream delivery channel to help customers choose and procure certain high-efficiency products more quickly and easily than through typical downstream methods. In the midstream approach, trade allies and customers may purchase high-efficiency products listed by ENERGY STAR or DesignLights Consortium ("DLC") directly from participating and qualified midstream distributors and receive an immediate rebate at the point of purchase. This approach has proven to raise customer and trade ally satisfaction; reduce administrative expenses; increase the volume of installed, highefficiency lighting and socket upgrades, particularly for customers implementing routine projects; and lower the number of contractors and customers who use high-efficiency lighting products but fail to submit program applications.

The Non-Residential CSP will manage and coordinate the Efficient Equipment component, maintain a call and rebate processing center, recruit and educate trade allies, and conduct marketing to achieve the desired participation and encourage customers to take a whole-building approach or implement multiple measures.

Objectives

The objectives of the Efficient Equipment component are:

- Provide energy and peak demand-savings opportunities and incentives to qualified customers.
- Increase the market penetration of high-efficiency technologies and building systems for customers by offering incentives for high-efficiency and ENERGY STAR-rated appliances, lighting equipment, and HVAC systems.
- Increase customer awareness of the features and benefits of energy efficient equipment.
- Support emerging technologies and nontypical efficiency solutions in cost-effective applications.
- Engage trade allies to stock, promote, and provide high-efficiency technology options to customers.
- Promote other PPL Electric Utilities energy efficiency program components.

- Collect energy, peak demand, and operating data from customers, as required to confirm customer and measure eligibility and to determine energy and peak demand savings and costeffectiveness.
- Achieve a total energy reduction of approximately 665,361 MWh/year and 108 MW²⁷ gross verified savings for large C&I and small C&I customers, or business types.

Implementation Strategy

The Non-Residential CSP will deliver the Efficient Equipment component promoting the various energy efficiency options available to the non-residential customer segment with a range of marketing and outreach tactics. The Efficient Equipment component relies on projects being initiated by customers, trade allies, distributors, and the Non-Residential CSP. The Non-Residential CSP will build on trade ally and distributor relationships to co-market energy efficient equipment and the value of participation.

Key steps include the following:

- Educate customers on energy efficiency opportunities and direct them to the appropriate path through marketing activities, the website, or direct contact with equipment distributors or equipment installation contractors/trade allies.
- Have customers complete applications or work with customers, equipment/appliance retailers, midstream distributors, and installation contractors to complete program applications.
- Ensure customers/contractors submit the required documentation for processing.
- Review pending and completed project documentation to verify applicant is a PPL Electric
 Utilities customer and the completed project and installed equipment meet program eligibility
 criteria.
- When possible, work with customers to confirm project preapproval before ordering energy efficiency equipment.
- Recruit and develop an effective trade ally network.
- Process applications and issue rebates for qualified projects/equipment.
- Verify completed equipment/appliance installation for a sample of participants to confirm program integrity as part of M&V.

Issues, Risks, and Risk Management Strategy

<u>Table 40Table 40</u> presents market risks associated with the Efficient Equipment component and the strategies that PPL Electric Utilities will use to manage each risk.

-

²⁷ Peak Demand is at generation.

Table 40. Efficient Equipment Issues, Risks, and Risk Management Strategies

Component Issue	Risk	Risk Management Strategies
Customer or building owner does not prioritize energy efficiency.	 Decision-makers choose to install cheaper, less efficient equipment with shorter payback/internal rate of return ("IRR"), resulting in lower savings. Owners are not informed about how their facility uses energy. Existing debt may limit funds to purchase new efficient equipment. Customers place a priority on fluctuating commodity prices. 	 PPL Electric Utilities offers incentives to reduce payback and IRR for business owners. Non-Residential CSP offers planning assistance to enhance energy savings. Non-Residential CSP educates customers about the long-term benefits of energy efficiency, available incentives, and other components.
Customers typically replace equipment only upon failure.	 Customers see no need to replace functioning equipment. Customers are not informed about the most efficient equipment available when the need to replace it is immediate. Some efficient equipment may have a longer delivery time that would affect customer operations. 	 Non-Residential CSP educates trade allies and customers about available energy efficient choices before equipment fails and encourages businesses to plan for equipment replacement. PPL Electric Utilities provides incentives for trade allies to stock, promote, and install efficient measures.
Customers are unaware of the benefits of installing and properly maintaining energy efficient equipment.	 Customers do not properly maintain equipment, and savings benefits erode over time. 	 Non-Residential CSP promotes the importance and value of equipment maintenance and training.

Anticipated Costs to Participating Customers

Costs incurred by customers participating in Efficient Equipment will vary by the specific type of efficient equipment installed.

Ramp-Up Strategy

Efficient Equipment component is an existing, mature offering being carried forward from Phase III. The Non-Residential CSP will develop marketing material to facilitate the transition to Phase IV. The Non-Residential CSP has developed a transitional strategy to bridge incentives for customers whose participation in the program spans Phase III and Phase IV.

PPL Electric Utilities expects to implement the following transition plan between Phase III and Phase IV:

Projects on the Phase III waitlist will receive comparable incentives if completed and installed
early in Phase IV. Comparable is defined as the Phase III rebate, up to \$0.05/annual kWh saved
and subject to Phase III per project or per customer incentive caps. Projects must be completed
by August 31, 2021, for most measures. PPL Electric Utilities will consider exceptions to that
deadline on a case-by-case basis, depending on the project details.

• Projects approved (funds reserved) in Phase III that are installed (placed in service) in Phase IV may be eligible for the approved Phase III rebate and will be accounted for as Phase IV projects.

Marketing Strategy

PPL Electric Utilities will work with the Non-Residential CSP to develop and execute a marketing plan that captures sector-level economies of scale and employs targeted outreach where practical. The marketing strategy may include the following:

- Take advantage of trade ally and manufacturer relationships to co-market energy efficient equipment and products.
- Host webinars.
- Participate in trade shows and other outreach events.
- Communicate and provide access to program component information on the Company's EE&C website.
- Promote the component in newsletters.
- Advertise using newspaper, radio, direct mail, bill inserts, cross-program component advertisements, commercial ads, and other mass media.
- Coordinate advertising opportunities with trade allies.
- Develop, publish, and distribute brochures and case studies.
- Conduct one-on-one marketing to small C&I customers through trade allies, business accounts specialists, and Non-Residential CSP outreach.
- Target marketing to facility managers, building or process engineers, building owners and managers associations, HVAC contractors, energy services firms, architects and engineers, real estate developers, economic development organizations, customer advocacy groups, trade associations, and other trade allies to encourage installation of new energy efficient technologies and adoption of best-operating practices.
- Provide specific outreach to individual tenants as well as building owners and property managers in leased commercial buildings to encourage participation in the program.
- Target specific sectors identified as having a high unrealized energy efficiency potential.
- Publish marketing materials including charts, brochures, and case studies.
- Provide newsletters and coordinate with key market partners, including trade associations and agencies.
- Use limited time offers, special promotions, and no-cost measures to promote energy efficiency.
- Offer trade ally incentives and rewards.
- Cross-promote through other PPL Electric Utilities energy efficiency program components.
- Provide information and training on specific technologies directed towards niche markets.
- Incorporate customers in area- or territory-focused promotions.
- Work with distributors to promote and encourage purchases of efficient equipment to capture savings opportunities missed by other outreach methods.

Eligible Measures and Incentive Strategy

PPL Electric Utilities will offer rebates and incentives to qualified customers (or trade allies, depending on the delivery channel) who submit completed applications and documentation of the efficiency measures installed. Customers will have the option to assign rebate payments to a third party.

PPL Electric Utilities offers performance incentives based on the avoided or reduced energy (kWh/year) or peak demand (kW) savings resulting from the project. Incentives may be capped at 50% to 100% of the total project costs (excluding internal labor) or \$500,000 and are subject to an annual cap for each project and each participating customer. The per-customer-site cap is defined as one building with one or more meters. A parent company cap of \$1 million per year will apply to a campus setting or multiple buildings (on the same property or in different locations) with a common owner. For all measures offered through the Efficient Equipment component, PPL Electric Utilities will provide incentives in the range of \$0.02 to \$0.22 per annual kWh saved and/or \$30 to \$1,200 per kW peak demand.

PPL Electric Utilities may distribute lighting measures to customers through the traditional rebate, direct discount (i.e., incentive paid to a trade ally), direct install, or midstream channel. Table 41 and Table 42 lists PPL Electric Utilities' proposed measures and minimum eligibility qualifications for large C&I and small C&I, respectively.

Table 41. Pa PUC Table 7-Large C&I Efficient Equipment Rebates Eligible Measures and Incentives

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Lighting Improvements	Per Project	No	Products must meet the minimum requirements of ENERGY STAR or the DLC and complete PA TRM Lighting Form.	\$46,521	13	\$8,860	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
LED Exit Signs	Per Product	No	Replacement of existing incandescent or fluorescent exit signs with a new LED exit sign.	\$55	15	\$21	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
HVAC Systems	Per Product	No	This measure excludes water source, ground source, and groundwater source heat pump measures that are covered in the Water Source and Geothermal Heat Pumps measure. All HVAC applications other than comfort cooling and heating, such as process cooling, are ineligible for this measure.	\$194	15	\$441	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Electric Chillers	Per Product	No	Installation of high efficiency electric chillers that exceed the minimum performance allowed by the current PA Energy Code.	\$4,021	15	\$1,890	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Water Source and Geothermal Heat Pumps	Per Product	No	High-efficiency groundwater source, water source, or ground source heat pump system that exceeds the energy efficiency requirements of the IECC 2015, Table 403.2.3(1).	\$52,603	15	\$111	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Ductless mini-split heat pumps < 5.4 tons	Per Product	No	<5.4 tons, ENERGY STAR with inverter technology.	\$2,313	15	\$379	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Room A/C	Per Product	No	ENERGY STAR	-\$65	9	\$3	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Guest Room Occupancy Sensor controls	Per Ton	No	Guest rooms that are equipped with energy management thermostats replacing manual heating/cooling temperature set-point and fan On/Off/Auto thermostat controls.	\$180	15	\$3 4	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Economizer controls	Per Control	No	Adding an economizer and dual enthalpy (differential) control on existing HVAC unit with no economizer or with a non-functional/disabled economizer.	\$1,421	10	\$973	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
VFD Improvements	Per Control	No	A motor with a variable-frequency drive ("VFD") control replacing a motor without an existing VFD control.	\$2,607	15	\$1,282	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ECM Circulating fan	Per Product	No	Circulating fan motors of 1 horsepower ("HP") or less with a baseline shaded-pole ("SP") or permanent-split capacitor ("PSC") evaporator fan motor in an air handling unit.	\$417	15	\$3 4	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
VSD on Kitchen Exhaust Fan	Per Fan	No	The energy efficient condition is a kitchen ventilation system equipped with a variable speed drive ("VSD") and demand ventilation controls and sensors. The baseline equipment is kitchen ventilation that has a constant speed ventilation motor.	\$2,296	15	\$ 216	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Refrigeration/Freezer Cases	Per Product	No	ENERGY STAR, Eligible refrigerators and freezers are self-contained with vertical-closed transparent or solid doors.	\$853	12	\$39	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High efficiency evaporator fan motors for walk in or reach in cases	Per Product	No	Replacement of existing SP evaporator fan motors or PSC motors in walk-in or reach-in refrigerated display cases with an electronically commutated motor ("ECM") or a permanent magnet synchronous ("PMS") motor.	\$343	15	\$40	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Evaporator Fan controllers	Per Control	No	Installation of evaporator fan controls in medium- temperature walk-in or reach-in coolers and low temperature walk-in or reach-in freezers.	\$563	15	\$71	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Anti-sweat heater controls	Per Control	No	Adding controls to glass door cooler or refrigerator with uncontrolled heaters utilizing either ON/OFF or micro pulse controls.	\$1,051	12	\$221	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Variable speed refrigeration compressor	Per Horsepower	No	VSD control system replacing a slide valve control system in existing commercial refrigeration systems.	\$85	15	\$16	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Strip curtains for walk- in freezers and coolers	Per Door	No	Install or retrofit strip curtains in commercial walk- in cooler and freezer doors. Strip curtains must be at least 0.06 inches thick.	\$359	4	\$676	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Night covers for display cases	Per Foot	No	Install on existing open-type refrigerated display cases, where covers are deployed during the facility's unoccupied hours.	\$42	5	\$3	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Auto door closers	Per Product	No	Retrofit doors not equipped with auto-closers and assume the doors have strip curtain for walk-in coolers and freezers. Auto-closer must be able to firmly close door when it is within one inch of full closure. Walk-in door perimeter must be ≥ 16 feet.	\$498	8	\$96	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Door gaskets for walk- in and reach-in coolers and freezers	Per Door	No	Replace worn-out gaskets with new better-fitting gaskets.	\$98	4	\$18	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Low or No anti-sweat heat for reach-in freezers and coolers	Per Door	No	Install a no-heat/low-heat clear glass door on an upright display case. Limited to door heights of 57 inches or more. Doors must have either heat reflective treated glass, be gas filled, or both.	\$1,213	12	\$37	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Refrigerated Display cases with doors replacing open cases	Per Foot	No	A new, vertical case with no sweat doors that meets federal standard requirements.	\$449	12	\$28	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Adding doors to existing refrigerated display cases	Per Foot	No	Retrofit existing vertical open display cases with zero heat doors.	\$521	12	\$31	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Ice machines	Per Product	No	ENERGY STAR	\$378	8	\$127	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Beverage machine controls	Per Product	No	Added to non-ENERGY STAR machines.	\$180	5	\$99	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Office equipment	Per Product	No	ENERGY STAR	\$10	6	\$7	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Cycling refrigerated thermal mass dryer	Per Horsepower	No	Baseline: non-cycling (e.g., continuous) air dryer with a capacity of 600 cubic feet per minute ("cfm") or below. The replacement of desiccant, deliquescent, heat-of-compression, membrane, or other types of dryers does not qualify under this measure.	\$24	10	\$4	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
No-loss condensate drains	Per Product	No	Retrofit existing timed drained system with new no- loss condensate drains.	\$194	5	\$167	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Variable speed drive air compressor	Per Horsepower	No	Install or retrofit a single VSD unit less than 40 HP with variable speed control.	\$191	13	\$59	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High efficiency ventilation fans with and w/o thermostats	Per Product	No	Agricultural Application: Installation of high efficiency ventilation fans where standard efficiency ventilation fans are replaced and/or the installation of a thermostat controlling either new efficient fans or existing fans.	\$175	15	\$31	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
VSD Controller on dairy vacuum pumps	Per Product	No	Agricultural Application: Installation of a VSD and controls on dairy vacuum pumps, or the purchase of dairy vacuum pumps with variable speed capability.	\$5,120	15	\$663	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Lighting Improvements for Midstream	Per Fixture	No	Products must meet the minimum requirements of ENERGY STAR or the DLC and complete PA TRM Lighting Form.	\$77	15	\$76	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Lighting Improvements for Midstream	Per Lamp	No	Products must meet the minimum requirements of ENERGY STAR or the DLC and complete PA TRM Lighting Form.	\$6	15	\$ 4	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
HVAC Systems Midstream	Per Product	No	This measure excludes water source, ground source, and groundwater source heat pump measures that are covered in the Water Source and Geothermal Heat Pumps measure. All HVAC applications other than comfort cooling and heating, such as process cooling, are ineligible for this measure.	\$194	15	\$561	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Ductless mini-split heat pumps < 5.4 tons Midstream	Per Product	No	<5.4 tons, ENERGY STAR with inverter technology.	\$2,313	15	\$482	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Ice machines Midstream	Per Product	No	ENERGY STAR	\$378	8	\$162	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial fryer Midstream	Per Product	No	ENERGY STAR	\$1,038	12	\$220	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial hot food holding cabinet Midstream	Per Product	No	ENERGY STAR	\$895	12	\$ 155	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
High efficiency ventilation fans with and w/o thermostats Midstream	Per Product	No	Agricultural Application: Installation of high efficiency ventilation fans where standard efficiency ventilation fans are replaced and/or the installation of a thermostat controlling either new efficient fans or existing fans.	\$175	15	\$40	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
VSD Controller on dairy vacuum pumps Midstream	Per Product	No	Agricultural Application: Installation of a VSD and controls on dairy vacuum pumps, or the purchase of dairy vacuum pumps with variable speed capability.	\$5,120	15	\$8 44	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Lighting Controls	Per kW Controlled	No	Lighting controls turn lights on and off automatically, which are activated by time, light, motion, or sound.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
LED Channel Signage	Per Foot	No	Replacement of neon and/or incandescent channel letter signs with efficient LED channel letter signs. Replacement signs cannot use more than 20% of the actual input power of the sign that is replaced.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
LED Refrigeration Display Case Lighting	Per Door	No	Installation of LED case lighting with or without motion sensors on existing refrigerators, coolers, and freezers - specifically on vertical displays.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Fuel Switching	Per Product	No	Must replace electric equipment with ENERGY STAR certified natural gas, propane, or fuel oil equipment.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Computer room A/C	Per Product	No	Newly installed computer room air conditioner systems that exceed the baseline efficiencies (in seasonal coefficient of performance ("SCOP")) outlined in Table 3-56 of the current PA TRM.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Computer room A/C EC fans	Per Product	No	Installation of electronically commutated ("EC") plug fans in computer room air conditioning ("CRAC") and computer room air handling ("CRAH") units.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Computer room VFD on fans	Per Horsepower	No	Installation of a VSD to control AC fan motors in CRAC and CRAH units.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Circulation Fan: High Volume Low Speed	Per Product	No	Installation of High Volume Low Speed ("HVLS") fans (diameters ranging from 8 to 24 feet) replacing conventional circulating fans. Commercial and industrial applications only.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Premium Efficiency Motors	Per Horsepower	No	Replacement of old motors with new energy efficient motors of the same rated HP.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ECM Circulator Pump	Per Pump	No	An ECM or brushless permanent magnet (BPM) circulator pump replacing single-speed induction motor circulator pumps in space heating and hot water applications.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High Efficiency Pumps	Per Horsepower	No	Compliant pumps will achieve a PEI of 1.0 or less. All pumps manufactured after January 27, 2020 must comply with the U.S. Department of Energy's ("DOE") energy conservation standard as described in 10 CFR 431 Subpart Y.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Heat Pump Water Heaters	Per Product	No	Installation of a heat pump water heater instead of a code minimum electric water heater.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Low Flow Pre-rinse Sprayers	Per Product	No	Efficient low flow pre-rinse sprayers that use less than 1.6 gallons of water per minute. Only applicable to premises with electric water heating.	N/A	N/A	N/ ∆	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Fuel Switching: electric water heaters to gas/propane	Per Product	No	Must replace electric water heater with ENERGY STAR certified natural gas or propane equipment.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Floating head pressure control ("FHPC")	Per Control	No	Adding FHPCs to a refrigeration system. FHPCs must have a minimum Saturated Condensing Temperature ("SCT") programmed for the floating head pressure control of ≤ 70 °F. The use of FHPC would require balanced-port expansion valves, allowing satisfactory refrigerant flow over a range of head pressures. The compressor must be 1 HP or larger.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Evaporator coil defrost controls	Per Evaporator Unit	No	Adding defrost controls to existing walk-in coolers or freezers without defrost controls.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Suction pipe insulation for walk-in coolers and freezers	Per Foot	No	Insulate bare refrigeration suction pipes for walk-in coolers and freezers according to the current PA TRM requirements.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Air cooled refrigeration condenser	Per Ton	No	Installing an efficient, close-approach air-cooled refrigeration condenser that meets the current PA TRM requirements.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Refrigerated case light occupancy sensors	Per Watt Controlled	No	Installation of motion-based lighting controls that allow the LED case lighting to be dimmed or turned off completely during unoccupied conditions.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Refrigeration economizers	Per Compressor Horsepower	No	Economizers installed on a walk-in refrigeration system.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Clothes washer	Per Product	No	ENERGY STAR, installed in commercial laundromats or multifamily complex laundry rooms.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR bathroom ventilation fan	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Snack machine controls	Per Product	No	Added to non-ENERGY STAR, non-refrigerated machines.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Electric steam cooker	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Combination oven	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial convection oven	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial fryer	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial hot food holding cabinet	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial Dishwasher	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial Griddle	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Wall and Ceiling Insulation	Per SQFT	No	Applies to buildings that are heated and/or cooled using electricity. Existing construction buildings are required to meet or exceed the code requirement. New construction buildings must exceed the code requirement.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Office Equipment - Network power management enabling	Per Workstation	No	Applicable to any software that manages workstations in a networked environment that meets the current PA TRM requirements.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Advanced power strips	Per Workstation	No	Installation of an Advanced Power Strip Tier 1 or Tier 2.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Servers	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Server virtualization	Per Product	No	Servers must be consolidated to increase utilization of the remaining servers, and the virtualized servers must be either a) removed or b) physically disconnected from power.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Air-entraining air nozzle	Per Product	No	Replace non-air entraining air nozzle (open copper tube of 1/8-inch or 1/4-inch orifice diameter) with an energy efficient air-entraining air nozzle that uses less than 15 cfm at 100 pounds per square inch ("psi") for industrial applications.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Air tanks for Load/No load compressors	Per Horsepower	No	Minimum storage ratio of 4 gallons per cfm.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Compressed air controller	Per Horsepower	No	The baseline condition is having no existing pressure/flow controller and an existing compressed air system with a total compressor motor capacity ≥ 40 hp. This measure requires a minimum storage of 3gal/cfm.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Compressed air low pressure drop filters	Per Horsepower	No	The baseline condition is a standard coalescing filter with a pressure drop of 3 psi when new and 5 psi or more at element change. The efficient condition is a low pressure drop filter with pressure drop not exceeding 1 psi when new and 3 psi at element change.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Compressed air mist eliminators	Per Horsepower	No	The compressed air system must be greater than 50 HP to qualify, and the mist eliminator must have less than a 1 pound per square inch gauge ("psig") pressure drop and replace a coalescing filter.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High efficiency transformer	Per Product	No	Transformers more efficient than the federal standard.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Engine block heat timer	Per Product	No	Agricultural Application: Installation of a timer on an engine block heater.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High frequency battery chargers	Per Product	No	Baseline equipment is a silicon controlled rectifier ("SCR") or ferroresonant battery charger system with minimum 8-hour shift operation five days per week. Energy-efficient equipment is a high frequency battery charger system with a minimum power conversion efficiency of 90% and 8-hour shift operation five days per week.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Automatic Milker takeoffs	Per Cow	No	Agricultural Application: Automatic milker take-offs that determine milking end time, and the vacuum pump system serving the impacted milking units must be equipped with a variable speed drive.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Dairy scroll compressors	Per Product	No	Agricultural Application: Installation of a scroll compressor to replace an existing reciprocating compressor or to be installed in a new construction application.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Heat reclaimers	Per Product	No	Agricultural Application: Installation of heat recovery equipment on dairy parlor milk refrigeration systems to heat hot water. This measure only applies to dairy parlors with electric water heating equipment.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High Volume Low Speed fans	Per Product	No	Agricultural Application: Installation of HVLS fans to replace conventional circulating fans. HVLS fans are a minimum of 16 feet long in diameter.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Livestock waterer	Per Product	No	Agricultural Application: Thermostatically controlled with 2 inches or more of factory-installed insulation.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Low pressure irrigation system	Per Acre	No	Agricultural Application: Replace systems operating on 50% or less than existing system pressure.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
New Construction Lighting	Per SQFT	No	Eligible lighting equipment and fixture/lamp types include fluorescent fixtures (lamps and ballasts), compact fluorescent lamps, high intensity discharge ("HID") lamps, interior and exterior LED lamps and fixtures, cold-cathode fluorescent lamps ("CCFLs"), induction lamps, and lighting controls.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Electric steam cooker Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Combination oven Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial convection oven Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial Dishwasher Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/ ∆	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial Griddle Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Automatic Milker takeoffs Midstream	Per Cow	No	Agricultural Application: Automatic milker take-offs that determine milking end time, and the vacuum pump system serving the impacted milking units must be equipped with a variable speed drive.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Dairy scroll compressors Midstream	Per Product	No	Agricultural Application: Installation of a scroll compressor to replace an existing reciprocating compressor or to be installed in a new construction application.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Heat reclaimers Midstream	Per Product	No	Agricultural Application: Installation of heat recovery equipment on dairy parlor milk refrigeration systems to heat hot water. This measure only applies to dairy parlors with electric water heating equipment.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
High Volume Low Speed fans Midstream	Per Product	No	Agricultural Application: Installation of HVLS fans to replace conventional circulating fans. HVLS fans are a minimum of 16 feet long in diameter.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Livestock waterer Midstream	Per Product	No	Agricultural Application: Thermostatically controlled with 2-inches or more of factory-installed insulation.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

¹ All eligible measures are listed in this table regardless of participation projections. N/A indicates measure may be offered in future program years but not at the launch of Phase IV.

Table 42. Pa PUC Table 7-Small C&I Efficient Equipment Rebates Eligible Measures and Incentives

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Lighting Improvements	Per Project	No	Products must meet the minimum requirements of ENERGY STAR or the DLC and complete PA TRM Lighting Form.	\$46,521	13	\$8,860	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
LED Exit Signs	Per Product	No	Replacement of existing incandescent or fluorescent exit signs with a new LED exit sign.	\$55	15	\$21	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
HVAC Systems	Per Product	No	This measure excludes water source, ground source, and groundwater source heat pump measures that are covered in the Water Source and Geothermal Heat Pumps measure. All HVAC applications other than comfort cooling and heating, such as process cooling, are ineligible for this measure.	\$194	15	\$441	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Electric Chillers	Per Product	No	Installation of high efficiency electric chillers that exceed the minimum performance allowed by the current PA Energy Code.	\$4,021	15	\$1,890	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Water Source and Geothermal Heat Pumps	Per Product	No	High-efficiency groundwater source, water source, or ground source heat pump system that exceeds the energy efficiency requirements of the IECC 2015, Table 403.2.3(1).	\$52,603	15	\$111	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Ductless mini-split heat pumps < 5.4 tons	Per Product	No	<5.4 tons, ENERGY STAR with inverter technology.	\$2,313	15	\$379	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

² PPL Electric Utilities does not pay incentives on a per unit basis, but rather on a cents per kWh/yr and/or dollars per kW basis.

³ Note that incentive rates may vary due to availability of program funds and/or changes made to encourage participation in a certain measure.

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
ENERGY STAR Room A/C	Per Product	No	ENERGY STAR	-\$65	9	\$3	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Guest Room Occupancy Sensor controls	Per Ton	No	Guest rooms that are equipped with energy management thermostats replacing manual heating/cooling temperature set-point and fan On/Off/Auto thermostat controls.	\$180	15	\$3 4	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Economizer controls	Per Control	No	Adding an economizer and dual enthalpy (differential) control to an HVAC unit with no economizer installers or with a non-functional/disabled economizer.	\$1,421	10	\$973	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
VFD Improvements	Per Control	No	A motor with a VFD control replacing a motor without a VFD control.	\$2,607	15	\$ 1,282	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ECM Circulating fan	Per Product	No	Circulating fan motors of 1 HP or less with a baseline SP or PSC evaporator fan motor in an air handling unit.	\$417	15	\$3 4	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
VSD on Kitchen Exhaust Fan	Per Fan	No	The energy efficient condition is a kitchen ventilation system equipped with a VSD and demand ventilation controls and sensors. The baseline equipment is kitchen ventilation that has a constant speed ventilation motor.	\$2,296	15	\$ 216	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Refrigeration/Freezer Cases	Per Product	No	ENERGY STAR. Eligible refrigerators and freezers are self-contained with vertical-closed transparent or solid doors.	\$853	12	\$39	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High efficiency evaporator fan motors for walk in or reach in cases	Per Product	No	Replacement of existing SP evaporator fan motors or PSC motors in walk-in or reach-in refrigerated display cases with ECM or PMS motor.	\$343	15	\$40	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Evaporator Fan controllers	Per Control	No	Installation of evaporator fan controls in medium- temperature walk-in or reach-in coolers and low temperature walk-in or reach-in freezers.	\$563	15	\$71	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Anti-sweat heater controls	Per Control	No	Adding controls to glass door cooler or refrigerator with uncontrolled heaters utilizing either ON/OFF or micro pulse controls.	\$1,051	12	\$221	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Variable speed refrigeration compressor	Per Horsepower	No	VSD control system replacing a slide valve control system in existing commercial refrigeration systems.	\$85	15	\$16	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Strip curtains for walk-in freezers and coolers	Per Door	No	Install or retrofit strip curtains in commercial walk-in cooler and freezer doors. Strip curtains must be at least 0.06 inches thick.	\$359	4	\$676	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Night covers for display cases	Per Foot	No	Install on existing open-type refrigerated display cases, where covers are deployed during the facility's unoccupied hours.	\$42	5	\$3	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Auto door closers	Per Product	No	Retrofit doors not equipped with auto-closers and assume the doors have strip curtain for walk-in coolers and freezers. The auto-closer must be able to firmly close the door when it is within one inch of full closure. Walk-in door perimeter must be ≥ 16 feet.	\$498	8	\$96	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Door gaskets for walk-in and reach-in coolers and freezers	Per Door	No	Replace worn-out gaskets with new better-fitting gaskets.	\$98	4	\$18	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Low or No anti-sweat heat for reach-in freezers and coolers	Per Door	No	Install a no-heat/low-heat clear glass door on an upright display case. Limited to door heights of 57 inches or more. Doors must have either heat reflective treated glass, be gas filled, or both.	\$1,213	12	\$37	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Refrigerated Display cases with doors replacing open cases	Per Foot	No	A new, vertical case with no sweat doors that meets federal standard requirements.	\$449	12	\$28	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Adding doors to existing refrigerated display cases	Per Foot	No	Retrofit existing vertical open display cases with zero heat doors.	\$521	12	\$31	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Ice machines	Per Product	No	ENERGY STAR	\$378	8	\$127	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Beverage machine controls	Per Product	No	Added to non-ENERGY STAR machines.	\$180	5	\$99	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Office equipment	Per Product	No	ENERGY STAR	\$10	6	\$7	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Cycling refrigerated thermal mass dryer	Per Horsepower	No	Baseline: non-cycling (e.g., continuous) air dryer with a capacity of 600 cfm or below. The replacement of desiccant, deliquescent, heat-of-compression, membrane, or other types of dryers does not qualify under this measure.	\$24	10	\$4	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
No-loss condensate drains	Per Product	No	Retrofit existing timed drained system with new noloss condensate drains.	\$194	5	\$167	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Variable speed drive air compressor	Per Horsepower	No	Install or retrofit a single VSD unit less than 40 HP with variable speed control.	\$191	13	\$59	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High efficiency ventilation fans with and w/o thermostats	Per Product	No	Agricultural Application: Installation of high efficiency ventilation fans where standard efficiency ventilation fans are replaced and/or the installation of a thermostat controlling either new efficient fans or existing fans.	\$175	15	\$31	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
VSD Controller on dairy vacuum pumps	Per Product	No	Agricultural Application: Installation of a VSD and controls on dairy vacuum pumps, or the purchase of dairy vacuum pumps with variable speed capability.	\$5,120	15	\$663	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Lighting Improvements for Midstream	Per Fixture	No	Products must meet the minimum requirements of ENERGY STAR or the DLC and complete PA TRM Lighting Form.	\$77	15	\$76	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Lighting Improvements for Midstream	Per Bulb	No	Products must meet the minimum requirements of ENERGY STAR or the DLC and complete PA TRM Lighting Form.	\$6	15	\$ 4	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
HVAC Systems Midstream	Per Product	No	This measure excludes water source, ground source, and groundwater source heat pump measures that are covered in the Water Source and Geothermal Heat Pumps measure. All HVAC applications other than comfort cooling and heating, such as process cooling, are ineligible for this measure.	\$194	15	\$561	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Ductless mini-split heat pumps < 5.4 tons Midstream	Per Product	No	<5.4 tons, ENERGY STAR with inverter technology.	\$2,313	15	\$482	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Ice machines Midstream	Per Product	No	ENERGY STAR	\$378	8	\$162	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial fryer Midstream	Per Product	No	ENERGY STAR	\$1,038	12	\$220	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial hot food	Per Product	No	ENERGY STAR	\$895	12	\$155	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
holding cabinet Midstream							
High efficiency ventilation fans with and w/o thermostats Midstream	Per Product	No	Agricultural Application: Installation of high efficiency ventilation fans where standard efficiency ventilation fans are replaced and/or the installation of a thermostat controlling either new efficient fans or existing fans.	\$175	15	\$40	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
VSD Controller on dairy vacuum pumps Midstream	Per Product	No	Agricultural Application: Installation of a VSD and controls on dairy vacuum pumps, or the purchase of dairy vacuum pumps with variable speed capability.	\$5,120	15	\$8 44	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Adding doors to existing refrigerated display cases Direct Discount	Per Foot	No	Retrofit existing vertical open display cases with zero heat doors.	\$521	12	\$39	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Air tanks for Load/No load compressors Direct Discount	Per Horsepower	No	Minimum storage ratio of 4 gallons per cfm.	\$80	15	\$33	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Air-entraining air nozzle Direct Discount	Per Product	No	Replace non-air entraining air nozzle (open copper tube of 1/8-inch or 1/4-inch orifice diameter) with an energy efficient air-entraining air nozzle that uses less than 15 cfm at 100 psi for industrial applications.	\$89	15	\$183	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Anti-sweat heater controls Direct Discount	Per Control	No	Adding controls to glass door cooler or refrigerator with uncontrolled heaters utilizing either ON/OFF or micro pulse controls.	\$1,051	12	\$273	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Auto door closers Direct Discount	Per Product	No	Retrofit doors not equipped with auto-closers, and assume the doors have strip curtain for walk-in coolers and freezers. The auto-closer must be able to firmly close the door when it is within one inch of full closure. The walk-in door perimeter must be ≥ 16 feet.	\$498	8	\$119	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Beverage machine controls Direct Discount	Per Product	No	Added to non-ENERGY STAR machines.	\$180	5	\$122	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Compressed air controller Direct Discount	Per Horsepower	No	The baseline condition is having no existing pressure/flow controller and an existing compressed air system with a total compressor motor capacity ≥ 40 hp. This measure requires a minimum storage of 3gal/cfm.	\$27	15	\$16	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Compressed air low pressure drop filters Direct Discount	Per Horsepower	No	The baseline condition is a standard coalescing filter with a pressure drop of 3 psi when new and 5 psi or more at element change. The efficient condition is a low pressure drop filter with pressure drop not exceeding 1 psi when new and 3 psi at element change.	\$10	10	\$3	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Compressed air mist eliminators Direct Discount	Per Horsepower	No	The compressed air system must be greater than 50 HP to qualify, and the mist eliminator must have less than a 1 psig pressure drop and replace a coalescing filter.	\$22	5	\$7	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Cycling refrigerated thermal mass dryer Direct Discount	Per Horsepower	No	Baseline: non-cycling (e.g., continuous) air dryer with a capacity of 600 cfm or below. The replacement of desiccant, deliquescent, heat-of-compression, membrane, or other types of dryers does not qualify under this measure.	\$24	10	\$5	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Economizer controls Direct Discount	Per Control	No	Adding an economizer and dual enthalpy (differential) control to an HVAC unit with no economizer installers or with a non-functional/disabled economizer.	\$1,421	10	\$ 1,202	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Evaporator Fan controllers Direct Discount	Per Control	No	Installation of evaporator fan controls in medium- temperature walk-in or reach-in coolers and low temperature walk-in or reach-in freezers.	\$563	15	\$88	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High efficiency evaporator fan motors for walk in or reach in cases Direct Discount	Per Product	No	Replacement of existing SP evaporator fan motors or PSC motors in walk-in or reach-in refrigerated display cases with an ECM or a PMS motor.	\$343	15	\$ 49	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
LED Refrigeration Display Case Lighting Direct Discount	Per Door	No	Installation of LED case lighting with or without motion sensors on existing refrigerators, coolers, and freezers - specifically on vertical displays.	\$51	8	\$40	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Lighting Controls Direct Discount	Per kW Controlled	No	Lighting controls turn lights on and off automatically, which are activated by time, light, motion, or sound.	\$387	8	\$77	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Lighting Improvements Direct Discount	Per Project	No	Products must meet the minimum requirements of ENERGY STAR or the DLC and complete PA TRM Lighting Form.	\$46,521	13	\$9,590	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Low Flow Pre-rinse Sprayers Direct Discount	Per Product	No	Efficient low flow pre-rinse sprayers that use less than 1.6 gallons of water per minute. Only applicable to premises with electric water heating.	\$124	8	\$89	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
No-loss condensate drains Direct Discount	Per Product	No	Retrofit existing timed drained system with new noloss condensate drains.	\$194	5	\$207	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Refrigerated case light occupancy sensors Direct Discount	Per Watt Controlled	No	Installation of motion-based lighting controls that allow the LED case lighting to be dimmed or turned off completely during unoccupied conditions.	\$1	8	\$0	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Strip curtains for walk-in freezers and coolers Direct Discount	Per Door	No	Install or retrofit strip curtains in commercial walk-in cooler and freezer doors. Strip curtains must be at least 0.06 inches thick.	\$359	4	\$835	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Variable speed drive air compressor Direct Discount	Per Horsepower	No	Install or retrofit a single VSD unit less than 40 HP with variable speed control.	\$191	13	\$73	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Variable speed refrigeration compressor Direct Discount	Per Horsepower	No	VSD control system replacing a slide valve control system in existing commercial refrigeration systems.	\$85	15	\$20	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Lighting Improvements Direct Install	Per Project	No	Products must meet the minimum requirements of ENERGY STAR or the DLC and complete PA TRM Lighting Form.	\$186	13	\$186	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Low Flow Pre-rinse Sprayers Direct Install	Per Product	No	Efficient low flow pre-rinse sprayers that use less than 1.6 gallons of water per minute. Only applicable to premises with electric water heating.	\$72	8	\$72	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Lighting Controls	Per kW Controlled	No	Lighting controls turn lights on and off automatically, which are activated by time, light, motion, or sound.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
LED Channel Signage	Per Foot	No	Replacement of neon and/or incandescent channel letter signs with efficient LED channel letter signs. Replacement signs cannot use more than 20% of the actual input power of the sign that is replaced.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
LED Refrigeration Display Case Lighting	Per Door	No	Installation of LED case lighting with or without motion sensors on existing refrigerators, coolers, and freezers - specifically on vertical displays.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Fuel Switching	Per Product	No	Must replace electric equipment with ENERGY STAR certified natural gas, propane, or fuel oil equipment.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Computer room A/C	Per Product	No	Newly installed computer room air conditioner systems that exceed the baseline efficiencies (in SCOP) outlined in Table 3-56 of the current PA TRM.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Computer room A/C EC fans	Per Product	No	Installation of EC plug fans in CRAC and CRAH units.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Computer room VFD on fans	Per Horsepower	No	Installation of a VSD to control AC fan motors in CRAC and CRAH units.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Circulation Fan: High Volume Low Speed	Per Product	No	Installation of HVLS fans (diameters ranging from 8 to 24 feet) replacing conventional circulating fans. Commercial and industrial applications only.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Premium Efficiency Motors	Per Horsepower	No	Replacement of old motors with new energy efficient motors of the same rated HP.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ECM Circulator Pump	Per Pump	No	An ECM or BPM circulator pump replacing single- speed induction motor circulator pumps in space heating and hot water applications.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High Efficiency Pumps	Per Horsepower	No	Compliant pumps will achieve a PEI of 1.0 or less. All pumps manufactured after January 27, 2020 must comply with the DOE's energy conservation standard as described in 10 CFR 431 Subpart Y.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Heat Pump Water Heaters	Per Product	No	Installation of a heat pump water heater instead of a code minimum electric water heater.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Low Flow Pre-rinse Sprayers	Per Product	No	Efficient low flow pre-rinse sprayers that use less than 1.6 gallons of water per minute. Only applicable to premises with electric water heating.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Fuel Switching: electric water heaters to gas/propane	Per Product	No	Must replace electric water heater with ENERGY STAR certified natural gas or propane equipment.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Floating head pressure controls	Per Control	No	Adding FHPCs to a refrigeration system. FHPCs must have a minimum SCT programmed for the floating head pressure control of ≤ 70 °F. The use of FHPC would require balanced-port expansion valves, allowing satisfactory refrigerant flow over a range of head pressures. The compressor must be 1 HP or larger.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Evaporator coil defrost controls	Per Evaporator Unit	No	Adding defrost controls to existing walk-in coolers or freezers without defrost controls.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Suction pipe insulation for walk-in coolers and freezers	Per Foot	No	Insulate bare refrigeration suction pipes for walk-in coolers and freezers according to the current PA TRM requirements.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Air cooled refrigeration condenser	Per Ton	No	Installing an efficient, close-approach air-cooled refrigeration condenser that meets the current PA TRM requirements.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Refrigerated case light occupancy sensors	Per Watt Controlled	No	Installation of motion-based lighting controls that allow the LED case lighting to be dimmed or turned off completely during unoccupied conditions.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Refrigeration economizers	Per Compressor Horsepower	No	Economizers installed on a walk-in refrigeration system.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Clothes washer	Per Product	No	ENERGY STAR, installed in commercial laundromats or multifamily complex laundry rooms.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR bathroom ventilation fan	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Snack machine controls	Per Product	No	Added to non-ENERGY STAR, non-refrigerated machines.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Electric steam cooker	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Combination oven	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial convection oven	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial fryer	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial hot food holding cabinet	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
ENERGY STAR Commercial Dishwasher	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial Griddle	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Wall and Ceiling Insulation	Per SQFT	No	Applies to buildings that are heated and/or cooled using electricity. Existing construction buildings are required to meet or exceed the code requirement. New construction buildings must exceed the code requirement.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Office Equipment - Network power management enabling	Per Workstation	No	Applicable to any software that manages workstations in a networked environment that meets the current PA TRM requirements.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Advanced power strips	Per Workstation	No	Installation of an Advanced Power Strip.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Servers	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Server virtualization	Per Product	No	Servers must be consolidated to increase utilization of the remaining servers, and the virtualized servers must be either a) removed or b) physically disconnected from power.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Air-entraining air nozzle	Per Product	No	Replace non-air entraining air nozzle (open copper tube of 1/8-inch or 1/4-inch orifice diameter) with an energy efficient air-entraining air nozzle that uses less than 15 cfm at 100 psi for industrial applications.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Air tanks for Load/No load compressors	Per Horsepower	No	Minimum storage ratio of 4 gallons per cfm.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Compressed air controller	Per Horsepower	No	The baseline condition is having no existing pressure/flow controller and an existing compressed air system with a total compressor motor capacity ≥ 40 hp. This measure requires a minimum storage of 3gal/cfm.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Compressed air low pressure drop filters	Per Horsepower	No	The baseline condition is a standard coalescing filter with a pressure drop of 3 psi when new and 5 psi or more at element change. The efficient condition is a low pressure drop filter with pressure drop not exceeding 1 psi when new and 3 psi at element change.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Compressed air mist eliminators	Per Horsepower	No	The compressed air system must be greater than 50 HP to qualify, and the mist eliminator must have less than a 1 psig pressure drop and replace a coalescing filter.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High efficiency transformer	Per Product	No	Transformers more efficient than the federal standard.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Engine block heat timer	Per Product	No	Agricultural Application: Installation of a timer on an engine block heater.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High frequency battery chargers	Per Product	No	The baseline equipment is a SCR or ferroresonant battery charger system with minimum 8-hour shift operation five days per week. The energy efficient equipment is a high frequency battery charger system with a minimum power conversion efficiency of 90% and 8-hour shift operation five days per week.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Automatic Milker takeoffs	Per Cow	No	Agricultural Application: Automatic milker take-offs that determine milking end time, and the vacuum pump system serving the impacted milking units must be equipped with a variable speed drive.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Dairy scroll compressors	Per Product	No	Agricultural Application: Installation of a scroll compressor to replace an existing reciprocating compressor or to be installed in a new construction application.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Heat reclaimers	Per Product	No	Agricultural Application: Installation of heat recovery equipment on dairy parlor milk refrigeration systems to heat hot water. This measure only applies to dairy parlors with electric water heating equipment.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
High Volume Low Speed fans	Per Product	No	Agricultural Application: Installation of HVLS fans to replace conventional circulating fans. HVLS fans are a minimum of 16 feet long in diameter.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
Livestock waterer	Per Product	No	Agricultural Application: Thermostatically controlled with 2-inches or more of factory-installed insulation.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Low pressure irrigation system	Per Acre	No	Agricultural Application: Replace systems operating on 50% or less than existing system pressure.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
New Construction Lighting	Per SQFT	No	Eligible lighting equipment and fixture/lamp types include fluorescent fixtures (lamps and ballasts), compact fluorescent lamps, HID lamps, interior and exterior LED lamps and fixtures, CCFLs, induction lamps, and lighting controls.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Electric steam cooker Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Combination oven Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial convection oven Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial Dishwasher Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
ENERGY STAR Commercial Griddle Midstream	Per Product	No	ENERGY STAR	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Automatic Milker takeoffs Midstream	Per Cow	No	Agricultural Application: Automatic milker take-offs that determine milking end time, and the vacuum pump system serving the impacted milking units must be equipped with a variable speed drive.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Dairy scroll compressors Midstream	Per Product	No	Agricultural Application: Installation of a scroll compressor to replace an existing reciprocating compressor or to be installed in a new construction application.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Heat reclaimers Midstream	Per Product	No	Agricultural Application: Installation of heat recovery equipment on dairy parlor milk refrigeration systems to heat hot water. This measure only applies to dairy parlors with electric water heating equipment.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{2,3}
High Volume Low Speed fans Midstream	Per Product	No	Agricultural Application: Installation of HVLS fans to replace conventional circulating fans. HVLS fans are a minimum of 16 feet long in diameter.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Livestock waterer Midstream	Per Product	No	Agricultural Application: Thermostatically controlled with 2-inches or more of factory-installed insulation.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Door gaskets for walk-in and reach-in coolers and freezers Direct Discount	Per Door	No	Replace worn-out gaskets with new better-fitting gaskets.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Evaporator coil defrost controls Direct Discount	Per Evaporator Unit	No	Adding defrost controls to existing walk-in coolers or freezers without defrost controls.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
LED Exit Signs Direct Discount	Per Product	No	Early replacement of existing incandescent or fluorescent exit signs with a new LED exit sign.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Night covers for display cases Direct Discount	Per Foot	No	Install on existing open-type refrigerated display cases, where covers are deployed during the facility's unoccupied hours.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Snack machine controls Direct Discount	Per Product	No	Added to non-ENERGY STAR, non-refrigerated machines.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Suction pipe insulation for walk-in coolers and freezers Direct Discount	Per Foot	No	Insulate bare refrigeration suction pipes for walk-in coolers and freezers according to the current PA TRM requirements.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

¹ All eligible measures are listed in this table regardless of participation projections. N/A indicates measure may be offered in future program years but not at the launch of Phase IV.

² PPL Electric Utilities does not pay incentives on a per unit basis, but rather on a cents per kWh/yr and/or dollars per kW basis.

³ Note that incentive rates may vary due to availability of program funds and/or changes made to encourage participation in a certain measure.

All measures may not be available at all times. PPL Electric Utilities may suspend a measure depending on popularity, pace of the component savings and costs, free ridership, evaluation requirements, complexity of the information required from customers, administrative requirements for the measure, or other reasons. PPL Electric Utilities will review the component continually and may adjust available measures or eligibility qualifications to achieve savings and cost budgets.

PPL Electric Utilities may offer tiered incentives that encourage the installation of multiple measures or a more comprehensive whole facility approach. Measures, eligibility requirements, and incentives may change to reflect progress, changes in the TRM, market conditions, or other factors. PPL Electric Utilities shall strive to keep the rebates and per-site caps as consistent as possible while recognizing the need to adjust incentives and caps to control the pace of components within their savings and cost budgets.

PPL Electric Utilities may also implement a minimum TRC requirement for qualifying measures if it is necessary to help ensure the Non-Residential Program or portfolio TRC is greater than 1.0. PPL Electric Utilities will notify customers, trade allies, and stakeholders at least 60 days before the effective date of this TRC requirement or a subsequent change in the TRC requirement. Any TRC requirement would be in effect for new applications submitted after the effective date.

Deadline for Rebate Applications

The rebate application website and portal will state the deadline for final submission. The deadline will not exceed 180 days from the date the measure was installed. For some measures, PPL Electric Utilities will allow customers to request project preapproval to lock in the stipulated incentive level and guarantee the funding. PPL Electric Utilities will require preapproval for some non-custom measures or specific customer sectors to allow sufficient time to identify budget commitments and reduce the likelihood of exceeding budgets for the component or customer sectors. PPL Electric Utilities reserves the right to waive the preapproval requirement with 60 days' notice to customers, trade allies and stakeholders.

Start Date with Key Schedule Milestones

<u>Table 43Table 43</u> lists the estimated key schedule milestones for the Efficient Equipment component. PPL Electric Utilities will lead implementation or provide management oversight of all tasks.

ScheduleMilestones11/30/2020Phase IV EE&C Plan submitted to Pa PUC06/01/2021Launch Phase IV componentAnnually starting 01/15/2022EDCs submit semiannual program reportAnnually starting 09/30/2022EDCs submit final annual program report05/31/2026Program ends

Table 43. Efficient Equipment Component Schedule and Milestones

Evaluation, Measurement, and Verification

The EM&V requirements will be detailed in PPL Electric Utilities' Evaluation Plan, which will be submitted to the SWE for review. PPL Electric Utilities and its EM&V CSP will conduct annual evaluations of each component in compliance with all Pa PUC requirements and the Evaluation Framework. As part of this process, the EM&V CSP will review a sample of participant rebate applications and Non-Residential CSP records to verify quantity, efficiency level, and qualifying equipment. The EM&V CSP will follow all applicable methods in the TRM and the Evaluation Framework to calculate energy savings and peak demand reduction.

For the Non-Residential Efficient Equipment component, PPL Electric Utilities anticipates conducting annual impact and process evaluations (activities vary by year).

The EM&V CSP will develop an evaluation plan and sampling protocol that fits the Efficient Equipment component and all associated delivery channels. The EM&V CSP will review a sample of participant and Non-Residential CSP records to verify quantity, efficiency level, and qualifying equipment. On-site assessment may be included as a verification activity.

Administrative Requirements

The Non-Residential CSP will administer and provide operational management of the Efficient Equipment component. PPL Electric Utilities will provide oversight and operational support to establish effective deployment.

Estimated Participation

<u>Table 44Table 44</u> and <u>Table 45Table 45</u>Table 45 show the order of magnitude participation estimates for Large and Small C&I Efficient Equipment. Actual quantities will vary, and PPL Electric Utilities will manage the component to stay within budget.

Table 44. Pa PUC Table 8-Large C&I Efficient Equipment Projected Participation ¹

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	46,451	46,451	44,128	41,806	41,341	220,177
Lighting Improvements	Demand Reduction (MW)	6.720	6.720	6.384	6.048	5.981	31.854
	Projected Participation	445	445	423	401	396	2,111
	Energy Savings (MWh/year)	10	10	10	9	9	50
LED Exit Signs	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	0.006
	Projected Participation	42	42	40	38	38	201
	Energy Savings (MWh/year)	421	421	421	421	421	2,107
HVAC Systems	Demand Reduction (MW)	0.084	0.084	0.084	0.084	0.084	0.422
	Projected Participation	83	83	83	83	83	415

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	11	11	11	11	11	53
Electric Chillers	Demand Reduction (MW)	0.008	0.008	0.008	0.008	0.008	0.040
	Projected Participation	0.5	0.5	0.5	0.5	0.5	2.4
Water Source and	Energy Savings (MWh/year)	0.5	0.5	0.5	0.5	0.5	2.5
Geothermal Heat Pumps	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0004
Tamps	Projected Participation	0.4	0.4	0.4	0.4	0.4	1.9
	Energy Savings (MWh/year)	49	49	49	49	49	244
Ductless mini-split heat pumps < 5.4 tons	Demand Reduction (MW)	0.005	0.005	0.005	0.005	0.005	0.023
	Projected Participation	11	11	11	11	11	56
	Energy Savings (MWh/year)	1	1	1	1	1	4
ENERGY STAR Room A/C	Demand Reduction (MW)	0.002	0.002	0.002	0.002	0.002	0.008
	Projected Participation	21	21	21	21	21	105
	Energy Savings (MWh/year)	82	82	82	82	82	412
Guest Room Occupancy Sensor controls	Demand Reduction (MW)	0.015	0.015	0.015	0.015	0.015	0.073
	Projected Participation	210	210	210	210	210	1,048
	Energy Savings (MWh/year)	26	26	26	26	26	130
Economizer controls	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	2	2	2	2	2	12
	Energy Savings (MWh/year)	365	365	365	365	365	1,825
VFD Improvements	Demand Reduction (MW)	0.033	0.033	0.033	0.033	0.033	0.167
	Projected Participation	25	25	25	25	25	124
	Energy Savings (MWh/year)	3	3	3	3	3	17
ECM Circulating fan	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	0.006
	Projected Participation	8	8	8	8	8	42
	Energy Savings (MWh/year)	2	2	2	2	2	11
VSD on Kitchen Exhaust Fan	Demand Reduction (MW)	0.0003	0.0003	0.0003	0.0003	0.0003	0.0014
	Projected Participation	1	1	1	1	1	4

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
ENERGY STAR	Energy Savings (MWh/year)	3	3	4	4	4	18
Refrigeration/Freezer Cases	Demand Reduction (MW)	0.0003	0.0004	0.0004	0.0005	0.0005	0.0022
Cases	Projected Participation	6	7	8	9	9	40
High efficiency	Energy Savings (MWh/year)	99	118	128	138	148	632
evaporator fan motors for walk in or reach in	Demand Reduction (MW)	0.012	0.015	0.016	0.017	0.018	0.077
cases	Projected Participation	215	258	279	301	322	1,376
	Energy Savings (MWh/year)	2	2	2	2	2	11
Evaporator Fan controllers	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	0.003
	Projected Participation	3	3	3	3	3	13
	Energy Savings (MWh/year)	14	17	18	19	21	88
Anti-sweat heater controls	Demand Reduction (MW)	0.002	0.002	0.002	0.002	0.002	0.010
	Projected Participation	5	7	7	8	8	35
	Energy Savings (MWh/year)	0.01	0.01	0.01	0.01	0.01	0.06
Variable speed refrigeration compressor	Demand Reduction (MW)	0.000001	0.000002	0.000002	0.000002	0.000002	0.000008
compressor	Projected Participation	0.0	0.1	0.1	0.1	0.1	0.3
	Energy Savings (MWh/year)	1	1	1	2	2	7
Strip curtains for walk- in freezers and coolers	Demand Reduction (MW)	0.0002	0.0002	0.0002	0.0002	0.0002	0.0010
	Projected Participation	0.1	0.2	0.2	0.2	0.2	0.9
	Energy Savings (MWh/year)	0.002	0.002	0.002	0.002	0.003	0.011
Night covers for display cases	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	0.0	0.1	0.1	0.1	0.1	0.3
	Energy Savings (MWh/year)	0.3	0.3	0.3	0.4	0.4	1.7
Auto door closers	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0002	0.0006
	Projected Participation	0.2	0.3	0.3	0.3	0.4	1.6
Door gaskets for walls in	Energy Savings (MWh/year)	0.2	0.2	0.2	0.2	0.2	1.0
Door gaskets for walk-in and reach-in coolers and freezers	Demand Reduction (MW)	0.00002	0.00003	0.00003	0.00003	0.00003	0.00014
and neezers	Projected Participation	1	1	1	1	1	5

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	0.0	0.1	0.1	0.1	0.1	0.3
Low or No anti-sweat heat for reach-in freezers and coolers	Demand Reduction (MW)	0.00001	0.00001	0.00001	0.00001	0.00001	0.00003
Treezers and coolers	Projected Participation	0.1	0.1	0.1	0.1	0.1	0.6
Defrigerated Display	Energy Savings (MWh/year)	0.3	0.3	0.3	0.4	0.4	1.6
Refrigerated Display cases with doors replacing open cases	Demand Reduction (MW)	0.00003	0.00004	0.00004	0.00004	0.00005	0.00020
replacing open cases	Projected Participation	1	1	1	1	1	5
Adding doors to existing	Energy Savings (MWh/year)	0	1	1	1	1	3
Adding doors to existing refrigerated display cases	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0003
Cases	Projected Participation	1	1	2	2	2	7
	Energy Savings (MWh/year)	2	2	2	3	3	12
ENERGY STAR Ice machines	Demand Reduction (MW)	0.000	0.000	0.001	0.001	0.001	0.003
	Projected Participation	1	2	2	2	2	8
	Energy Savings (MWh/year)	0.1	0.1	0.1	0.1	0.1	0.4
Beverage machine controls	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	0.0	0.1	0.1	0.1	0.1	0.3
	Energy Savings (MWh/year)	0.5	0.5	0.5	0.5	0.5	2.4
ENERGY STAR Office equipment	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0003
	Projected Participation	6	6	6	6	6	30
	Energy Savings (MWh/year)	0.03	0.03	0.03	0.03	0.03	0.16
Cycling refrigerated thermal mass dryer	Demand Reduction (MW)	0.00001	0.00001	0.00001	0.00001	0.00001	0.00003
	Projected Participation	1	1	1	1	1	3
	Energy Savings (MWh/year)	3	3	3	3	3	14
No-loss condensate drains	Demand Reduction (MW)	0.0005	0.0005	0.0005	0.0005	0.0005	0.0024
	Projected Participation	1	1	1	1	1	7
	Energy Savings (MWh/year)	0.3	0.3	0.3	0.3	0.3	1.5
Variable speed drive air compressor	Demand Reduction (MW)	0.00005	0.00005	0.00005	0.00005	0.00005	0.00024
	Projected Participation	0.4	0.4	0.4	0.4	0.4	2.2

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	0.3	0.3	0.3	0.3	0.3	1.6
High efficiency ventilation fans with and w/o thermostats	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0003
and w/o thermostats	Projected Participation	1	1	1	1	1	4
	Energy Savings (MWh/year)	2	2	2	2	2	11
VSD Controller on dairy vacuum pumps	Demand Reduction (MW)	0.0003	0.0003	0.0003	0.0003	0.0003	0.0017
	Projected Participation	0.3	0.3	0.3	0.3	0.3	1.5
	Energy Savings (MWh/year)	5,709	5,713	5,427	5,142	5,085	27,077
Lighting Improvements for Midstream	Demand Reduction (MW)	1.064	1.065	1.012	0.959	0.948	5.047
	Projected Participation	6,521	6,525	6,199	5,874	5,808	30,927
	Energy Savings (MWh/year)	309	309	294	278	275	1,465
Lighting Improvements for Midstream	Demand Reduction (MW)	0.063	0.063	0.060	0.056	0.056	0.297
	Projected Participation	6,521	6,525	6,199	5,874	5,808	30,927
	Energy Savings (MWh/year)	136	271	339	339	339	1,423
HVAC Systems Midstream	Demand Reduction (MW)	0.024	0.047	0.059	0.059	0.059	0.247
	Projected Participation	21	42	52	52	52	220
Duetless wie onlit best	Energy Savings (MWh/year)	28	57	71	71	71	297
Ductless mini-split heat pumps < 5.4 tons Midstream	Demand Reduction (MW)	0.002	0.005	0.006	0.006	0.006	0.024
wiiusti earri	Projected Participation	5	10	13	13	13	54
	Energy Savings (MWh/year)	1	1	1	1	1	4
ENERGY STAR Ice machines Midstream	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0007
	Projected Participation	0.4	0.4	0.4	0.4	0.4	2.2
ENERGY STAR	Energy Savings (MWh/year)	1	1	1	1	1	6
Commercial fryer Midstream	Demand Reduction (MW)	0.0002	0.0002	0.0002	0.0002	0.0002	0.0009
ivilusti calli	Projected Participation	0.4	0.4	0.4	0.4	0.4	2.2
ENERGY STAR Commercial hot food holding cabinet	Energy Savings (MWh/year)	1	1	1	1	1	4
	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0006
Midstream	Projected Participation	0.4	0.4	0.4	0.4	0.4	2.2

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
High efficiency	Energy Savings (MWh/year)	0.2	0.4	0.5	0.5	0.5	1.9
ventilation fans with and w/o thermostats	Demand Reduction (MW)	0.0000	0.0001	0.0001	0.0001	0.0001	0.0003
Midstream	Projected Participation	0	1	1	1	1	4
VCD Controller on dain.	Energy Savings (MWh/year)	1	1	2	2	2	7
VSD Controller on dairy vacuum pumps Midstream Demand Reduc (MW) Projected Participation	Demand Reduction (MW)	0.0001	0.0002	0.0002	0.0002	0.0002	0.0009
	1	0.1	0.1	0.2	0.2	0.2	0.7

¹ To show numerical values in the Pa PUC Table 8 tables, deviation from the standard use of decimals throughout Section 3 may have been applied.

Table 45. Pa PUC Table 8-Small C&I Efficient Equipment Projected Participation ¹

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	46,451	46,451	44,128	41,806	41,341	220,177
Lighting Improvements	Demand Reduction (MW)	6.720	6.720	6.384	6.048	5.981	31.854
	Projected Participation	445	445	423	401	396	2,111
	Energy Savings (MWh/year)	10	10	10	9	9	50
LED Exit Signs	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	0.006
	Projected Participation	42	42	40	38	38	201
	Energy Savings (MWh/year)	421	421	421	421	421	2,107
HVAC Systems	Demand Reduction (MW)	0.084	0.084	0.084	0.084	0.084	0.422
	Projected Participation	83	83	83	83	83	415
	Energy Savings (MWh/year)	11	11	11	11	11	53
Electric Chillers	Demand Reduction (MW)	0.008	0.008	0.008	0.008	0.008	0.040
	Projected Participation	0.5	0.5	0.5	0.5	0.5	2.4
Water Carrier and	Energy Savings (MWh/year)	0.5	0.5	0.5	0.5	0.5	2.5
Water Source and Geothermal Heat Pumps	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0004
	Projected Participation	0.4	0.4	0.4	0.4	0.4	1.9
	Energy Savings (MWh/year)	49	49	49	49	49	244
Ductless mini-split heat pumps < 5.4 tons	Demand Reduction (MW)	0.005	0.005	0.005	0.005	0.005	0.023
	Projected Participation	11	11	11	11	11	56
ENERGY STAR Room A/C	Energy Savings (MWh/year)	1	1	1	1	1	4
LINENGT STAN NOOTH A/C	Demand Reduction (MW)	0.002	0.002	0.002	0.002	0.002	0.008

² Total values may not equal the sum of all program year values due to rounding.

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Projected Participation	21	21	21	21	21	105
Cuest Room Occupancy	Energy Savings (MWh/year)	82	82	82	82	82	412
Guest Room Occupancy Sensor controls	Demand Reduction (MW)	0.015	0.015	0.015	0.015	0.015	0.073
	Projected Participation	210	210	210	210	210	1,048
	Energy Savings (MWh/year)	26	26	26	26	26	130
Economizer controls	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	2	2	2	2	2	12
	Energy Savings (MWh/year)	365	365	365	365	365	1,825
VFD Improvements	Demand Reduction (MW)	0.033	0.033	0.033	0.033	0.033	0.167
	Projected Participation	25	25	25	25	25	124
	Energy Savings (MWh/year)	3	3	3	3	3	17
ECM Circulating fan	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	0.006
	Projected Participation	8	8	8	8	8	42
VSD on Kitchen Exhaust	Energy Savings (MWh/year)	2	2	2	2	2	11
Fan	Demand Reduction (MW)	0.0003	0.0003	0.0003	0.0003	0.0003	0.0014
	Projected Participation	1	1	1	1	1	4
ENERGY STAR	Energy Savings (MWh/year)	3	3	4	4	4	18
Refrigeration/Freezer Cases	Demand Reduction (MW)	0.0003	0.0004	0.0004	0.0005	0.0005	0.0022
	Projected Participation	6	7	8	9	9	40
High efficiency evaporator fan motors	Energy Savings (MWh/year)	99	118	128	138	148	632
for walk in or reach in cases	Demand Reduction (MW)	0.012	0.015	0.016	0.017	0.018	0.077
	Projected Participation	215	258	279	301	322	1,376
Evaporator Fan	Energy Savings (MWh/year)	2	2	2	2	2	11
controllers	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	0.003
	Projected Participation	3	3	3	3	3	13
Anti-sweat heater	Energy Savings (MWh/year)	14	17	18	19	21	88
controls	Demand Reduction (MW)	0.002	0.002	0.002	0.002	0.002	0.010
	Projected Participation	5	7	7	8	8	35
Variable speed	Energy Savings (MWh/year)	0.01	0.01	0.01	0.01	0.01	0.06
refrigeration compressor	Demand Reduction (MW)	0.000001	0.000002	0.000002	0.000002	0.000002	0.000008
	Projected Participation	0.0	0.1	0.1	0.1	0.1	0.3
Strip curtains for walk-in freezers and coolers	Energy Savings (MWh/year)	1	1	1	2	2	7

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Demand Reduction (MW)	0.0002	0.0002	0.0002	0.0002	0.0002	0.0010
	Projected Participation	0.1	0.2	0.2	0.2	0.2	0.9
Nicha come for disclos	Energy Savings (MWh/year)	0.002	0.002	0.002	0.002	0.003	0.011
Night covers for display cases	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	0.0	0.1	0.1	0.1	0.1	0.3
	Energy Savings (MWh/year)	0.3	0.3	0.3	0.4	0.4	1.7
Auto door closers	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0002	0.0006
	Projected Participation	0.2	0.3	0.3	0.3	0.4	1.6
Door gaskets for walk-in	Energy Savings (MWh/year)	0.2	0.2	0.2	0.2	0.2	1.0
and reach-in coolers and freezers	Demand Reduction (MW)	0.00002	0.00003	0.00003	0.00003	0.00003	0.00014
	Projected Participation	1	1	1	1	1	5
Low or No anti-sweat	Energy Savings (MWh/year)	0.0	0.1	0.1	0.1	0.1	0.3
heat for reach-in freezers and coolers	Demand Reduction (MW)	0.00001	0.00001	0.00001	0.00001	0.00001	0.00003
	Projected Participation	0.1	0.1	0.1	0.1	0.1	0.6
Refrigerated Display	Energy Savings (MWh/year)	0.3	0.3	0.3	0.4	0.4	1.6
cases with doors replacing open cases	Demand Reduction (MW)	0.00003	0.00004	0.00004	0.00004	0.00005	0.00020
	Projected Participation	1	1	1	1	1	5
Adding doors to existing	Energy Savings (MWh/year)	0	1	1	1	1	3
refrigerated display cases	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0003
	Projected Participation	1	1	2	2	2	7
ENERGY STAR Lee	Energy Savings (MWh/year)	2	2	2	3	3	12
ENERGY STAR Ice machines	Demand Reduction (MW)	0.000	0.000	0.001	0.001	0.001	0.003
	Projected Participation	1	2	2	2	2	8
	Energy Savings (MWh/year)	0.1	0.1	0.1	0.1	0.1	0.4
Beverage machine controls	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	0.0	0.1	0.1	0.1	0.1	0.3
ENEDOVICTATIONS	Energy Savings (MWh/year)	0.5	0.5	0.5	0.5	0.5	2.4
ENERGY STAR Office equipment	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0003
	Projected Participation	6	6	6	6	6	30

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	0.03	0.03	0.03	0.03	0.03	0.16
Cycling refrigerated thermal mass dryer	Demand Reduction (MW)	0.00001	0.00001	0.00001	0.00001	0.00001	0.00003
	Projected Participation	1	1	1	1	0.03 0.00001 1 3 0.00005 1 0.3 0.00005 0.4 0.3 0.00001 1 2 0.0003 0.3 14,182 2.644 16,198 767 0.156 16,198 678 0.118 105 142 0.0011	3
	Energy Savings (MWh/year)	3	3	3	3	3	14
No-loss condensate drains	Demand Reduction (MW)	0.0005	0.0005	0.0005	0.0005	0.0005	0.0024
	Projected Participation	1	1	1	1	1	7
	Energy Savings (MWh/year)	0.3	0.3	0.3	0.3	0.3	1.5
Variable speed drive air compressor	Demand Reduction (MW)	0.00005	0.00005	0.00005	0.00005	0.00005	0.00024
	Projected Participation	0.4	0.4	0.4	0.4	0.4	2.2
High efficiency	Energy Savings (MWh/year)	0.3	0.3	0.3	0.3	0.3	1.6
ventilation fans with and w/o thermostats	Demand Reduction (MW)	0.0001	0.0001	0.0001	0.0001	0.0001	0.0003
	Projected Participation	1	1	1	1	1	4
	Energy Savings (MWh/year)	2	2	2	2	2	11
VSD Controller on dairy vacuum pumps	Demand Reduction (MW)	0.0003	0.0003	0.0003	0.0003	0.0003	0.0017
	Projected Participation	0.3	0.3	0.3	0.3	0.3	1.5
	Energy Savings (MWh/year)	15,644	15,573	15,004	14,436	14,182	74,838
Lighting Improvements for Midstream	Demand Reduction (MW)	2.916	2.903	2.797	2.691	2.644	13.950
	Projected Participation	17,869	17,787	17,138	16,488	16,198	85,480
	Energy Savings (MWh/year)	847	843	812	781	767	4,050
Lighting Improvements for Midstream	Demand Reduction (MW)	0.172	0.171	0.165	0.158	0.156	0.821
	Projected Participation	17,869	17,787	17,138	16,488	16,198	85,480
	Energy Savings (MWh/year)	271	542	678	678	678	2,846
HVAC Systems Midstream	Demand Reduction (MW)	0.047	0.094	0.118	0.118	0.118	0.495
	Projected Participation	42	84	105	105	105	441
Ductless mini-split heat	Energy Savings (MWh/year)	57	113	142	142	142	595
pumps < 5.4 tons Midstream	Demand Reduction (MW)	0.005	0.009	0.011	0.011	0.011	0.048
	Projected Participation	10	20	26	26	26	107
ENERGY CTAR	Energy Savings (MWh/year)	2	2	2	2	2	8
ENERGY STAR Ice machines Midstream	Demand Reduction (MW)	0.0003	0.0003	0.0003	0.0003	0.0003	0.0015
	Projected Participation	1	1	1	1	1	4

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
ENERGY STAR	Energy Savings (MWh/year)	2	2	2	2	2	11
Commercial fryer Midstream	Demand Reduction (MW)	0.0004	0.0004	0.0004	0.0004	0.0004	0.0019
	Projected Participation	1	1	1	1	1	4
ENERGY STAR	Energy Savings (MWh/year)	2	2	2	2	2	8
Commercial hot food holding cabinet	Demand Reduction (MW)	0.0002	0.0002	0.0002	0.0002	0.0002	0.0012
Midstream	Projected Participation	1	1	1	1	1	4
High efficiency	Energy Savings (MWh/year)	0	1	1	1	1	4
ventilation fans with and w/o thermostats	Demand Reduction (MW)	0.0001	0.0001	0.0002	0.0002	0.0002	0.0007
Midstream	Projected Participation	1	2	2	2	2	8
VSD Controller on dairy	Energy Savings (MWh/year)	1	3	3	3	3	14
vacuum pumps Midstream	Demand Reduction (MW)	0.0002	0.0003	0.0004	0.0004	0.0004	0.0018
	Projected Participation	0.1	0.3	0.3	0.3	0.3	1.4
Adding doors to existing	Energy Savings (MWh/year)	1	1	2	2	2	7
refrigerated display cases Direct Discount	Demand Reduction (MW)	0.0001	0.0002	0.0002	0.0002	0.0002	0.0008
	Projected Participation	1	3	4	4	4	16
Air tanks for Load/No	Energy Savings (MWh/year)	0.1	0.2	0.2	0.2	0.2	0.7
load compressors Direct Discount	Demand Reduction (MW)	0.00001	0.00002	0.00002	0.00002	0.00002	0.00011
	Projected Participation	0.2	0.4	0.4	0.4	0.4	1.9
	Energy Savings (MWh/year)	4	4	4	5	4	22
Air-entraining air nozzle Direct Discount	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.001	0.003
	Projected Participation	2	2	2	3	2	11
	Energy Savings (MWh/year)	88	183	204	225	226	928
Anti-sweat heater controls Direct Discount	Demand Reduction (MW)	0.010	0.020	0.022	0.025	0.025	0.102
	Projected Participation	28	58	65	72	72	295
	Energy Savings (MWh/year)	15	26	27	27	26	120
Auto door closers Direct Discount	Demand Reduction (MW)	0.005	0.009	0.009	0.009	0.009	0.042
	Projected Participation	11	19	19	20	19	88
D	Energy Savings (MWh/year)	13	18	18	16	16	82
Beverage machine controls Direct Discount	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	9	13	13	12	12	58

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
Compressed air	Energy Savings (MWh/year)	0.2	0.2	0.2	0.3	0.3	1.2
Compressed air controller Direct Discount	Demand Reduction (MW)	0.00002	0.00004	0.00004	0.00004	0.00004	0.00018
2.555 4	Projected Participation	1	1	1	1	1	6
Compressed air low	Energy Savings (MWh/year)	0.02	0.02	0.02	0.02	0.02	0.08
pressure drop filters Direct Discount	Demand Reduction (MW)	0.000002	0.000002	0.000002	0.000002	0.000002	0.000012
	Projected Participation	0.4	0.4	0.4	0.4	0.4	2.1
Compressed air mist	Energy Savings (MWh/year)	0.02	0.02	0.02	0.02	0.02	0.08
eliminators Direct Discount	Demand Reduction (MW)	0.000002	0.000002	0.000002	0.000002	0.000002	0.000012
	Projected Participation	0.2	0.2	0.2	0.2	0.2	1.1
Cycling refrigerated	Energy Savings (MWh/year)	0.01	0.01	0.01	0.01	0.01	0.06
thermal mass dryer Direct Discount	Demand Reduction (MW)	0.000002	0.000002	0.000002	0.000002	0.000002	0.000009
	Projected Participation	0.2	0.2	0.2	0.2	0.2	1.1
	Energy Savings (MWh/year)	6	12	12	12	6	46
Economizer controls Direct Discount	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	0	1	1	1	0	3
Evaporator Fan	Energy Savings (MWh/year)	1	1	1	1	1	4
controllers Direct Discount	Demand Reduction (MW)	0.0002	0.0002	0.0002	0.0003	0.0003	0.0011
	Projected Participation	1	1	1	1	1	4
High efficiency	Energy Savings (MWh/year)	4	8	9	10	10	41
evaporator fan motors for walk in or reach in cases Direct Discount	Demand Reduction (MW)	0.000	0.001	0.001	0.001	0.001	0.005
cases Direct Discount	Projected Participation	7	14	16	18	18	73
LED Refrigeration	Energy Savings (MWh/year)	32	56	54	53	49	245
Display Case Lighting Direct Discount	Demand Reduction (MW)	0.005	0.009	0.008	0.008	0.007	0.037
	Projected Participation	70	122	118	115	107	533
Liebtica Cantonia Biocat	Energy Savings (MWh/year)	37	64	63	61	57	282
Lighting Controls Direct Discount	Demand Reduction (MW)	0.007	0.012	0.012	0.012	0.011	0.054
	Projected Participation	42	73	71	69	64	320
	Energy Savings (MWh/year)	18,104	18,670	18,104	17,538	16,972	89,388
Lighting Improvements Direct Discount	Demand Reduction (MW)	2.592	2.673	2.592	2.511	2.430	12.800
	Projected Participation	168	174	168	163	158	831

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	11	13	13	13	13	62
Low Flow Pre-rinse Sprayers Direct Discount	Demand Reduction (MW)	0.002	0.002	0.002	0.002	0.002	0.010
	Projected Participation	11	13	13	13	13	61
	Energy Savings (MWh/year)	1	1	1	1	1	5
No-loss condensate drains Direct Discount	Demand Reduction (MW)	0.0001	0.0002	0.0002	0.0002	0.0002	0.0007
	Projected Participation	0.2	0.4	0.4	0.4	0.4	1.9
Refrigerated case light	Energy Savings (MWh/year)	0.02	0.03	0.03	0.03	0.03	0.13
occupancy sensors Direct Discount	Demand Reduction (MW)	-	-	-	-	-	-
	Projected Participation	6	10	9	9	9	43
Strip curtains for walk-in	Energy Savings (MWh/year)	4	6	8	10	12	40
freezers and coolers Direct Discount	Demand Reduction (MW)	0.001	0.001	0.001	0.001	0.002	0.005
	Projected Participation	0	1	1	1	1	4
Variable speed drive air	Energy Savings (MWh/year)	2	4	4	4	4	17
compressor Direct Discount	Demand Reduction (MW)	0.000	0.001	0.001	0.001	0.001	0.003
	Projected Participation	3	4	4	5	4	20
Variable speed	Energy Savings (MWh/year)	1	1	1	1	2	6
refrigeration compressor Direct	Demand Reduction (MW)	0.0001	0.0002	0.0002	0.0002	0.0002	0.0008
Discount	Projected Participation	3	5	6	6	7	27
	Energy Savings (MWh/year)	1,623	1,894	1,860	1,826	1,758	8,962
Lighting Improvements Direct Install	Demand Reduction (MW)	0.233	0.272	0.267	0.262	0.252	1.286
	Projected Participation	758	884	868	852	821	4,182
	Energy Savings (MWh/year)	105	157	167	172	167	768
Low Flow Pre-rinse Sprayers Direct Install	Demand Reduction (MW)	0.018	0.028	0.029	0.030	0.029	0.135
	Projected Participation	126	189	202	208	202	928

¹ To show numerical values in the Pa PUC Table 8 tables, deviation from the standard use of decimals throughout Section 3 may have been applied.

² Total values may not equal the sum of all program year values due to rounding.

Custom Component

The Custom component is the same for both large C&I and small C&I customers unless noted otherwise.

Description

Through the Custom component, PPL Electric Utilities will offer incentives to support completion of complex and comprehensive projects that involve measures not covered by the Efficient Equipment component. These measures include, but are not limited to, operational process improvements, retrocommissioning, equipment optimization, CHP, solar, advanced lighting controls, compressed air, and other custom measures.

As with Efficient Equipment, PPL Electric Utilities' Custom component will be offered through a downstream approach. The Non-Residential CSP will work with customers and trade allies to identify and qualify custom projects. Customers or trade allies will submit applications for review. Eligible projects will be processed, and incentives will be paid upon project completion and final savings review.

In Phase IV, an HVAC Optimization delivery channel will be added to serve customers with packaged HVAC systems. The Non-Residential CSP will work with a network of trade allies to implement this channel to produce additional, cost-effective energy and peak demand savings. A Strategic Energy Management ("SEM") offering may also be implemented at some time during Phase IV. Though the SEM would be a measure in the Custom component, incentive levels may differ from the standard custom incentive amount.

Objectives

The objectives of the Custom component are:

- Provide energy and peak demand-savings opportunities and incentives to qualified customers.
- Encourage customers to take a comprehensive, whole-facility approach to energy efficiency by installing high-efficiency custom measures or processes.
- Encourage qualifying equipment repairs, optimization, and operational or process changes that reduce electricity consumption.
- Increase customer awareness of the features and benefits of energy efficient equipment.
- Support emerging technologies and nontypical efficiency solutions in cost-effective applications.
- Encourage advanced energy efficiency strategies required for certification by national market transformation programs such as Leadership in Energy and Environmental Design ("LEED"), Architecture 2030, or ENERGY STAR Buildings.
- Engage trade allies to stock, promote, and provide high-efficiency technology options to customers.
- Promote other PPL Electric Utilities energy efficiency components.

- Collect energy, peak demand, and operating data from customers, as required to confirm customer and measure eligibility and to determine energy and peak demand savings and costeffectiveness.
- Achieve a total energy reduction of approximately 601,221705,195 MWh/year and 82-96 MW²⁸ gross verified savings that will target large C&I and small C&I customers, or business types.

Implementation Strategy

The Non-Residential CSP will deliver the Custom component, promoting the various energy efficiency options available to the non-residential customer segment with a range of marketing and outreach tactics. The Custom component relies on projects being initiated by customers, trade allies, distributors, and the Non-Residential CSP. The Non-Residential CSP will build on trade ally and distributor relationships to co-market energy efficient equipment and the value of participation.

For custom measures, the Non-Residential CSP will work directly with trade allies and customers to help identify, develop, and implement custom projects. The Non-Residential CSP will develop project scopes, analyze costs, determine potential energy and peak demand savings of proposed projects, conduct field verification of completed projects, and help determine the reported energy and peak demand savings from installed projects. The EM&V CSP will conduct independent evaluations to determine verified savings. The Non-Residential CSP will develop, update, and process rebate applications and payments. PPL Electric Utilities will manage the Non-Residential CSP.

Key steps include the following:

- Educate customers on energy efficiency opportunities and direct them to the appropriate path through marketing activities, the website, or direct contact with equipment distributors or equipment installation contractors/trade allies.
- Have customers complete applications or work with customers, equipment/appliance retailers, midstream distributors, and installation contractors to complete program applications.
- Ensure customers/contractors submit the required documentation for processing.
- Review pending and completed project documentation to verify applicant is a PPL Electric Utilities customer and the completed project and installed equipment meet eligibility criteria.
- When possible, work with customers to confirm project preapproval before ordering energy efficiency equipment.
- Recruit and develop an effective trade ally network.
- Process applications and issue rebates for qualified projects/equipment.
- Verify completed equipment/appliance installation for a sample of participants to confirm component integrity as part of M&V.

²⁸Peak Demand is at generation.

Issues, Risks, and Risk Management Strategy

<u>Table 46Table 46</u> presents market risks associated with the Custom component and strategies PPL Electric Utilities will use to manage each risk.

Table 46. Custom Component Issues, Risks, and Risk Management Strategies

Component Issue	Risk	Risk Management Strategies
Customer or building owner does not prioritize energy efficiency.	 Decision-makers choose to install cheaper, less efficient equipment with shorter payback/IRR, resulting in lower savings. Owners are not informed about how their facility uses energy. Existing debt may limit funds to purchase new efficient equipment. Customers place a priority on fluctuating commodity prices. 	 PPL Electric Utilities offers incentives and programs to reduce payback and IRR for business owners. Non-Residential CSP offers planning assistance to enhance energy savings. Non-Residential CSP educates customers about the long-term benefits of energy efficiency, available incentives, and other components.
Customers typically replace equipment only upon failure.	 Customers see no need to replace functioning equipment. Customers are not informed about the most efficient equipment available when the need to replace it is immediate. Some efficient equipment may have a longer delivery time that would affect customer operations. 	 Non-Residential CSP educates trade allies and customers about available energy efficient choices before equipment fails and encourages businesses to plan for equipment replacement. PPL Electric Utilities provides incentives for trade allies to stock, promote, and install efficient measures.
Customers are unaware of the benefits of installing and properly maintaining energy efficient equipment.	 Customers do not properly maintain equipment, and savings benefits erode over time. 	Non-Residential CSP promotes the importance and value of equipment maintenance and training.

Anticipated Costs to Participating Customers

Costs incurred by customers participating in the Custom component will vary based on the specific type of efficient equipment installed.

Ramp-Up Strategy

The Custom component is an existing, mature offering being carried forward from Phase III. The Non-Residential CSP will develop marketing material to facilitate the transition to Phase IV. The Non-Residential CSP has developed a transitional strategy to bridge incentives for customers whose participation spans Phase III and Phase IV.

PPL Electric Utilities expects to implement the following transition plan between Phase III and Phase IV:

 Projects on the Phase III waitlist will receive comparable incentives if completed and installed early in Phase IV. Comparable is defined as the Phase III rebate, up to \$0.05 (Efficient Equipment), \$0.06 (Custom)/annual kWh saved and subject to Phase III per project or per

- customer incentive caps. Projects must be completed by August 31, 2021, for most measures. PPL Electric Utilities will consider exceptions to that deadline on a case-by-case basis, depending on the project details.
- Projects approved (funds reserved) in Phase III that are installed (placed in service) in early
 Phase IV may be eligible for the approved Phase III rebate and will be accounted for as Phase IV
 projects.

Marketing Strategy

PPL Electric Utilities will work with the Non-Residential CSP to develop and execute a marketing plan that captures sector-level economies of scale and employs targeted outreach where practical. The marketing strategy may include the following:

- Take advantage of trade ally and manufacturer relationships to co-market energy efficient equipment and products.
- Host webinars.
- Participate in trade shows and other outreach events.
- Communicate and provide access to program component information on the Company's EE&C website.
- Promote the components in newsletters.
- Advertise using newspaper, radio, direct mail, bill inserts, cross component advertisements, commercial ads, and other mass media.
- Coordinate advertising opportunities with trade allies.
- Conduct one-on-one marketing to small C&I customers through trade allies, business accounts specialists, and Non-Residential CSP outreach.
- Target marketing to facility managers, building or process engineers, building owners and managers associations, HVAC contractors, energy services firms, architects and engineers, real estate developers, economic development organizations, customer advocacy groups, trade associations, and other trade allies to encourage installation of new energy efficient technologies and adoption of best-operating practices.
- Provide specific outreach to individual tenants as well as building owners and property managers in leased commercial buildings to encourage participation.
- Target specific sectors identified as having a high unrealized energy efficiency potential.
- Publish marketing materials including charts, brochures, and case studies.
- Provide newsletters and coordinate with key market partners, including trade associations and agencies.
- Use limited time offers, special promotions, and no-cost measures to promote energy efficiency.
- Offer trade ally incentives and rewards.
- Cross-promote through other PPL Electric Utilities energy efficiency components.
- Provide information and training on specific technologies directed towards niche markets.
- Incorporate customers in area- or territory-focused promotions.

• Work with distributors to promote and encourage purchases of efficient equipment to capture savings opportunities missed by other outreach methods.

Eligible Measures and Incentive Strategy

PPL Electric Utilities will offer rebates and incentives to qualified customers (or trade allies, depending on the delivery channel) who submit completed applications and documentation of the efficiency measures installed. Customers will have the option to assign rebate payments to a third party.

PPL Electric Utilities offers performance incentives based on the avoided or reduced kWh/year or kW peak demand reductions resulting from the project. Incentives may be capped at 50% to 100% of the total project costs (excluding internal labor) or \$500,000 and are subject to an annual cap for each project and each participating customer. The per-customer-site cap is defined as one building with one or more meters. A parent company cap of \$1 million per year will apply to a campus setting or multiple buildings (on the same property or in different locations) with a common owner. For all measures offered through the Custom component, PPL Electric Utilities will provide incentives in the range of \$0.02 to \$0.22 per annual kWh saved and/or \$30 to \$1,200 per kW peak demand.

Table 47 and Table 48 lists PPL Electric Utilities' proposed measures and minimum eligibility qualifications for large C&I and small C&I, respectively.

Table 47. Pa PUC Table 7-Large C&I Custom Eligible Measures and Incentives

Measure <u>1</u>	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) ^{24,32}
Custom Combined Heat and Power	Per Project	No	Preapproval is required for all CHP projects.	\$2,174,821	15	\$180,043	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom HVAC Optimization	Per Product	No	Applies to documented tune-ups for package or split systems up to 20 tons. All HVAC applications other than comfort cooling and heating, such as process cooling, are ineligible for this measure. Preapproval is required for all custom projects.	\$263	3	\$329	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Compressed Air Retrofit	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$57,969	15	\$18,543	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom Horticultural Lighting	Per Project	No	Agricultural Application: Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$71,602	15	\$ 28,686	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom VFD Improvements	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$140,710	15	\$26,752	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom Refrigeration	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$43,554	15	\$ 3,306	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit) 24,32
Custom Process Improvement	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$215,583	15	\$38,684	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom HVAC	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$711,897	15	\$ 34,642	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom Solar	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$1,169,564	15	\$119,881	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
LCI-Behavioral operational improvements	Per Project	No	Must be PPL Electric Utilities customer	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

¹ All eligible measures are listed in this table regardless of participation projections. N/A indicates measure may be offered in future program years but not at the launch of Phase IV.

Table 48. Pa PUC Table 7-Small C&I Custom Eligible Measures and Incentives

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
Custom Combined Heat and Power	Per Project	No	Preapproval is required for all CHP projects.	\$2,174,821	15	\$180,043	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom HVAC Optimization	Per Product	No	Applies to documented tune-ups for package or split systems up to 20 tons. All HVAC applications other than comfort cooling and heating, such as process	\$263	3	\$329	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

² PPL Electric Utilities does not pay incentives on a per unit basis, but rather on a cents per kWh/yr and/or dollars per kW basis.

³ Note that incentive rates may vary due to availability of program funds and/or changes made to encourage participation in a certain measure.

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
			cooling, are ineligible for this measure. Preapproval is required for all custom projects.				
Compressed Air Retrofit	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$57,997	15	\$ 18,543	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom Horticultural Lighting	Per Project	No	Agricultural Application: Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$71,602	15	\$ 28,686	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom VFD Improvements	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$148,642	15	\$ 26,752	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom Refrigeration	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$43,554	15	\$ 3,306	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom Process Improvement	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$215,689	15	\$38,68 4	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom HVAC	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$423,863	15	\$34,642	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

Measure ¹	Unit	Low-Income Measure (Yes/No)	Eligibility Requirements	Incremental Cost (\$/unit)	Estimated Useful Life	Incentive Amount (\$/unit)	Incentive Amount or Incentive Range (\$/unit)
Custom Solar	Per Project	No	Per project cap will range from \$250,000 to \$500,000 per customer site per year or \$1 million per parent company per year for customers with multiple sites. Incentive cannot exceed 50% - 100% of the total project cost (excluding internal labor). Preapproval is required for all custom projects.	\$1,169,564	15	\$119,881	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
Custom HVAC Optimization Direct Discount	Per Product	No	Applies to documented tune-ups for package or split systems up to 20 tons. All HVAC applications other than comfort cooling and heating, such as process cooling, are ineligible for this measure. Preapproval is required for all custom projects.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings
SCI-Behavioral operational improvements	Per Project	No	Must be PPL Electric Utilities customer.	N/A	N/A	N/A	Up to \$0.22/kWh and/or up to \$1,200/kW first year savings

¹ All eligible measures are listed in this table regardless of participation projections. N/A indicates measure may be offered in future program years but not at the launch of Phase IV.

² PPL Electric Utilities does not pay incentives on a per unit basis, but rather on a cents per kWh/yr and/or dollars per kW basis.

³ Note that incentive rates may vary due to availability of program funds and/or changes made to encourage participation in a certain measure.

For Custom measures, projects must meet a minimum TRC of 0.7 for CHP and a minimum TRC of 0.85 for other types of projects (non-CHP). PPL Electric Utilities may implement a new minimum TRC requirement for projects if it is necessary to help ensure the Non-Residential Program or portfolio TRC is greater than 1.0. PPL Electric Utilities will notify customers, trade allies, and stakeholders at least 60 days before the effective date of a change in the TRC requirement. Any TRC requirement would be in effect for new applications submitted after the effective date.

All measures may not be available at all times. PPL Electric Utilities may suspend a measure depending on popularity, pace of the component savings and costs, free ridership, evaluation requirements, complexity of the information required from customers, administrative requirements for the measure, or other reasons. PPL Electric Utilities will review the component continually and may adjust available measures or eligibility qualifications to achieve savings and cost budgets.

PPL Electric Utilities may offer tiered incentives that encourage the installation of multiple measures or a more comprehensive whole facility approach. Measures, eligibility requirements, and incentives may change to reflect progress, changes in the TRM, market conditions, or other factors. PPL Electric Utilities shall strive to keep the rebates and per-site caps as consistent as possible while recognizing the need to adjust incentives and caps to control the pace of components within their savings and cost budgets.

Deadline for Rebate Applications

The rebate application website and portal will state the deadline for its submission. The deadline will not exceed 180 days from the date the measure was installed.. For Custom measures, PPL Electric Utilities will require preapproval to allow it (or the Non-Residential CSP) sufficient time to qualify the project, minimize free ridership, screen for cost-effectiveness, determine the site-specific M&V plan, and conduct any required pre-metering.

Start Date with Key Schedule Milestones

<u>Table 49Table 49</u> lists the estimated key schedule milestones for the Custom component. PPL Electric Utilities will lead implementation or provide management oversight of all tasks.

Schedule	Milestones
11/30/2020	Phase IV EE&C Plan submitted to Pa PUC
6/01/2021	Launch Phase IV component
Annually starting 01/15/2022	EDCs submit semiannual program report
Annually starting 09/30/2022	EDCs submit final annual program report
05/31/2026	Program ends

Table 49. Custom Component Schedule and Milestones

Evaluation, Measurement, and Verification

The EM&V requirements will be detailed in PPL Electric Utilities' Evaluation Plan, which will be submitted to the SWE for review. PPL Electric Utilities and its EM&V CSP will conduct annual evaluations of each component in compliance with all Pa PUC requirements and the Evaluation Framework. As part

of this process, the EM&V CSP will review a sample of participant rebate applications and CSP records to verify quantity, efficiency level, and qualifying equipment. The EM&V CSP will follow all applicable methods in the TRM and the Evaluation Framework to calculate energy savings and peak demand reduction.

For the Custom component, PPL Electric Utilities anticipates conducting annual impact and process evaluations (activities vary by year).

The EM&V CSP will develop an evaluation plan and sampling protocol that fits the Custom component and all associated delivery channels. The EM&V CSP will review a sample of participant and CSP records to verify quantity, efficiency level, and qualifying equipment. On-site assessment may be included as a verification activity. The EM&V CSP will also develop an evaluation plan and sampling protocol that fits the Custom component and develop site-specific EM&V plans to meet Act 129 evaluation requirements.

Administrative Requirements

The Non-Residential CSP will administer and provide operational management of the Custom component. PPL Electric Utilities will provide oversight and operational support to establish effective deployment.

Estimated Participation

<u>Table 50Table 50</u> and <u>Table 51Table 51</u> show the order of magnitude participation estimates for the Large and Small C&I Custom component. Actual quantities will vary, and PPL Electric Utilities will manage the component to stay within budget.

Table 50. Pa PUC Table 8-Large C&I Custom Projected Participation 1

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Energy Savings (MWh/year)	8,805	8,805	14,949	14,949	14,949	62,458
Costana Canabia ad Haat	Ellergy Saviligs (WWII/ year)	0,005	6,605	8,805	8,805	8,805	44,025
Custom Combined Heat and Power	Demand Reduction (MW)	1.274	1.274	2.163	<u>2.163</u>	<u>2.163</u>	9.035
allu Powei	Demand Reduction (WW)	1.274	1.274	1.274	1.274	1.274	6.369
	Projected Participation	3	3	<u>5</u> 3	<u>5</u> 3	<u>5</u> 3	<u>22 16</u>
	Energy Savings (MWh/year)	160	160	160	160	160	801
Custom HVAC Optimization	Demand Reduction (MW)	0.077	0.077	0.077	0.077	0.077	0.386
	Projected Participation	105	105	105	105	105	524
	Energy Savings (MWh/year)	11,413	11,869	12,782	12,782	12,782	61,629
Compressed Air Retrofit	Demand Reduction (MW)	1.443	1.500	1.616	1.616	1.616	7.790
	Projected Participation	35	36	39	39	39	187
Contains Hautian Itania	Energy Savings (MWh/year)	432	432	432	432	432	2,160
Custom Horticultural	Demand Reduction (MW)	0.089	0.089	0.089	0.089	0.089	0.446
Lighting	Projected Participation	1	1	1	1	1	7
	Energy Savings (MWh/year)	15,243	17,148	17,783	17,783	17,783	85,739
Custom VFD Improvements	Demand Reduction (MW)	1.998	2.248	2.331	2.331	2.331	11.239
	Projected Participation	33	37	39	39	39	187
	Energy Savings (MWh/year)	3,068	3,452	3,580	3,580	3,580	17,260
Custom Refrigeration	Demand Reduction (MW)	0.247	0.278	0.288	0.288	0.288	1.389
	Projected Participation	33	37	39	39	39	187
Custom Process	Francis Continue (NA)A(h /	24.000	20.000	49,2062	49,2062	49,206 2	200,676
Improvement	Energy Savings (MWh/year)	24,968	28,089	9,130	9,130	9,130	140,447

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Demand Reduction (MW)	2.690	3.026	<u>5.300</u> 3.1	5.300 3.1	<u>5.300</u> 3.1	<u>21.617</u> ±
	Demand Reduction (WW)	2.090	38 3 37 <u>6639</u> 41 21,421 22,214	38	38	38	5.129
	Projected Participation	33	37	<u>66</u> 39	<u>66</u> 39	<u>66</u> 39	<u>268</u> 187
	Energy Savings (MWh/year)	19,041	21,421	22,214	22,214	22,214	107,104
Custom HVAC	Demand Reduction (MW)	2.575	2.897	3.004	3.004	3.004	14.486
	Projected Participation	33	37	39	39	39	187
	Energy Savings (MWh/year)	1,258	1,258	1,258	1,258	1,258	6,291
Custom Solar	Demand Reduction (MW)		0.373	0.373	0.373	0.373	1.865
	Projected Participation	1	1	1	1	1	7

¹To show numerical values in the Pa PUC Table 8 tables, deviation from the standard use of decimals throughout Section 3 may have been applied.

Table 51. Pa PUC Table 8-Small C&I Custom Projected Participation ¹

Measure	Metric	PY13	PY14	PY15	PY16	PY17	Total ²
	Francis Carrier and (BANA/In / 1999)			11,372	11,372	14,307	42,922
Customs Compliand Hook	Energy Savings (MWh/year)	2,935	2,935	2,935	2,935	5,870	17,610
Custom Combined Heat and Power	Demand Reduction (MW)			1.645	1.645	2.070	6.209
and Power	Demand Reduction (MW)	0.425	0.425	0.425	0.425	0.849	2.547
	Projected Participation	1	1	<u>4</u> -1	<u>4</u> -1	<u>5 -2</u>	<u> 15</u> - 6
Custom HVAC	Energy Savings (MWh/year)	569	569	569	569	569	2,843
Optimization	Demand Reduction (MW)	0.274	0.274	0.274	0.274	0.274	1.370
Оринигации	Projected Participation	372	372	372	372	372	1,859
	Energy Savings (MWh/year)	2,283	2,739	3,652	3,652	3,652	15,978
Compressed Air Retrofit	Demand Reduction (MW)	0.289	0.346	0.462	0.462	0.462	2.020
	Projected Participation	7	8	11	11	11	49
Contain Hantinghous	Energy Savings (MWh/year)	432	432	432	432	432	2,160
Custom Horticultural	Demand Reduction (MW)	0.089	0.089	0.089	0.089	0.089	0.446
Lighting	Projected Participation	1	1	1	1	1	7
Custom VED	Energy Savings (MWh/year)	3,176	3,811	5,081	5,081	5,081	22,229
Custom VFD	Demand Reduction (MW)	0.416	0.500	0.666	0.666	0.666	2.914
Improvements	Projected Participation	7	8	11	11	11	49
	Energy Savings (MWh/year)	511	895	1,023	1,023	1,023	4,475
Custom Refrigeration	Demand Reduction (MW)	0.041	0.072	0.082	0.082	0.082	0.360
	Projected Participation	6	10	11	11	11	49
Contain Branco	Energy Savings (MWh/year)	4,161	7,282	8,323	8,323	8,323	36,412
Custom Process	Demand Reduction (MW)	0.448	0.784	0.897	0.897	0.897	3.922
Improvement	Projected Participation	6	10	11	11	11	49
	Energy Savings (MWh/year)	3,173	5,554	6,347	6,347	6,347	27,768
Custom HVAC	Demand Reduction (MW)	0.429	0.751	0.858	0.858	0.858	3.756
	Projected Participation	6	10	11	11	11	48
	Energy Savings (MWh/year)	1,258	1,258	1,258	1,258	1,258	6,291
Custom Solar	Demand Reduction (MW)	0.373	0.373	0.373	0.373	0.373	1.865
	Projected Participation	1	1	1	1	1	7

¹To show numerical values in the Pa PUC Table 8 tables, deviation from the standard use of decimals throughout Section 3 may have been applied.

² Total values may not equal the sum of all program year values due to rounding.

² Total values may not equal the sum of all program year values due to rounding.

4 Management and Implementation Strategies

4.1 Overview of EDC Management and Implementation Strategies

PPL Electric Utilities has over a decade of successfully managing and implementing its EE&C programs. It will apply this knowledge and experience, lessons learned, and best practices and will rely on the strong relationships it has built to deliver programs in Phase IV. Programs will be effectively managed by PPL Electric Utilities' EE&C staff and implemented by qualified CSPs.

4.1.1 Services to Be Provided by EDCs, Consultants, Trade Allies, and CSPs

For its implementation strategy, PPL Electric Utilities relies on qualified CSPs, preferred partners, trade allies, and other entities engaged in energy efficiency to promote, deliver, and support the deployment of its programs. PPL Electric Utilities' EE&C Plan will use CSPs to manage delivery of its residential, low-income, and non-residential (small and large C&I) programs. PPL Electric Utilities will use another CSP to provide EM&V services and will issue an RFP for a CSP to coordinate the sale of peak demand into the PJM FCM.

PPL Electric Utilities also depends on trade allies and other market partners to engage customers, promote the programs, evaluate projects, furnish and install energy efficient equipment, and provide ancillary energy efficiency services. PPL Electric Utilities will draw on the expertise available from trade allies, such as contractors and retailers, to support the local economy and allow customers to interact with the trade allies of their choice.

Conservation Service Providers

CSPs are individuals or firms registered with the Pa PUC that, pursuant to contract with EDCs, provide consultation, design, administration, management, and/or implementation services related to the delivery of EE&C program components. PPL Electric Utilities anticipates that CSPs will have a major role in delivering its Phase IV programs and their respective components.

As indicated in Table 52, implementation CSP roles involve the delivery of programs and their associated components and cross-program activities. PPL Electric Utilities will train its implementation CSPs on reporting requirements, use of the Company's data management and tracking system, customer service requirements, QA/QC standards, and protocols for addressing quality issues should they arise. PPL Electric Utilities will require all implementation CSPs to submit data and reports that include customer data and detailed information on installed measures and incentive transactions to support EM&V, tracking against the Plan budgets and goals, and reporting to the Commission.

To facilitate implementation of the Phase IV EE&C portfolio, PPL Electric Utilities will engage two CSPs—one will deliver the Residential and Non-Residential (small C&I and large C&I) Programs and one will deliver the Low-Income Program. Each will be responsible for implementing all program components in their designated sector(s), including overseeing subcontractors. An EM&V CSP will be responsible for independently evaluating the entire portfolio of EE&C programs and functions.

Table 52. Program Conservation Service Provider Implementation Roles and Responsibilities

Program Function						
Portfolio Planning						
Research & Development	PPL Electric Utilities					
Marketing Strategy						
CSP Management & Coordination						
Trade Ally Network Management						
Marketing & Advertising						
Customer Intake & Routing						
Project Delivery	Residential CSP	Low-Income CSP	Non-Residential CSP			
Application Review & Approval						
Incentive Processing						
Customer Care						
QA/QC	lusulaus autatiau	CCDa DDI Flantuia I Itilitia	and FMOV CCD			
Measurement & Verification	Implementation	CSPs, PPL Electric Utilities	, and EIVI&V CSP			
Program Tracking	PPL Electric Utilities					
Evaluation and Pa PUC Annual/Mid-Year Reports	EM&V CSP					

PPL Electric Utilities will hire other companies, not classified as CSPs, to perform functions such as providing/hosting the tracking system, legal support, and marketing and advertising (overarching or specific campaigns other than the marketing and advertising provided by each implementation CSP).

Trade Allies

Trade allies provide products and services directly to customers in support of program components but are not under contract to PPL Electric Utilities. Examples of the types of trade allies PPL Electric Utilities will use to deliver its program components are:

- Lighting and other contractors, retailers, distributors/dealers and installers that provide sales, equipment or building diagnostics, audits, maintenance, and installation services for energy efficient equipment, such as lighting, energy management systems and controls, HVAC, water heaters, insulation, commercial and industrial equipment, and appliances. These trade allies will inform customers about PPL Electric Utilities' applicable programs and rebates; provide essential information for customers to understand the costs and benefits of equipment or services and encourage customers to take advantage of PPL Electric Utilities' program components.
- Residential and commercial builders, developers, remodelers, contractors, architects, engineers, or other market participants that design, develop, and build residential and commercial buildings and that will deliver services to support the Energy Efficient Home component and applicable Efficient Equipment components.
- **Technical engineering and energy services firms** that install energy efficiency projects for small and large C&I customers.

Market Partners

Market partners are independent entities that may provide support or services to PPL Electric Utilities' customers, typically in an effort to achieve mutually beneficial results or to serve mutual target

populations. Market partners are not generally supported by Company funding and are not under contract to the Company. For example, schools that engage with PPL Electric Utilities' Student Energy Efficient Education component are considered market partners because they act as a conduit for reaching the school community, but they do not receive a direct financial benefit. Stakeholders and community based organizations are also market partners.

Preferred Partners

Preferred partners are service providers with whom the CSP has an agreement to perform services for a specific program component.

4.1.2 Performance, Technology, Market, and Evaluation Risks and Risk Management Strategies

As described previously, the MWh compliance targets set forth in the Implementation Order are lower than the Phase III goals, but the MW goals are higher and must be met within the same average cost cap. This means that the Phase IV program acquisition cost is slightly higher than in Phase III (\$0.246 annual kWh compared to \$0.20 in Phase III).

Though this slight improvement in acquisition cost could be expected to alleviate some risk associated with delivery of PPL Electric Utilities' EE&C portfolio and improve its ability to achieve its savings targets, as of the time of this Plan's development, the U.S. is facing unprecedented challenges and uncertainties that could significantly alter the program delivery environment.

PPL Electric Utilities has identified the following market risks:

- **Economic conditions.** The advent of the COVID-19 pandemic, and associated economic impacts, could have significant implications for PPL Electric Utilities' portfolio. As the pandemic has continued to pervade across the U.S., utilities and their customers in all sectors are facing related challenges on multiple fronts:
 - Residential sector. Although restrictive stay-at-home orders have been lifted in Pennsylvania, residential customers continue to be wary of participating in programs that involve at-home contractor visits. Many utilities, including PPL Electric Utilities, have introduced program modifications to protect customer health and safety (such as curbside appliance recycling pickup, expanded access to efficient products through mail or other alternative methods, and virtual energy audits), but programs that have historically relied on direct measure installation have seen significant reductions in participation. Furthermore, many residential customers have suffered job losses, wage disruptions, and evictions. Declining economic conditions now—or uncertainty about the future—may be limiting customers' ability to invest in nonessential efficiency upgrades.
 - **Low-income sector.** Lower-income individuals have borne a greater share of economic hardship than any other customer class; the COVID-19 pandemic is creating a larger low-income population and worsening the conditions for those

- already existing below the poverty line. In light of this situation, these customers will probably need help to reduce their utility bills more than in typical years, yet they face the same risks and concerns about direct engagement with contractors in their homes.
- Small commercial sector. COVID-19 has had a profound, disruptive effect on businesses across the U.S. Small businesses have particularly suffered, with more than 100,000 businesses closed across the country. These conditions significantly reduce the population of potential PPL Electric Utilities program participants, and they are expected to create long-term adverse economic ripples across the state.
- Supply disruptions. In addition to the potentially catastrophic economic effects of the COVID-19 pandemic, equipment industry representatives are reporting supply chain disruptions that have implications for PPL Electric Utilities' programs. There are indicators that the pandemic has affected retail purchasing habits. Lighting sales are declining at traditional utility partner retailers like big box stores and shifting to grocery and drug stores while many other product sales are moving online. At the same time, industrial production in China has fallen significantly, affecting many efficient products such as lighting, thermostats, and other high-efficiency equipment.
- Market dynamics. In nearly every industry, customer choice, personalized services, and competitive pricing have become the norm. Customers are increasingly demanding that their service providers offer a variety of simple, low-cost options from which to customize their engagement experience and to communicate with them using a variety of digital and traditional platforms. To keep pace, the utility industry must continue to offer value, customized solutions, a personalized experience, and, increasingly, a total digital engagement solution. Additionally, reaching key energy decision-makers in non-residential sectors can present a special challenge to PPL Electric Utilities and its CSPs. Rental properties—both residential and commercial—entail barriers associated with split incentives.
- Changing equipment standards. Changing building codes and new equipment standards tend to lower baseline energy use, thereby reducing the potential savings from affected measures. The 2020 Phase IV Energy Efficiency and Peak Demand Reduction Market Potential Study illustrates this phenomenon. For example, lighting savings, which has historically been among the lowest cost resources, is expected to diminish in the residential sector and to a lesser extent in the small C&I and large C&I sectors. The 2020 Potential Study cited regulatory uncertainty impacting lighting savings resulting from the U.S. Energy Independence and Security Act of 2007 ("EISA") and, more recently, the DOE's December 2019 final determination that rescinds EISA and leaves

the current efficiency standards for light bulbs in place.²⁹ Despite the December 2019 action, multiple lawsuits filed against DOE's decision, possible changes to the DOE in 2021, and a rapidly transforming lighting market will almost certainly extend and may exacerbate the market uncertainty around the potential for lighting savings.

- **Distributed energy resources and storage.** A growing share of customers have installed distributed energy solutions, and more are planning to do so in the next few years. A recent study found that although only 4% of consumers currently own a rooftop solar system, 34% expressed interest in getting one. ³⁰ Meanwhile, as storage costs decline, downstream meter storage will likely accelerate the rate of solar adoption, which will, in turn, impact utilities' load growth projections.
- Focus on climate policy. In light of differing priorities at the federal level, many states are enacting their own climate goals and policies. Twenty states and the District of Columbia have adopted specific greenhouse gas reduction targets and are experimenting with policies including carbon pricing, emission limits, and steps to promote cleaner transportation alternatives. The Pennsylvania Climate Action Plan, developed by the Climate Change Advisory Committee and submitted to Governor Wolf in 2019, recommends legislative changes to the General Assembly necessary to reach a goal of 26% reduction in greenhouse gas emissions by 2025 and 80% reduction by 2050, as required by the Pennsylvania Climate Change Act of 2008. The implications of any legislative action as a result of these recommendations on PPL Electric Utilities' ability to achieve its EE&C Plan objectives are as yet unknown. As state-level energy and environmental policy continues to evolve and become increasingly intertwined, PPL Electric Utilities expects to engage with its stakeholders, policymakers, and regulators to help ensure it can make a meaningful contribution to any future energy policy while still continuing to provide safe, affordable energy services to its customers.

4.1.3 Plans to Address Human Resource and Contractor Resource Constraints

PPL Electric Utilities' EE&C Plan balances program component delivery needs and resource allocation across an experienced pool of internal staff, CSPs, trade allies, and market partners. PPL Electric Utilities' professional staff has extensive experience and a proven record of success managing the CSPs that deliver program components and engaging with trade allies.

Over more than 10 years, PPL Electric Utilities has developed a robust network of trade allies to provide the proposed services, and the EE&C Plan continues to emphasize ongoing contractor recruitment,

²⁹ See U.S. Department of Energy, 2019. "Department of Energy Issues Final Determination for General Service Incandescent Lamps, Finds More Stringent Standards Are More Costly to the American People and Not Economically Justified." DOE news release, December 20. https://www.energy.gov/articles/department-energy-issues-final-determination-general-service-incandescent-lamps-finds-more.

³⁰ Association of Energy Service Professionals and Essense Partners. *Distributed Energy Resources*. Part 3 of 4. October 2017.

outreach, and training to maintain continued success. PPL Electric Utilities offers training so contractors are up to date on the latest technologies, program rules, and rebates being offered. Through its market research and engagement efforts, the Company frequently solicits feedback from its customers and contractors, especially contractors who meet face to face with customers, and this feedback has provided valuable insights on gaps in contractor resources that can be quickly resolved.

The Company will assign managers and support staff to oversee its CSPs and the programs and their associated components. PPL Electric Utilities regularly evaluates workloads and staffing needs and makes adjustments if necessary.

A description of PPL Electric Utilities' EE&C Plan management structure and an organizational chart are provided in Section 4.2.1.

4.1.4 Early Warning System

PPL Electric Utilities continually monitors program performance (such as savings and costs) through its tracking database, the CSPs' tracking systems, and management oversight. PPL Electric Utilities and its EM&V CSP also regularly solicit customer and trade ally feedback and conduct other market research to monitor the portfolio's compliance with the Company's other corporate objectives. These mechanisms provide the means for promptly identifying programs or components that are not meeting their objectives.

4.1.5 Implementation Schedule with Milestones

On July 2, 2020, PPL Electric Utilities issued a competitive RFP for implementation CSPs, and on July 16 2020, issued a competitive RFP for an EM&V CSP. At the time of this filing, PPL Electric Utilities has selected its Residential, Low-Income, Non-Residential and EM&V CSPs. Most of the Phase IV program components are continuing from Phase III, and implementation will continue uninterrupted to facilitate the transition for customers and trade allies. Table 53 lists the key schedule milestones for the EE&C Plan.

Table 53. PPL Electric Utilities' Phase IV Implementation Schedule and Milestones

Schedule	Milestones
11/30/2020	Phase IV EE&C Plan submitted to the Pa PUC
06/01/2021	Launch of all Phase IV energy efficiency programs
Annually starting 01/15/2022	EDCs submit semiannual program reports
Annually starting 09/30/2022	EDCs submit final annual program reports
05/31/2026	Programs end

4.1.6 Stakeholder Engagement

PPL Electric Utilities is committed to obtaining stakeholder input and consensus and to keeping customers, stakeholders, and the general public informed about the results of the energy efficiency

programs and progress toward Plan goals. It meets regularly with its CSPs and trade allies to review Plan progress, consider new products and services, and/or identify opportunities to improve EE&C programs.

PPL Electric Utilities intends to continue to meet with other interested stakeholders as needed but not less than twice annually until May 31, 2026, to discuss progress, review results, and solicit input for possible changes to the EE&C Plan during Phase IV. The Company also provides Act 129 information, including its EE&C Plan and semiannual and annual reports, in a dedicated stakeholder section on www.pplelectric.com. Additionally, the Company shares success stories with customers, trade allies, and the public by publishing and distributing case studies.

4.2 Executive Management Structure

4.2.1 Structures for Addressing Portfolio Strategy

PPL Electric Utilities staff will design, implement, and manage programs and associated components; oversee sector and cross-functional CSPs; and support the requirements of delivery, such as marketing, advertising, and customer education.

PPL Electric Utilities' **Director – Customer Service Project Management** is responsible for PPL Electric Utilities' Act 129 energy efficiency programs, non-Act 129 regulatory programs, and innovation delivery including the PPL Electric Utilities energy efficiency website.

PPL Electric Utilities' **Manager – Energy Efficiency** has overall responsibility for the development, implementation, operation, evaluation, reporting, and compliance of PPL Electric Utilities' Act 129 energy efficiency programs.

PPL Electric Utilities' **Program Manager** staff manages each program and the respective program implementation CSPs. PPL Electric Utilities' Key Account Managers support and help promote the Non-Residential Program.

PPL Electric Utilities also has staff responsible for EE&C program administration, operational and technical support, program planning, and evaluation.

Figure 3 summarizes PPL Electric Utilities' EE&C management structure.




Figure 3. PPL Electric Utilities EE&C Plan Management Structure

4.2.2 Approach to Overseeing the Performance of Subcontractors and Implementers

PPL Electric Utilities oversees its CSPs to confirm they meet the requirements of their contracts and performance expectations and, as needed, will modify programs and components (e.g., design, incentives, measures, marketing) to meet its savings, costs, cost-effectiveness, and customer satisfaction objectives. PPL Electric Utilities' oversight process includes the following elements:

- Sector-level CSPs. To reduce administrative costs and provide sufficient accountability for
 objectives, PPL Electric Utilities will use two CSPs that will have overall responsibility for their
 program and program components.
- **PPL Electric Utilities staff.** PPL Electric Utilities management and program staff are responsible for confirming that each program meets its objectives. They will continually monitor performance and oversee each program CSP.
- EM&V CSP. PPL Electric Utilities' EM&V CSP will provide independent evaluations of program
 components to verify impacts (such as savings, costs, and cost-effectiveness) and to determine if
 components are operating effectively.

4.2.3 Administrative Budget

Administrative costs include all utility costs to develop, implement, and manage the Plan, excluding payments to customers/trade allies (rebates and incentives). Administrative costs consist of all expenses associated with PPL Electric Utilities' labor and materials, CSP labor and material, marketing, QA/QC, EM&V, tracking systems, legal services, and the SWE. The cost of goods and services provided to low-income and other customers at no cost is classified as incremental measure costs, with offsetting incentives, as directed by the 2021 TRC Test Order.

4.3 Conservation Service Providers

4.3.1 Selected CSPs and Basis for Selection

PPL Electric Utilities issued RFPs for three sector-level implementation CSPs (for Residential, Non-Residential, and Low-Income) and one CSP to provide EM&V. PPL Electric Utilities conducted its RFP processes in accordance with the procedures approved by the Commission. At the time this EE&C Plan was submitted, PPL Electric Utilities was preparing the implementation CSP contracts.

4.3.2 Work and Measures Being Performed by CSPs

See Section 4.1.1 for a description of the work and measures being performed by CSPs. The CSPs' roles are also described within each individual component description in Section 3.

4.3.3 Pending RFPs

PPL Electric Utilities will solicit bids from qualified third-party vendors to provide technical support to nominate a portion of its peak demand reduction as a capacity resource in PJM's FCM. PPL Electric Utilities intends to issue the RFP in the third quarter of February 2021.

5 Reporting and Tracking Systems

PPL Electric Utilities' reporting and tracking system protocols are described below.

5.1 Semiannual and Annual Reports

PPL Electric Utilities will provide semiannual, annual, and *ad hoc* reports to the Commission and the SWE in accordance with the schedule, format, and content prescribed by the Commission and the SWE.

PPL Electric Utilities expects the schedule, format, and content to be comparable with Phase III reports.

5.2 Project Management Tracking System

5.2.1 Overview of Data Tracking System

PPL Electric Utilities will continue to use its tracking database to record energy efficiency transactions and calculate reported savings. PPL Electric Utilities uses its corporate accounting system to track all energy efficiency cost information at the program-component level and its tracking database and its corporate business intelligence system for internal analysis and internal reporting on energy efficiency activities. PPL Electric Utilities will modify these management and tracking systems as necessary to incorporate Phase IV changes to program components, reports to the Commission and the SWE, data extracts, and other requirements.

5.2.2 Software Format, Data Exchange Format, and Database Structure

PPL Electric Utilities' information system is based on a commercially available database platform, which enables program implementation CSPs to record and track all the data necessary to calculate energy savings impacts at all levels. Examples of data fields the system captures include these:

- Participant contact information
- Measure name
- Measure type
- Measure life and installed cost
- Number of measures installed

- Building and space type
- Space heating, cooling, and water heating fuel types
- Rebate amount
- Existing conditions and equipment

The information system will include the features and capabilities described below.

Database Structure

- Allows for multiple levels of data resolution (e.g., measure, project, premise, customer site, sector, program type, CSP).
- Allows users to navigate through layers of data (e.g., measures, project, program, component).
- Provides a place to store electronic documents related to program participants and other functions.
- Provides a straightforward interface for adding programs and components.

Functionality

- Records energy efficiency transaction information such as customer account number, unique
 record ID, installation date of the measure, description and parameters of the measure (e.g.,
 quantity, size, efficiency rating, end use), program and component name, customer, sector, and
 data required to calculate savings, as well as other required information about each transaction
- Allows CSPs to file transactions via a secure web link or other secure method.
- Calculates and allocates reported gross savings to the program and component, customer sector, and reporting period.
- Allows data extracts to be securely exported to external parties such as PPL Electric Utilities' EM&V CSP and the SWE.

Data Quality Control

- Has intelligent use of drop-down lists, menus, and keyboard shortcuts.
- Allows data parameters (e.g., maximum/minimum) to be set for each data element to avoid erroneous entries.
- Checks for and alerts users to possible duplicate data entry before posting data.
- Provides an audit trail for all corrected data entry errors, deletions, etc.
- Tracks transactions and workflow.
- Generates standard and customized reports for PPL Electric Utilities' day-to-day portfolio analysis and management.

5.2.3 Mechanism for Access for Commission and Statewide EE&C Plan Evaluator

PPL Electric Utilities' information system provides accessibility to external parties through the following features.

- Is accessible through the Internet or direct links, as appropriate, and will be traceable, that is, maintaining a log of users' access.
- Controls access via security rights assigned to each user or groups of users.
- Allows for appropriate security (e.g., releases, encryption) of customer data.
- Allows varying levels of security-controlled access by PPL Electric Utilities staff, program CSPs, and system administrators. Direct access (read-only) is not recommended for Commission personnel, the SWE, or PPL Electric Utilities' EM&V CSP because they would need significant training to understand the system. PPL Electric Utilities provides data extracts to those parties instead.

6 Quality Assurance and Evaluation, Measurement, and Verification

6.1 Quality Assurance/Quality Control

6.1.1 Approach to Quality Assurance and Quality Control

PPL Electric Utilities will use a continuous improvement process ("CIP") as the framework for managing its Phase IV portfolio. The basic principle of CIP, illustrated in Figure 4, is establishing effective QA/QC and EM&V procedures to track program and component activities, monitor performance and progress toward targets, and take corrective actions when warranted. The process integrates QA/QC procedures with implementation activities and allows feedback to flow back into the design and delivery processes. The CIP will consist of three essential elements—activity tracking, QA/QC, and process and impact evaluations.




Figure 4. PPL Electric Utilities' Continuous Improvement Process

QA/QC is integral to the design and delivery of all program components in PPL Electric Utilities' EE&C Plan. The QA procedures establish standards to follow during the planning and design phases to proactively promote consistency and avoid errors. QC activities and inspection points during the implementation and evaluation phases help guide the repair of errors and identification of areas for improvement. Activities and procedures that comprise QA and QC are described in greater detail below.

Quality Assurance

QA procedures comprise proactive activities that occur throughout the program lifecycle to align processes with objectives, avoid risk, and promote efficiency. At PPL Electric Utilities, QA includes activities to confirm that the Company's program and component rules and requirements are documented and current, its CSPs and participating trade allies are properly licensed and trained and maintain high quality standards in all customer interactions, and all data captured are accurate and sufficient to allow for rigorous energy savings analysis.

These activities include, but are not necessarily limited to, the following:

- Developing component-level logic models and process maps that document the goals, processes, and expected outcomes associated with key activities.
- Implementing training protocols that describe training procedures and requirements for key stakeholders, such as CSPs and trade allies.
- Applying rigorous screening and qualifying protocols to CSPs, trade allies, and field staff that interact directly with customers.
- Documenting data collection protocols, including data and customer information needed to track activities and calculate savings for each component.
- Summarizing CSPs' gross energy savings calculation methods that are reported at the measure and/or project level to support consistency and accuracy across each component.

Quality Control

PPL Electric Utilities conducts QC to test and verify that component activities adhere to industry best practices and established QA procedures and conform to performance expectations at the program, component, and portfolio levels. In conducting QC activities, PPL Electric Utilities addresses operational procedures, data and records, and measure installation, as described below.

- Ongoing tracking of component activities and costs.
- Reviewing all data and records to confirm that the proper data are collected consistently,
 resources are allocated appropriately, and performance can be measured accurately. For
 measure-based components, this activity involves verifying the collection of all information
 (including signatures, dates, and project-specific data) required to verify customer eligibility,
 calculate incentive payments, estimate and report energy savings and peak demand reduction,
 and confirm that recommended measures were installed.
- Conducting follow-up calls to participants to evaluate their satisfaction with the rendered services and to identify opportunities to improve the effectiveness of energy efficiency programs.
- Conducting post-installation inspections of an appropriately sized, random sample of all participants to confirm that program-reported measures were installed, installation followed best practice procedures, and measures function as expected.

6.1.2 Procedures for Measure and Project Installation Verification, Quality Assurance and Control, and Savings Documentation

PPL Electric Utilities documents and tracks all component, program, and portfolio activity through its participant tracking database, which can record and/or calculate reported gross energy savings. The Company designed the tracking system with input interfaces customized to individual components and coordinated with EM&V personnel so that they collect appropriate data to feed into the evaluation processes and to meet the needs of the SWE. PPL Electric Utilities trains implementation CSPs to use the tracking system. In cases where a turnkey CSP delivers all aspects of a component, the Company will

expect that the CSP track all activity via secure Internet access or upload. CSPs may also collect and store additional data required for evaluation in their internal tracking systems.

Section 3 contains summary information about EM&V approaches specific to each component. The EM&V CSP will develop detailed EM&V plans describing all evaluation activities and sampling plans for the impact and process evaluations.

6.1.3 Process for Collecting and Addressing Feedback

Customers may submit suggestions, comments, and complaints by telephone, by email, and in writing. PPL Electric Utilities publishes telephone numbers, addresses, and an email link on its website and on applications. PPL Electric Utilities and CSPs are responsible for following up, in a timely manner, on all comments and complaints. The Company requires CSPs to keep a log of complaints and resolutions, which they regularly provide to PPL Electric Utilities.

PPL Electric Utilities, in conjunction with the EM&V CSP, will implement an evaluation plan for each component. The EM&V CSP typically conducts ongoing customer and periodic trade ally surveys as part of the impact and process evaluations. The EM&V CSP will provide survey results and findings to PPL Electric Utilities on a regular basis.

PPL Electric Utilities and implementation CSPs may also conduct customer satisfaction surveys in addition to those conducted by the EM&V CSP.

6.2 Planned Market and Process Evaluations

The Pa PUC and the SWE are responsible for conducting formal baseline studies and market potential studies. If requested by PPL Electric Utilities, the EM&V CSP may also conduct market potential or baseline studies.

The EM&V CSP will conduct process evaluations for the Phase IV portfolio of components. These process evaluations are a principal component of PPL Electric Utilities' CIP, allowing the Company to monitor the progress of individual components and provide timely feedback to internal and external stakeholders. These evaluations also provide the necessary context for interpreting impact evaluation results. For each program in the Plan, the EM&V CSP will focus the process evaluation on improving component operations and delivery efficiency.

A primary objective of the process evaluations is to assess which processes work well and which present challenges or may be improved. The EM&V CSP begins process evaluations by creating a logic model for each program, describing the component theory in terms of its goals, processes, outcomes, and metrics that enable assessment performance relative to its objectives.

PPL Electric Utilities uses the results of process evaluation activities, benchmarking, and market effects studies to assess the components' effectiveness in terms of market reach, measure adoption, and customer satisfaction. These activities and evaluations uncover opportunities to improve market

penetration and identify barriers that may impede participation and the adoption of efficiency measures.

The main sources of data for the process evaluation will be documentation reviews, logic models, interviews with internal PPL Electric Utilities program staff and with CSPs and key market actors, secondary research, and participant and nonparticipant surveys. Key market actors will vary from component to component and may include equipment vendors, contractors, distributors, and retailers.

The EM&V CSP will survey participants and, where necessary and specified in the Evaluation Plan, will survey a comparable sample of nonparticipants. The EM&V CSP will design and execute survey sample plans to meet criteria for statistical confidence and precision specified in the Act 129 Evaluation Framework.

For each component, the EM&V CSP may stratify samples, as appropriate, by customer sector, market segment, technology, geographic area, and project size (i.e., savings) so samples are representative of the population. The EM&V CSP will implement the process evaluations in a manner that provides timely feedback to planners and CSPs and that allows enough time to implement any recommended changes. Process evaluation activities will vary by component and by program year, as needed to provide desired information.

6.3 Strategy for Coordinating with the Statewide EE&C Plan Evaluator

PPL Electric Utilities expects that, for Phase IV, the SWE will develop an Evaluation Framework, requirements for the Evaluation Plan, a process for creating savings protocols for new measures (not currently in the TRM), standard formats for semiannual and annual reports, and standard formats for data requests and data extracts. The Implementation Order provides a reporting calendar with dates when the reports and data must be provided to the SWE. PPL Electric Utilities and its EM&V CSP shall strive to adhere to those requirements or request approval for exceptions.

Impact evaluations will serve as the principal means of verifying the installation of EE&C measures and quantifying the resulting energy and demand impacts. Methods for measuring and verifying savings can vary by measure, according to the TRM and Evaluation Framework. Methods can also vary by program, component, and sector. The Evaluation Plan for each program details the evaluation methodology and sampling and verification plans. The EM&V CSP will submit these plans to the SWE for review and approval and will adjust them where required by the SWE. The EM&V CSP will update the evaluation plans annually, if needed, and provide them to the SWE for review.

The SWE and the Commission may call quarterly evaluation group meetings for all EDCs and their evaluators. The SWE may also call *ad hoc* working group sessions to discuss TRM protocols, net savings approaches, or other Act 129 matters. PPL Electric Utilities and the EM&V CSP will attend these meetings to provide input and stay informed of the SWE's activities and decisions.

PPL Electric Utilities and its EM&V CSP may also contact the SWE with requests for clarification of TRM protocols, decisions, net savings approaches, or any other relevant matter. The communications among all parties will remain open and flexible.

7 Cost Recovery Mechanism

7.1 Total Annual Revenues as of December 31, 2006

Section 2806.1(g) of the Public Utility Code requires that the total cost of any EE&C Plan cannot exceed 2% of the EDC's total annual revenue as of December 31, 2006. PPL Electric Utilities' total annual revenues for calendar year 2006 were approximately \$3 billion. Accordingly, the 2% cost cap established by Act 129 is approximately \$61.5 million.

In its Implementation Order, the Commission stated that the 2% budgetary cap applies to the EDC's annual budget and not to the budget for the entire Phase IV.³¹ In addition, the Commission determined that certain implementation costs recoverable under Act 129 are not subject to the 2% cost cap, including PPL Electric Utilities' share of the costs for the SWE.

7.2 Plan to Fund the EE&C Measures, Including Administrative Costs

PPL Electric Utilities will spend most of its \$307.5 million budget to implement its EE&C Plan during Phase IV.³² This budget also includes costs PPL Electric Utilities incurs to develop and modify its EE&C Plan. The Implementation Order states that EDCs should be permitted to recover the incremental cost incurred to design, create, and obtain Commission approval of an EE&C Plan. The Company proposes to amortize and recover those deferred costs ratably over the 60-month life of its Phase IV EE&C Plan (June 1, 2021, through May 31, 2026).

7.3 Data Tables

The tables on the following pages provide cost data for each program. Cost-effectiveness calculations by program are provided in Section 8. The table captions make reference to the corresponding table numbers provided in the EE&C Plan Template.

Tables in this section include the following:

- Table 54: Pa PUC Table 10 –Summary of EE&C Costs
- Table 55: Pa PUC Table 11 Allocation of Common Costs to Applicable Customer Sector
- Table 56: Pa PUC Table 12 Summary of Portfolio EE&C Costs

-

³¹ Implementation Order at 11.

³² \$307.5 million is the allowable budget under PPL Electric Utilities' Act 129 cost cap. In addition to this cost, PPL Electric Utilities expects to incur approximately \$5 million for its share of the SWE's cost, which are not subject to the cost cap.

Table 54. Pa PUC Table 10 - Summary of EE&C Costs¹

	Portfolio										
			Cost								
EE&C Program	Incentives	CSP Program Design	CSP Administrative	CSP Delivery Fees	CSP Marketing	EDC Administrative	EDC Other ⁴	Total Cost	Expected Acquisition Cost ² (\$/MWh)	Levelized Cost ³ (\$/MWh)	Expected Acquisition Cost (\$/MW)
Residential	\$ <u>39,293,184</u> 4 0, 977,331	\$ 46,000	\$ 3,523,563 <mark>3,11</mark> 4 ,935	\$ <u>18,287,542</u> ± 7,011,974	\$2,496,277	\$ 1,100,000	-	\$ <u>64,746,566</u> 6 4,746,517	\$ <u>395.05</u> 324. 85	\$ <u>69.02</u> 70.40	\$ 1,904,9931,473,330
Low-Income	\$ <u>23,061,500</u> 23, 811,371	-	\$ <u>4,030,500</u> 2,78 0,500	\$ <u>12,958,000</u> ± 2,958,126	<u>-</u> \$1,250,000	\$ 1,100,000	<u>\$750,000</u>	\$ <u>41,900,000</u> 4 1,899,997	\$ 650.32560. 21	\$ <u>119.00</u> 115. 17	\$ 4,642,1984,619,367
Small C&I	\$ <u>52,422,270</u> 53, 022,270	\$128,786	\$ <u>4,378,092</u> 3,77 8,092	\$17,324,983	\$2,034,357	\$550,000	-	\$76,838,488	\$ <u>133.81</u> 140. <u>99</u>	\$ <u>40.41</u> 39.19	\$ <u>894,967</u> 940,368
Large C&I	\$57,689,951	\$100,776	\$-4,343,105	\$20,883,928	\$2,338,595	\$ 550,000	-	\$85,906,355	\$ 107.35119. 05	\$ <u>48.11</u> 4 9.45	\$ <u>806,064</u> 881,807
Sector Total	\$ <u>172,466,905</u> ± 75,500,922	\$275,562	\$ <u>16,275,260</u> 14, 016,632	\$ <u>69,454,453</u> 6 8,179,011	\$ <u>6,869,229</u> 8,119,229	\$3,300,000	<u>\$750,000</u> -	\$ <u>269,391,409</u> 269,391,356	\$ <u>168.08</u> 174. 85	\$ <u>48.43</u> 49.65	\$ 1,144,180 <mark>1,160,429</mark>

¹ Common Costs are not included in this table

² The numerator in the acquisition cost calculation is the full direct program cost. Acquisition costs based on first-year savings.

³ Levelized costs are lifetime. Appendix A of the 2021 TRC Test Order provides formulas to calculate levelized cost. See 2021 TRC Test Order, available at http://www.puc.pa.gov/pcdocs/1648126.docx.

⁴ Represents Health & Safety Pilot Program's costs

Table 55. Pa PUC Table 11 - Allocation of Common Costs to Applicable Customer Sector

			:	Sector Cost Allocatio	n (\$)
Common Cost Element	Total Cost (\$)	Basis for Cost Allocation	Residential (Including Low-Income)	Commercial/ Industrial Small	Commercial/ Industrial Large
Advertising & Marketing	\$10,400,000	% of Direct Program Cost	\$4,117,360	\$2,966,080	\$3,316,560
Phase IV Tracking System/Technical Support	\$7,800,000	% of Direct Program Cost	\$3,088,020	\$ 2,224,560	\$2,487,420
EE&C Phase IV Plan Development	\$1,100,000	% of Direct Program Cost	\$435,490	\$313,720	\$350,790
Evaluation and Measurement	\$15,000,000	% of Direct Program Cost	\$5,938,500	\$4,278,000	\$4,783,500
Plan Management	\$2,400,000	% of Direct Program Cost	\$950,160	\$684,480	\$765,360
Major Accounts	\$1,400,000	% of Direct Program Cost (excluding residential)	-	\$660,950	\$739,050
Statewide Evaluator	\$5,000,000	% of Direct Program Cost	\$1,979,500	\$1,426,000	\$1,594,500
Totals	\$ 43,100,000		\$16,509,030	\$12,553,790	\$14,037,180

Table 56. Pa PUC Table 12 - Summary of Portfolio EE&C Costs

Portfolio	Total Sector Portfolio-Specific Costs	Total Common Costs	Total of All Costs
Residential (Including Low-Income)	\$ <u>106,646,566</u> 106,646,514	\$16,509,030	\$ <u>123,155,596</u> 123,155,544
Commercial/Industrial Small	\$76,838,488	\$12,553,790	\$89,392,278
Commercial/Industrial Large	\$85,906,355	\$14,037,180	\$99,943,535
Totals	\$269,391,409269,391,356	\$43,100,000	\$ <u>312,491,409</u> 312,491,356

7.4 Tariffs and Cost Recovery Mechanism

Section 2806.1(k)(1) of the Public Utility Code authorizes EDCs to recover the costs of their EE&C Plan through a reconcilable adjustment clause under Section 1307 of the Public Utility Code

Because all programs in PPL Electric Utilities' proposed EE&C Plan will benefit both shopping and non-shopping customers, the Company designed its cost recovery mechanism to be non-bypassable. The ACR-IV will be calculated separately for PPL Electric Utilities' three major customer classes—residential, small C&I, and large C&I. For residential customers, PPL Electric Utilities will apply the cost recovery mechanism as a cents per kWh component of the distribution charge. For small C&I customers, the Company will apply the cost recovery mechanism as a cents per kWh charge as a separate line item on the customers' bill. For large C&I customers, PPL Electric Utilities will apply the cost recovery mechanism as a dollars per kW charge, as a separate line item on the customers' bill, where the demand (kW) is a customer's PJM peak load contribution (which may change yearly).

PPL Electric Utilities proposes to calculate the ACR-IV on an annual basis according to the projected program costs that it anticipates it will incur during that Phase IV program year. PPL Electric Utilities proposes an annual reconciliation of the ACR-IV for each of its three major customer classes. Specifically, each year PPL Electric Utilities will compare actual ACR-IV revenues to actual expenses and will recover or refund any over or under-collections in the next ACR-IV application year.

In addition to the annual reconciliation, upon determination that a customer class's ACR-IV rate, if left unchanged, would result in a material over- or under-collection of Phase IV Act 129 costs incurred or expected to be incurred during the current 12-month period, the Company, in its discretion, may file with the Commission for an interim revision of the ACR-IV rate.

7.5 Cost Recovery Mechanism to Ensure Approved Measures Are Financed by Corresponding Customer Class

Section 2806.1(a)(11) of the Public Utility Code requires that EE&C measures be paid for by the same customer class that receives the energy and conservation benefits of those measures. PPL Electric Utilities will directly assign costs to the customer class that received the benefits of the EE&C measures whenever those costs can be directly assigned.

However, some costs, such as common costs and/or portfolio-level costs, relate to EE&C measures that are applicable to more than one customer class or that provide systemwide benefits. In Phases I, II, and III, the Commission directed PPL Electric Utilities to allocate those costs, and general administrative costs, using reasonable and generally acceptable cost of service principles that are commonly utilized in base rate proceedings. In Phase IV, as in Phases I, II, and III, PPL Electric Utilities proposes to allocate such costs using an allocation factor equal to the percentage of the total actual EE&C costs directly assigned to each customer class.

7.6 Phase IV Cost Accounting

PPL Electric Utilities will account for Phase IV costs separately from those incurred in prior phases using separate and distinct account numbers that break out charges by program, sector, and cost category (e.g., incentives, CSP costs, and payroll). The Company will use different account numbers for Phase IV from those used in prior phases. Any costs associated with energy efficiency measures installed and operable on or before May 31, 2021, will be accounted for as Phase III costs. Any costs associated with energy efficiency measures installed and operable after May 31, 2021, will be accounted for as Phase IV costs.

7.7 PJM FCM Cost Recovery

PPL Electric Utilities will nominate a portion of the expected peak demand savings in its Phase IV program into PJM's FCM. PPL Electric Utilities will update the annual report template to include and clearly show FCM proceeds or penalties. Cost recovery will be assigned by the customer class that provides the capacity and will be adjusted to reflect the proceeds or penalties from this activity.

8 Cost-Effectiveness

8.1 Plan Cost-Effectiveness as Defined by the Total Resource Cost Test

The cost-effectiveness of the proposed portfolio was demonstrated in data presented in Section 3 and in Table 59Table 59 and Table 60 for each program in the EE&C Plan, PPL Electric Utilities determined cost-effectiveness in accordance with the Commission's 2021 TRC Test Order.

PPL Electric Utilities began assessing the cost-effectiveness of each program in the Plan by creating a valuation of the total resource benefits ("TRC Benefits") over the life of each conservation measure, for a maximum of 15 years as directed in the 2021 TRC Test Order. The Company also determined each program's total resource costs ("TRC Costs") using the SWE Team Incremental Measure Cost Database and program delivery and administration costs. The 2021 TRC Test Order indicates that the portfolio of programs is cost-effective if its TRC Benefits exceed its TRC costs or the benefit/cost ratio is at least 1.0, as shown by the following equations:

TRC Benefits – TRC Costs ≥ 0
or
TRC Benefits/TRC Costs ≥ 1

The TRC Benefits data in this EE&C Plan are estimates based on the planning assumptions in this EE&C Plan. The Company will complete a cost-effectiveness evaluation using actual program results as part of its yearly evaluations.

8.1.1 Calculation of Avoided Costs of Supplying Electricity

PPL Electric Utilities calculated the avoided costs of delivered electricity for a 15-year planning horizon in three segments, using the SWE avoided cost calculator, as follows:

- Years 1-4 (June 2021-May 2025). The Company used the NYMEX Electricity Futures Price at the PJM West Hub as of September 1, 2020, and applied a locational basis adjustment from PJM West Hub to the Company's Zone.
- Years 5-10 (June 2025-May 2031). PPL Electric Utilities used NYMEX Henry Hub Natural Gas Futures and the EIA AEO Natural Gas Price Forecast for Mid-Atlantic Region as of September 1, 2020, converted to electric prices using an on-peak and off-peak heat rate and spark spread.
- Years 11-15 (June 2031-May 2036). PPL Electric Utilities used Middle Atlantic Natural Gas Prices
 for Electric Power from the Energy Information Administration Annual Energy Outlook, Energy
 Prices by Sector and Source, converted to electric prices using the on-peak and off-peak heat
 rate and including on-peak and off-peak spark price spreads.

The Company estimated avoided generation capacity costs using PJM base residual auction results for 2021/2022. Subsequent years are inflated by 2% as specified in the 2021 TRC Test Order. Avoided T&D costs for PY13 are from the SWE Demand Response Potential study, with the subsequent years

escalated by 2% as specified in the 2021 TRC Test Order. The assumptions used to calculate avoided costs are summarized by sector in Table 57Table 57Table 57.

Table 57. Main Assumptions Used in Avoided Costs and TRC Calculations

	Utility Discount Rate	5.00%
Dissount Dates (Naminal)	Participant Discount Rate	5.00%
Discount Rates (Nominal)	Societal Discount Rate	5.00%
	TRC Discount Rate	5.00%
	Energy	
	Residential	108.75%
	Commercial (Small C&I)	108.75%
Line Losses ¹	Industrial (Large C&I)	104.20%
Line Losses-	Demand	
	Residential	108.75%
	Commercial (Small C&I)	108.75%
	Industrial (Large C&I)	104.20%
	Average BLS Escalator	-
T&D Prices ²	Transmission & Distribution (\$/kW-year 2021-2022)	\$121.21
	Transmission Only (\$/kW-year 2021-2022)	\$0.00

¹ Line losses are consistent with those provided in the 2021 TRM Volume 1 Table 1-4. The line loss factor in this table represents meter to the generator.

Table 58 shows PPL Electric Utilities' calculated avoided costs of delivered electricity for a 15-year planning horizon.

Table 58. Overall Avoided Costs (All Sectors)

Dua		Electric Ener	gy Avoided Co	osts (\$/kWh)		Capacity Avoided Costs (\$/kW-Year)			
Program Year	Wi	inter	Sur	nmer	Yearly	Generation	T&D	Transmission	
Teal	On Peak	Off Peak	On Peak	Off Peak	Average	Generation	ואט	Only	
2022	\$0.04	\$0.03	\$0.03	\$0.02	\$0.03	\$52.32	\$121.21	\$0.00	
2023	\$0.04	\$0.03	\$0.03	\$0.02	\$0.03	\$41.70	\$123.63	\$0.00	
2024	\$0.04	\$0.03	\$0.03	\$0.02	\$0.03	\$42.54	\$126.11	\$0.00	
2025	\$0.04	\$0.03	\$0.03	\$0.02	\$0.03	\$43.39	\$128.63	\$0.00	
2026	\$0.04	\$0.03	\$0.03	\$0.02	\$0.03	\$44.26	\$131.20	\$0.00	
2027	\$0.04	\$0.03	\$0.03	\$0.02	\$0.03	\$45.14	\$133.83	\$0.00	
2028	\$0.05	\$0.04	\$0.04	\$0.02	\$0.04	\$46.04	\$136.50	\$0.00	
2029	\$0.05	\$0.04	\$0.04	\$0.03	\$0.04	\$46.97	\$139.23	\$0.00	
2030	\$0.06	\$0.04	\$0.04	\$0.03	\$0.04	\$47.90	\$142.02	\$0.00	
2031	\$0.06	\$0.05	\$0.04	\$0.03	\$0.05	\$48.86	\$144.86	\$0.00	
2032	\$0.06	\$0.05	\$0.04	\$0.03	\$0.05	\$49.84	\$147.75	\$0.00	
2033	\$0.06	\$0.05	\$0.04	\$0.03	\$0.05	\$50.84	\$150.71	\$0.00	
2034	\$0.07	\$0.05	\$0.04	\$0.03	\$0.05	\$51.85	\$153.72	\$0.00	
2035	\$0.07	\$0.05	\$0.05	\$0.03	\$0.05	\$52.89	\$156.80	\$0.00	
2036	\$0.07	\$0.05	\$0.05	\$0.03	\$0.05	\$53.95	\$159.93	\$0.00	
2037	\$0.07	\$0.06	\$0.05	\$0.03	\$0.05	\$55.03	\$163.13	\$0.00	
2038	\$0.08	\$0.06	\$0.05	\$0.03	\$0.05	\$56.13	\$166.40	\$0.00	
2039	\$0.08	\$0.06	\$0.05	\$0.04	\$0.05	\$57.25	\$169.72	\$0.00	
2040	\$0.08	\$0.06	\$0.05	\$0.04	\$0.06	\$58.40	\$173.12	\$0.00	
2041	\$0.08	\$0.06	\$0.05	\$0.04	\$0.06	\$59.56	\$176.58	\$0.00	

 $^{^2}$ T&D prices are consistent with those provided on page 47 (Table 2) of the 2021 TRC Test Order.

8.1.2 Measure Data

PPL Electric Utilities obtained estimates of savings, incremental cost, and measure life for this EE&C Plan primarily from the TRM, the Pennsylvania Incremental Cost Database, and the SWE's Energy Efficiency Market Potential Study. The Company compiled data for new measures not found in the TRM from secondary sources, including the California Database for Energy Efficiency Resources ("DEER").

8.1.3 Program Benefit Components

The benefits used in the TRC calculation include the full value of time and seasonally differentiated generation, transmission and distribution, and capacity costs, and they account for avoided line losses. To capture the full value of time and seasonal impacts of each program measure, PPL Electric Utilities adjusted hourly (8,760) system-avoided costs by the hourly load shape of the end user affected by the measure. The Company included quantifiable non-energy benefits, such as water savings.

8.1.4 Cost Components

The cost component of the TRC analysis includes the incremental measure costs/participant costs and direct utility costs. Incremental measure costs are the expenses associated with installing energy efficiency measures and ongoing operation and maintenance costs, where applicable.

EDC costs consist of expenses associated with development, delivery, and ongoing operation, and fit into the four categories listed here.

EDC Labor, Material, and Supplies

Costs to administer energy efficiency program components include (but are not limited to)
 PPL Electric Utilities' fully loaded incremental personnel costs, employee expenses, office supplies, and external legal costs.

Customer Incentives

- Rebates or other incentives paid to customers or trade allies (by PPL Electric Utilities or CSPs) for implementing measures.
- Incentive payments from PPL Electric Utilities to LED manufacturers and retailers who, in turn, discount those products at the point of sale.

CSP Labor, Materials, and Supplies

 Costs associated with performing implementation tasks, including (but not limited to) lead intake, customer service, rebate application processing and problem resolution, equipment installation inspections, and individual component reporting. CSPs' marketing costs are segregated under the next category, Marketing.

Marketing

- EDC and CSP expenditures related to promotion of EE&C program components include, but are not limited to, the production of energy efficiency literature, advertising, promotion and promotional items, displays, events, and communications. Advertising encompasses all forms of media, such as direct mail, print, radio, and the Internet.
- Costs associated with training and educating the trade ally community, including training
 associated with delivering, marketing, and promoting its programs and components, as well as
 best practices training (e.g., quality installation training). This category also includes vendor
 recruitment and coordination costs. Trade allies include, but are not limited to, HVAC
 contractors, weatherization contractors, equipment and product dealers, installers, and C&I
 auditors. Trade allies may also include community groups and trade associations.

PPL Electric Utilities also categorizes costs as follows:

- **Direct costs.** These costs are directly related and charged to a specific component. PPL Electric Utilities will assign costs directly to program components where possible.
- Common costs (also known as portfolio-level costs). These costs are applicable to more than one customer class, are applicable to more than one component or program, or provide portfolio-wide benefits.
- **EDC costs.** These costs—the four categories described above—are incurred by PPL Electric Utilities and include all direct and common costs. These costs are in the Plan budget and include the SWE costs that are not subject to the funding cap.
- Participant costs. These costs are incurred by the customer, such as for the purchase and
 installation of efficient measures. Often, the participant cost is determined by subtracting
 Act 129 EE&C incentives from the incremental cost of the measure. PPL Electric Utilities uses
 participant costs only in the TRC evaluation.

8.2 Data Tables

The tables on the following pages provide TRC benefits data for each program component and sector. Note that tables in this section are numbered sequentially, but table formats are based on those provided in the Commission EE&C Plan Template. Each table caption includes a reference to the corresponding table number provided in the EE&C Plan Template.

Tables in this section include these:

- Table 59. Pa PUC Table 13A Gross TRC Benefits, By Program and Total Portfolio Table 59. Pa
 PUC Table 13A Gross TRC Benefits, By Program and Total Portfolio Table 59. Pa PUC Table 13A
 Gross TRC Benefits, By Program and Total Portfolio
- Table 60. Pa PUC Table 13B Net Benefits, By Program and Total Portfolio

Table 59. Pa PUC Table 13A – Gross TRC Benefits, By Program and Total Portfolio

Portfolio	NTGR	& TRC F	Ratio	TRC	Costs By Progr	am Per Year (\$00	00)	1	TRC Benefits	By Program	Per Year (\$0	00)
Program	Program Year	NTGR	TRC ^{1,2}	Incremental M Paid by EDC	easure Cost Paid by Participants	Program Administration Cost	Total TRC Costs ²	Capacity Benefits	Energy Benefits	Fossil Fuel and Water Benefits	O&M Benefits	Total TRC Benefits
Residential	PY13	1	1.12 1.2 8	\$8,601 \$8,820	\$7,770\$14,6 14	\$5,041\$4, 397	\$21,412 <mark>\$27,8</mark> 31	\$11,984\$ 20,483	\$11,516\$ 14,555	<u>\$539</u> \$557	\$0	\$24,039 \$35 ,594
Residential	PY14	1	1.13 1.2 8	<u>\$8,138</u> \$8,544	\$7,451 \$14,8 95	\$4,871\$4,456	\$20,460\$27,8 94	\$11,400\$ 20,097	\$11,164\$ 15,111	\$514 \$539	\$0	\$23,079\$ 35 ,747
Residential	PY15	1	1.09 1.1 9	<u>\$6,877</u> \$7,340	\$5,375\$13,5 45	<u>\$4,585</u> \$ 4,318	\$16,837\\$25,2 02	\$9,129\$1 5,198	\$8,614\$1 4,263	\$563 \$557	\$0	\$18,306\$30 ,018
Residential	PY16	1	1.10 1.1 5	<u>\$6,310</u> \$ 6,605	\$4,559\$12,5 40	\$4,379\$4,231	\$15,248 <mark>\$23,3</mark> 76	\$8,353\$1 2,492	\$7,837\$1 3,753	\$569 \$556	\$0	\$16,759\$26 ,802
Residential	PY17	1	1.101.1 3	\$5,972 \$6,128	\$4,366\$11,8 20	<u>\$4,234</u> \$4,183	\$14,572 <mark>\$22,1</mark> 32	\$7,984\$1 1,029	\$7,553\$1 3,510	\$516 \$547	\$0	\$16,053\$25 ,086
Residential	Total	1	1.11 _{1.2} 1	\$35,900 \$37,436	\$29,520 \$67, 414	\$23,109\$21,58 5	\$88,529 <mark>\$126,</mark> 435	\$48,850\$ 79,298	\$46,684\$ 71,192	\$2,700\$ 2, 757	\$0	\$98,235\$15 3,247
Low-Income	PY13	1	0.54 0.4 7	\$4,432\$4, 221	\$0	\$3,403\$ 2,9 44	\$7,835\\$7,165	\$1,733\$ 1, 448	\$2,186\$ 2,	<u>\$303</u> -\$50	\$0	\$4,221\$3,4 03
Low-Income	PY14	1	0.55 0.5 0	<u>\$4,393</u> \$4,707	\$0	\$3,475 \$3,492	<u>\$7,868</u> \$ 8,199	\$1,750\$ 1, 715	\$2,257\$ 2, 4 29	<u>\$302</u> - \$60	\$0	\$4,310\$4,0 83
Low-Income	PY15	1	0.56 0.5 1	<u>\$4,347</u> \$4,810	\$0	\$3,577 \$3,742	<u>\$7,924</u> \$ 8,553	\$1,785\\$1, 824	\$2,346\$ 2, 634	<u>\$300</u> -\$64	\$0	\$4,432\$4,3 94
Low-Income	PY16	1	0.57 0.5 2	<u>\$4,140</u> \$4,581	\$0	\$3,517 \$3,680	<u>\$7,657</u> \$ 8,261	\$1,734 \$1, 772	\$2,324 \$2, 608	<u>\$284</u> - \$63	\$0	\$4,342\$4,3 17
Low-Income	PY17	1	0.57 0.5 0	<u>\$3,646</u> \$ 3,324	\$0	<u>\$3,149</u> \$ 2,576	\$6,795\\$5,901	\$1,524 \$1, 197	\$2,084\$ 1, 793	<u>\$242</u> -\$44	\$0	\$3,851\$2,9 47
Low-Income	Total	1	0.56 0.5 0	<u>\$20,958</u> \$21,644	\$0	\$17,121 \$16,43 5	\$38,079\$38,0 80	\$8,527 <mark>\$7,</mark> 956	\$11,197\$ 11,469	<u>\$1,430</u> - \$281	\$0	\$21,155 \$19 , 1 44
Small C&I	PY13	1	1.59 1.5 8	\$10,208 \$10,342	\$29,987 \$29, 587	<u>\$4,348</u> \$ 4,340	\$44,544\$44,2 70	\$31,742\$ 31,541	\$42,138\$ 41,835	-\$6,852	\$3,594	\$70,622 \$70 ,117
Small C&I	PY14	1	1.61 _{1.6} 1	\$10,211 \$10,325	\$31,428 <mark>\$31,</mark> 047	<u>\$4,487</u> \$ 4,509	\$46,126\$45,8 81	\$32,764\$ 32,559	\$44,983 \$44,668	-\$6,801	\$3,445	\$74,391 \$73 ,872
Small C&I	PY15	1	1.531.6 6	<u>\$9,690</u> \$ 9,786	\$36,148 <mark>\$29,</mark> 819	\$4,620 \$4,421	\$50,458\$44,0 26	\$34,455\$ 31,740	\$48,595 \$44,647	-\$8,994 - \$6,500	\$3,138	\$77,193\$73 ,025
Small C&I	PY16	1	1.56 1.7 0	\$8,970 \$9,062	\$33,544\$ 27, 516	<u>\$4,398</u> \$4,204	\$46,912\$40,7 81	\$32,506\$ 29,869	\$46,719\$ 42,821	-\$8,689 - \$6,217	\$2,852	\$73,387 \$69 , 325
Small C&I	PY17	1	1.56 1.6 9	<u>\$8,577</u> \$8,687	\$33,380\$ 27, 639	<u>\$4,335</u> \$4,169	\$46,292\$40,4 96	\$32,011\$ 29,469	\$46,883\$ 43,062	-\$9,401- \$6,946	\$2,666	\$72,159\$68 , 251

Small C&I	Total	1	<u>1.57</u> 1.6	\$47,656 \$48,203	\$164,487 \$1	<u>\$22,188</u> \$21,64	\$234,332 \$21	\$163,478	\$229,318	<u>-\$40,737</u> -	\$15,695	\$367,754 \$3
Sinaii eai	10141	_	5	<u> </u>	45,608	3	5,454	\$155,179	\$217,032	\$33,316	Ψ13,033	54,590
Large C&I	PY13	1	<u>1.04</u> 1.0	\$11,270	\$57,869\$ 57,	\$4,763 \$5,129	\$73,902 \$74,2	\$25,639	\$55,058	-\$6,409	\$2,371	
Large C&I	P113	1	3	\$11,270	869	34,70333,123	68	\$25,039	355,056	-30,409	\$2,571	\$76,659
Large C&I	PY14	1	<u>1.06</u> 1.0	\$11,183	\$59,177 \$59,	\$4,907\$5,301	\$75,267 \$75,6	\$25,792	\$57,718	-\$6,315	\$2,256	
Large Con	P114	1	5	\$11,105	177	34,30733,301	61	323,792	357,716 	-30,313	\$2,230	\$79,451
Large C&I	PY15	1	<u>1.07</u> 1.0	\$10,632	\$66,558 \$56,	\$5,482 \$5,226	\$82,673 \$72,8	\$26,283\$	\$68,360\$	<u>-\$7,895</u> -	\$2,040	\$88,787 \$78
Large C&I	FILD	1	8	\$10,032	974	33,48233,220	32	24,769	57,577	\$6,079	\$2,040	,306
Large C&I	PY16	1	1.10	\$9,934	\$62,670 \$53,	\$5,291 \$5,038	\$77,895 \$68,5	\$24,856\$	\$66,609 \$	<u>-\$7,658</u> -	\$1,839	\$85,645 \$75
Large Con	P110	1	1.10	, 39,95 4	542	33,23133,030	14	23,385	55,961	\$5,858	\$1,659	,327
Large C&I	PY17	1	1.13	\$9,425	\$59,554 \$50,	\$5,186 \$4,935	\$74,164\$65,2	\$24,016\$	\$65,635\$	<u>-\$7,577</u> -	\$1,730	\$83,804 \$73
Large C&I	FI1/	1	1.13	\$3,423	861	33,18034,333	20	22,587	55,113	\$ 5,790	\$1,730	,641
Large C9.	Total	1	1.08	\$52,444	\$305,828 \$2	\$25,628 \$25,62	\$383,900 \$35	\$126,585	\$313,380	<u>-\$35,855</u> -	\$10,236	\$414,347 \$3
Large C&I	TOLAI	1	1.08	, 332, 444	78,422	8	6,495	\$122,172	\$281,427	\$30,451	\$10,236	83,384
Total			<u>1.21</u> 1.2	\$156,958 \$159,7	\$499,835 \$ 4	\$88,047 \$85,29	<u>\$744,840</u> \$73	\$347,441	\$600,579	<u>-\$72,461</u> -		\$901,490\$ 9
TOTAL			4	27	91,444	1	6,463	\$364,605	\$581,119	\$ 61,291	\$25,931	10,364

¹ The TRC ratio will reflect the lifetime TRC, not an annual TRC ratio.

Table 60. Pa PUC Table 13B - Net Benefits, By Program and Total Portfolio

Portfolio	NTGR	& TRC R	atio	TRC	Costs By Progr	am Per Year (\$00	0)	T	TRC Benefits By Program Per Year (\$000)				
	Program			Incremental M	easure Cost	Program	Total TRC	Capacity	Energy	Fossil Fuel	O&M	Total TRC	
Program	Year	NTGR	TRC ^{1, 2}	Paid by EDC	Paid by Participants	Administration Cost	Costs ²	Benefits	Benefits	and Water Benefits	Benefits	Benefits	
Residential	PY13	0.79	1.07 1.2 8	\$8, <u>601</u> 820	\$ <u>4,909</u> 9,367	\$ <u>3,394</u> 2,566	\$ <u>16,905</u> 20,75 3	\$ <u>8,727</u> 15,4 85	\$ <u>8,883</u> 10,5 26	\$5 <u>19</u> 29	\$0	\$ <u>18,130</u> 26 ,539	
Residential	PY14	0.79	1.081.2 8	\$8, <u>138</u> 544	\$ <u>4,675</u> 9,560	\$ <u>3,299</u> 2,662	\$ <u>16,113</u> 20,76 6	\$ <u>8,271</u> 15,1 38	\$ <u>8,595</u> 10,8 88	\$ <u>494</u> 512	\$0	\$ <u>17,360</u> 26 ,538	
Residential	PY15	0.79	1.02 1.1 7	\$ <u>6,877</u> 7,340	\$ <u>2,988</u> 8,550	\$ <u>3,219</u> 2,736	\$1 <u>3,084</u> 8,625	\$ <u>6,401</u> 11,0	\$ <u>6,459</u> 10,1 88	\$5 <u>27</u> 26	\$0	\$ <u>13,387</u> 21 , 809	
Residential	PY16	0.79	1.031.1 1	\$6, <u>310</u> 605	\$ <u>2,388</u> 7,835	\$ <u>3,122</u> 2,783	\$1 <u>1,821</u> 7,222	\$ <u>5,805</u> 8,87	\$ <u>5,823</u> 9,77 5	\$52 <mark>9</mark> 4	\$0	\$ <u>12,157</u> 19 ,178	
Residential	PY17	0.79	1.02 1.0 9	\$ <u>5,972</u> 6,128	\$ <u>2,272</u> 7,346	\$ <u>3,028</u> 2,825	\$1 <u>1,272</u> 6,299	\$ <u>5,510</u> 7,69	\$ <u>5,566</u> 9,58 0	\$ <u>476</u> 515	\$0	\$ <u>11,553</u> 17 ,786	
Residential	Total	0.79	1.051.1 9	\$ <u>35,900</u> 37,436	\$ <u>17,232</u> 4 2,6 57	\$1 <u>6,063</u> 3,572	\$ <u>69,194</u> 93,66 5	\$ <u>34,714</u> 58, 289	\$ <u>35,327</u> 50 , 956	\$2, <u>545</u> 605	\$0	\$ <u>72,586</u> 11 1,850	

² Does not include common portfolio costs; whereas Tables 2 and 3 do include common costs.

Low-Income	PY13	1.00	0.54 0.4 7	\$4, <u>432221</u>	\$0	\$ <u>3,403</u> 2,944	\$7, <u>835</u> 165	\$1, <u>733</u> 448	\$2, <u>186</u> 006	<u>\$303</u> - \$50	\$0	\$ <u>4,221</u> 3,4
Low-Income	PY14	1.00	0. <u>55</u> 50	\$4, <u>393</u> 707	\$0	\$ <u>3,475</u> 3,492	\$ <u>7,868</u> 8,199	\$1, <u>750</u> 715	\$2, <u>257</u> 4 29	\$302 -\$60	\$0	\$4, <u>310</u> 083
Low-Income	PY15	1.00	0. <u>56</u> 51	\$4, <u>347</u> 810	\$0	\$ <u>3,577</u> 3,742	\$ <u>7,924</u> 8,553	\$1, <u>785</u> 824	\$2, <u>346</u> 634	\$300-\$ 64	\$0	\$4, <u>432</u> 394
Low-Income	PY16	1.00	0. <u>57</u> 52	\$4, <u>140</u> 581	\$0	\$ <u>3,517</u> 3,680	\$ <u>7,657</u> 8 ,261	\$1, <u>734</u> 772	\$2, <u>324</u> 608	<u>\$284</u> - \$63	\$0	\$ <u>4,342</u> 4 ,3 17
Low-Income	PY17	1.00	0. <u>57</u> 50	\$3, <u>646</u> 324	\$0	\$ <u>3,149</u> 2,576	\$ <u>6,795</u> 5,901	\$1, <u>524</u> 197	\$ <u>2,084</u> 1,79	<u>\$242</u> - \$44	\$0	\$ <u>3,851</u> 2,9 47
Low-Income	Total	1.00	0. <u>56</u> 50	\$ <u>20,958</u> 21,644	\$0	\$1 <u>7,121</u> 6,435	\$38,0 <u>79</u> 80	\$ <u>8,527</u> 7,95	\$11, <u>197</u> 4 6 9	<u>\$1,430</u> - \$281	\$0	\$ <u>21,155</u> 19 , 144
Small C&I	PY13	0.70	1. <u>52</u> 50	\$10, <u>208</u> 607	\$ <u>20,884</u> 17,8 38	\$1, <u>807</u> 700	\$3 <u>2,900</u> 0,145	\$2 <u>2,426</u> 0,1 29	\$2 <u>9,807</u> 7,1 12	-\$4, <u>806</u> 4 36	\$2, <u>490</u> 284	\$ <u>49,917</u> 4 5 ,089
Small C&I	PY14	0.70	1. <u>54</u> 52	\$10, <u>211</u> 552	\$ <u>22,052</u> 19,0 31	\$1, <u>945</u> 8 64	\$3 <u>4,209</u> 1,447	\$2 <u>3,240</u> 0,8 32	\$ <u>31,971</u> 29, 104	-\$4, <u>769</u> 4 03	\$2, <u>386</u> 189	\$ <u>52,828</u> 47 ,722
Small C&I	PY15	0.70	1. <u>46</u> 56	\$ <u>9,690</u> 10,004	\$ <u>25,789</u> 18,3	\$ <u>2,228</u> 1,921	\$3 <u>7,707</u> 0,318	\$ <u>24,638</u> 20, 250	\$ <u>34,830</u> 29, 189	\$ <u>6,455</u> 4 ,21	\$ <u>2,173</u> 1,99 4	\$ <u>55,185</u> 47 , 222
Small C&I	PY16	0.70	1. <u>50</u> 59	\$ <u>8,970</u> 9 ,284	\$ <u>23,950</u> 16,9	\$ <u>2,200</u> 1,898	\$ <u>35,119</u> 28,15 0	\$ <u>23,266</u> 19, 059	\$ <u>33,515</u> 28, 020	\$ <u>6,243</u> 4 ,03	\$1, <u>975</u> 813	\$ <u>52,514</u> 44 ,861
Small C&I	PY17	0.70	1. <u>49</u> 57	\$8, <u>577</u> 896	\$ <u>23,918</u> 1 7,2	\$ <u>2,234</u> 1,960	\$ <u>34,729</u> 28,06 &	\$ <u>22,952</u> 18, 842	\$ <u>33,687</u> 28, 222	- \$ <u>6,791</u> 4 ,56 3	\$1, <u>846</u> 695	\$ <u>51,694</u> 44 ,196
Small C&I	Total	0.70	1. <u>50</u> 55	\$ <u>47,656</u> 4 9,342	\$ <u>116,593</u> 8 9, 442	\$ <u>10,414</u> 9 ,343	\$ <u>174,663</u> 148, 128	\$ <u>116,522</u> 9 9,113	\$ <u>163,810</u> 4 41,646	- \$2 <u>9,065</u> 1,6 44	\$ <u>10,870</u> 9,9 74	\$ <u>262,138</u> 2 29,090
Large C&I	PY13	0.70	1.00	\$11,270	\$42,403	\$2, <u>181</u> 548	\$5 <u>5,854</u> 6,220	\$18,453	\$40,505	-\$4,619	\$1,642	\$55,982
Large C&I	PY14	0.70	1. <u>02</u> 01	\$11,183	\$43,470	\$2, <u>339</u> 734	\$5 <u>6,993</u> 7,387	\$18,601	\$42,541	-\$4,551	\$1,563	\$58,154
Large C&I	PY15	0.70	1.04	\$10,632	\$ <u>49,203</u> 4 1,9 18	\$ <u>3,055</u> 2,798	\$ <u>62,889</u> 55,3 4 9	\$ <u>19,048</u> 17, 898	\$ <u>50,703</u> 4 2, 508	\$ <u>5,766</u> 4 ,38	\$1,413	\$ <u>65,398</u> 57
Large C&I	PY16	0.70	1.06	\$9,934	\$ <u>46,362</u> 39, 4 25	\$ <u>3,038</u> 2,785	\$ <u>59,334</u> 52,14 3	\$ <u>18,036</u> 16, 918	\$ <u>49,447</u> 4 1, 355	- \$ <u>5,599</u> 4 ,23 1	\$1,273	\$ <u>63,157</u> 55 ,315
Large C&I	PY17	0.70	1.09	\$9,425	\$ <u>44,063</u> 37,4	\$ <u>3,051</u> 2,800	\$ <u>56,539</u> 4 9,68 1	\$ <u>17,431</u> 16, 345	\$ <u>48,731</u> 4 0, 734	- \$ <u>5,541</u> 4 ,18 3	\$1,198	\$ <u>61,818</u> 54 ,095
Large C&I	Total	0.70	1.04	\$52,444	\$ <u>225,501</u> 204 ,673	\$13,664	\$ <u>291,609</u> 270, 781	\$ <u>91,569</u> 88, 215	\$ <u>231,926</u> 2 07,642	\$ <u>26,076</u> 21,	\$7,089	\$ <u>304,509</u> 2 80,977

		1.151.1	\$156.958 160.86	\$359.326 336		\$573,545 550,	\$251.3322	\$442,2614	-		
Total		6	7	,772	\$ <u>57,261</u> 53,015	654	53,573	11,713	\$ <u>51,165</u> 4 1, 289	\$17, <u>960</u> 06 4	\$ <u>660,388</u> 6 41,061

¹ The TRC ratio will reflect the lifetime TRC, not an annual TRC ratio.

² Does not include common portfolio costs; whereas Tables 2 and 3 do include common costs.

9 Plan Compliance and Other Key Issues

9.1 Plan Compliance Issues

9.1.1 Variety of EE&C Measures with Equitable Distribution

PPL Electric Utilities' EE&C Plan offers a variety of measures and distributes costs and energy savings equitably across all customer sectors. The Company's process for developing the Plan, including an overview of the considerations and steps taken to help ensure compliance with the Implementation Order, is described in Section 1.2 and Figure 2 in Section 3.1.2 shows that PPL Electric Utilities will offer each a range of energy efficiency and demand reduction measures to serve all customers. PPL Electric Utilities included education, which is fundamental to understanding and making informed choices about energy efficiency, as an element of all program components.

Program components for residential customers (including low-income) comprise approximately 39% of the total cost and 148% of the total savings projected in this Plan. Program components for non-residential customers comprise approximately 61% of the total cost and 862% of the total savings.

These proportions demonstrate an equitable distribution of savings among customer sectors and are reasonably close to the percentages of market potential attributable to the sectors and the percentage of total PPL Electric Utilities revenue attributable to each sector. The percentage of residential (including low-income) cost is greater than the percentage of residential savings (and vice versa for non-residential) because the component acquisition cost is higher for residential (including low-income) than for non-residential, primarily because the component acquisition cost of low-income is much higher than for non-low-income components.

9.1.2 Manner in which the EE&C Plan Will Achieve Requirements Under 66 Pa. C.S. §§ 2806.1(c) & (d)

By its Implementation Order, the Commission requires PPL Electric Utilities to achieve 3.3% energy savings by May 31, 2026, which equates to 1,250,157 MWh/year. The Commission also requires PPL Electric Utilities to achieve 72,509 MWh/year of energy savings from the low-income sector and to achieve 229 MW of peak demand reduction during Phase IV. PPL Electric Utilities designed its Plan to achieve all of these objectives. As previously described, the Company designed the Plan to exceed the 1,250,157 MWh/year and 229 MW targets by approximately 4439% MWh³³ and 108% MW, respectively, to allow for uncertainties, such as evaluation results that are not available until significantly after the conclusion of each program year.

³³ Includes 200,000 MWh/year of carryover program savings from Phase III

9.1.3 Manner in which the EE&C Plan Will Achieve Low-Income Requirements

The Implementation Order requires that a minimum of 72,509 MWh/year of the total required reductions come from the Low-Income customer sector. Consistent with Phase III, these savings may not accrue from low-income participation in general Residential Program components.

All low-income measures will be available at no cost to low-income customers. Though low-income customers can participate in Residential Program components, these specific measures are offered exclusively to the low-income sector. These measures comprise 1712.195% of the total measures offered. As required under Act 129, this exceeds the fraction of the electric consumption of the utility's low-income households divided by the total electricity consumption in the PPL Electric Utilities territory (9.95%).

 Low-Income Sector
 All Sectors
 Percentage Low-Income
 Goal: Low-Income Measures as % of All Measures Offered

 Number of measures offered
 2216
 128
 172.1950%
 9.95%

Table 61. Low-Income Sector Compliance (Number of Measures)¹

PPL Electric Utilities designed its Low-Income Program to achieve the Commission's low-income setaside target through the Phase IV program.

9.1.4 Funds Allocated to Experimental Equipment or Devices

All of the measures in this Plan are proven technologies that are commercially available and technically sound, and most, if not all, are in the TRM, will be added to the TRM, or will be treated as custom measures. As was done in Phase III, the Company will submit descriptions of any pilot programs or proposed technology additions to the Pa PUC and stakeholders prior to implementation. <u>Table 62Table 62Table 62</u> shows the funds PPL Electric Utilities allocated to pilots, new technology, and experimental equipment by customer sector.

Table 62. PPL Electric Utilities Funds Allocated to Pilots, New Technology, and Experimental Equipment

Sector	Allocated Funds
Residential and Low-Income	\$3 million
Small C&I and Large C&I	\$3 million
Total	\$6 million

PPL Electric Utilities will track and limit expenditures on measures determined as experimental to help ensure that no more than 2% of Act 129 funds are allocated for this purpose.

PPL Electric Utilities Page | 168

¹ Act 129 includes a provision requiring EDCs to offer a number of energy efficiency measures to low-income households that are "proportionate to those households' share of the total energy usage in the service territory." 66 Pa.C.S. §2806.1(b)(i)(G).

9.1.5 How the EE&C Plan Will Be Competitively Neutral to All Distribution Customers

As described in Section 9.1.1, each customer class has an opportunity to choose among a range of programs, components, and measures. All program components are available to customers regardless of whether they receive default generation service from PPL Electric Utilities or obtain competitive supply from an electric generation supplier. Based on their contracted generation supply rate, competitive-supply customers may experience different monthly bill savings than default generation service customers as a result of participating in one of PPL Electric Utilities' programs.

9.2 Other Key Issues

9.2.1 How EE&C Plan Will Lead to Long-Term, Sustainable Energy Efficiency Savings

PPL Electric Utilities designed its five-year portfolio of EE&C Plan programs to satisfy the performance requirements set forth in Act 129 and the Commission's Implementation Order. Many of the measures installed under the proposed program components will continue to perform and produce savings well beyond the term of the Plan. In addition, as described throughout the Plan, PPL Electric Utilities will encourage customers to take a comprehensive approach to energy efficiency and peak demand reduction by offering education and incentives designed to implement multiple measures and to take a whole-home/building approach.

Furthermore, PPL Electric Utilities program components have and will continue to stimulate demand for energy efficient and peak demand reduction products and encourage distributors and retailers to stock such equipment. For example, PPL Electric Utilities launched a midstream program for C&I lighting in Phase III. This innovative delivery channel encouraged lighting distributors to stock and promote efficient lighting technologies by providing them with incentives that they could pass onto the end user. The program was a success, with the number of participating distributors increasing throughout the phase. PPL Electric Utilities plans to build upon the success of this delivery channel by expanding midstream offerings to residential HVAC and pool pump measures in Phase IV.

9.2.2 How EE&C Plan Will Leverage and Utilize Other Financial Resources

PPL Electric Utilities encourages customers to maximize financial resources that are external to Act 129 funding. The Company monitors funding resources, such as state and federal rebates, tax credits, and equipment manufacturers' incentives that might benefit customers, to help offset some of their capital outlay for installing energy efficient products in addition to Act 129 EE&C incentives. The Company includes information about external resources in its annual program training and in regular updates to its CSPs, trade allies, and market partners, and provides relevant information to customers on its website and in relevant materials.

PPL Electric Utilities P a g e | 169

9.2.3 How PPL Electric Utilities Will Address Consumer Education

PPL Electric Utilities understands that educating customers about the value of energy efficiency and peak demand reduction is critical to achieving its goals, and it includes education as a key element of all its Phase IV program components. PPL Electric Utilities and its CSPs treat every customer touch point as an opportunity to provide customer education (see Section 3 for details).

9.2.4 How PPL Electric Utilities Will Provide Information on Federal and State Funding Programs

PPL Electric Utilities provides information about federal and state funding for EE&C on its energy efficiency website. Funding, including tax credits, has significantly diminished since the start of Act 129.

9.2.5 How PPL Electric Utilities Will Provide the Public with Information about Program Component Results

PPL Electric Utilities is committed to keeping customers, stakeholders, and the general public informed about the results of the energy efficiency program components and progress toward Plan goals. PPL Electric Utilities hosts a dedicated section on www.pplelectric.com that provides Act 129 information, including semiannual and annual evaluation reports. The Company will periodically meet with stakeholders to review results, provide semiannual and annual reports to stakeholders, and post those reports on its website. Additionally, PPL Electric Utilities shares customer success stories with customers, trade allies, and the public by publishing and distributing case studies.

9.2.6 How PPL Electric Utilities Will Report Savings Attained from Government, Non-profit, and Institutional (GNI) Customers

PPL Electric Utilities' Non-Residential Program will be offered to all large C&I and small C&I customers, including government and educational institutions and master metered low-income multifamily buildings. As part of annual reporting, PPL Electric Utilities will report two separate and distinct GNI energy savings numbers: (1) savings that are achieved from GNI customers that PPL Electric classifies as Small C&I customers and (2) savings that are achieved from GNI customers that PPL Electric classifies as Large C&I customers.

Appendix A: Approval of CSP Contracts

PPL Electric Utilities filed its EM&V CSP contract for Pa PUC approval on November 30, 2020. In addition, PPL Electric Utilities is currently negotiating implementation CSP contracts to implement the Residential, Non-Residential, and Low-Income Programs.

PPL Electric Utilities Page | 171

Appendix B: Calculations of Annual Savings and Costs

The PPL Electric Utilities Phase IV Plan includes tables showing calculations of savings and costs for each program and program year (see Section 7.3). Please refer to Table 54 (Pa PUC Table 10) in the Plan for portfolio specific assignment of EE&C costs. Table 55 (Pa PUC Table 11) provides detail on the allocation of common costs to applicable customer sectors. Table 56 (Pa PUC Table 12) provides a summary of portfolio EE&C costs.

Section 8 of the Plan provides a complete overview of program costs and benefits. The Plan includes cost-effectiveness calculations by program and program year in Section 8.2. Specifically, <u>Table 59Table 59Table 59 (Pa PUC Tables 13A)</u> and Table 60 (Pa PUC Tables 13B) show TRC benefits by program and program year for each sector.

PPL Electric Utilities Page | 172

Appendix C: Calculations Methods and Assumptions

PPL Electric Utilities based its savings and cost estimates on experience from Phase I, Phase II, Phase III, the TRM, and input from stakeholders and trade allies. The CSPs generated measure cost data using a variety of sources, including the SWE's Phase IV incremental cost database, Phase III program data, and for data not found in the incremental cost database, the CSPs used secondary sources, including the DOE's Technical Support Documents and other state-wide TRMs.

Many variables can impact the cost and effectiveness of a measure or program, and these variables led to numerous TRM changes during Phase I, Phase II, and Phase III that influenced program savings, acquisition cost, and TRC test results. In Phase IV, PPL Electric Utilities will use the experience and knowledge gained from prior phases to monitor and adjust measures and programs that help ensure the optimum balance of cost and benefits.

In most instances, the sector-level CSPs based their Phase IV savings calculations on the current TRM algorithms and industry practices. For measures that were not in the TRM, PPL Electric Utilities worked with the sector-level CSPs or used its experience gained from delivering programs in prior phases to calculate measure- and program-level savings, such as the average savings per lighting retrofit or custom project.

The CSPs based incentive and rebate levels on the percentage of incremental cost or the first-year unitenergy and unit-demand savings potential from the Market Potential Studies, online research, and conversations with installation contractors, as well as prior phase experience. These incentive and rebate amounts ranged, on average, from 25% to 75% of the incremental cost of a measure. Some measures require a higher incentive to motivate customer action, while others can have a lower incentive because market transformation and other factors can affect customer behavior.

Marketing and advertising costs for Phase IV consist of two components:

- Sector-level CSPs calculated costs required for individual program and cross-sector marketing to generate sufficient participation to meet the Act 129 targets, based on their implementation experience and knowledge of PPL Electric Utilities' market.
- PPL Electric Utilities allocated a portion of common costs for overarching marketing and advertising campaigns. This entails developing consistent messaging and branding guidelines, conducting market research to contribute to targeted messaging strategies, and providing direction and oversight to support sector-level CSP marketing efforts.

Finally, administrative costs include all utility costs to develop, implement, and manage the Plan, except payments to customers/trade allies (rebates and incentives). These costs include PPL Electric Utilities labor and materials, CSP labor and material, marketing, QA/QC and EM&V, tracking systems, legal, and

the SWE costs.³⁴ These Phase IV costs were based on PPL Electric Utilities wage rates; tracking system cost from prior phases; and EM&V costs from prior phases to reflect efficiencies, lessons learned, and revisions to prior phase systems and processes to increase Phase IV operational efficiency.

PPL Electric Utilities

21175109v122155978v1

 $^{^{34}}$ PPLElectric Utilities' share of the SWE costs is not subject to the Act 129 cost cap.